

Govt. of West Bengal,
Directorate Of Health Services,
Central Medical Stores,
141, A.J.C. Bose Road, Kolkata-14
E-Mail : cmswbhealth@gmail.com

Memo No.:- HST/1P-101-2019/270

Date:-04-08-21


NOTICE

This is information to all the participating bidders for their valued opinion regarding the short fall documents (if any), found during evaluation of Technical Bid Documents submitted by the bidders online in connection with the E Tender vide NIT No. HST/1P-101-2019/ADDLCON/2019-21/074 Dated 06-08-2019. The List of short fall documents against the bidder is enclosed herewith in Annexure A.

In this regard, the bidders are requested to submit their opinion/justification with necessary comment, mentioning the specific page/folder in terms of the Bid Documents, is invited through E-Mail (Email ID: cmswbhealth@gmail.com) against the shortfall found by the Evaluation Committee within 20-08-2021 in absence it will be assumed that the Technical Bid Evaluation of the Tender Committee is correct and that will be treated as final. Subsequent explanation/complaints after the scheduled date will not be entertained.

Fresh Documents other than the submitted Bid Documents or any hard copy documents regarding the shortfall need not to be submitted or if submitted, those will not be accepted.


Dy. Director of Health Services (E&S), WB


04.08.21

Annexure A

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
1	3M India Limited	C58.01/C	CDC Guided Peripheral IV Securement Device with component: 1 No 2% Chlorohexidine Gluconate & 70% Isopropyl Alcohol wipe as per CDC recommendations, 1 No Sterile Gauze piece, 1 No Latex Free Synthetic Poly-isoprene Based texture Surface Material Of Tourniquet, 1 No Transparent Semi Permeable polyurethane film with Reinforcement of Waterproof Soft cloth and Pattern Coated Adhesive for Higher Sweat Transfer Rates Dressing. Size - 7 cm X 8.5 cm - 9 cm.	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
1	3M India Limited	D9.01/C	Diathermy Pad Foam and woven backing material Bipolar model. Upright and horizontal shape. The patent shape outline design make the adhearence to be more close and comfortable on body joint anf lift bones. The conductive gel covers over the edge of metal foil. It can avoid the burned hurt which because by the connection of metal foil and skin.	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
1	3M India Limited	D12.01/C	Disposable Convective warming Blanket, Should have wide range of disposable blankets for variety of patient sizes and positions. *Blankets must have 2 layers of non-woven polypropylene fabric bonded to a layer of polyethylene for durability and to prevent tearing and puncturing.	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
1	3M India Limited	M16.01/C	Moving Front Chemical Indicators To Verify All Parameters Of Steam Sterilisation To Gather i.e. Time, Temperature & Equality Of Steam Read Out Indications After Accept Or Reject Process & Allows To Differentiate All The Parameters	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
1	3M India Limited	N18.01/C	Non-invasive Skin Closure Strips With Sterile Breathable Non- Oven Rayon Backed Miroporous Material With Filaments For High Tensile Strength, Containing Hypoallergenic Adhesive To Reduce Skin Trauma & Scars Chances Of Infection Leading To Optimum Cosmetic Outcomes. Size - ¼" X 3"/6 mm X 75 mm	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
1	3M India Limited	N18.02/C	Non-invasive Skin Closure Strips With Sterile Breathable Non- Oven Rayon Backed Miroporous Material With Filaments For High Tensile Strength, Containing Hypoallergenic Adhesive To Reduce Skin Trauma & Scars Chances Of Infection Leading To Optimum Cosmetic Outcomes. Size - ¼" X 1½"/6 mm X 38 mm	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
1	3M India Limited	N18.03/C	Non-invasive Skin Closure Strips With Sterile Breathable Non- Oven Rayon Backed Miroporous Material With Filaments For High Tensile Strength, Containing Hypoallergenic Adhesive To Reduce Skin Trauma & Scars Chances Of Infection Leading To Optimum Cosmetic Outcomes. Size - ¼" X 4"/6 mm X 100 mm	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
1	3M India Limited	N18.04/C	Non-invasive Skin Closure Strips With Sterile Breathable Non- Oven Rayon Backed Miroporous Material With Filaments For High Tensile Strength, Containing Hypoallergenic Adhesive To Reduce Skin Trauma & Scars Chances Of Infection Leading To Optimum Cosmetic Outcomes. Size - ½" X 4" /12 mm X100 mm	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
1	3M India Limited	R9.01/C	Ready To Use Bath Towels Containing 2% Chlorohexidine Gluconate Solution I.P(W/V)With Moisturizing Agents :Aloe Vera, Vitamin E & Olive Extracts And Purified Water I.P. Providing pH Balance Antibacterial Activity. Size - 32 cm X 30 cm	CA certificate submitted but percentage of market share not mentioned.
1	3M India Limited	R10.01/C	Rechargeable Surgical Clipper With Fixed Head & Cutting Disposable Blade Run Time Of 160 Minutes, Rechargeable With Lithium Ion(Li-Ion) Battery With Drop In Charger With Or Without A Cord & Single Used 36.4mm Width Blade Snap On & Pop Off Easily	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
1	3M India Limited	S105.01/C	Sterile pack of Dressing (9cmX15cm)	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
1	3M India Limited	S105.02/C	Sterile pack of Dressing (9cmX20cm)	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
1	3M India Limited	T21.01/C	Transparent sterile water proof, bacterial and viral barrier polyurethane film with absorbent non-adherent pad and hypoallergenic acrylic adhesive' with window frame delivery style. 9cmX25cm	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
1	3M India Limited	T21.02/C	Transparent sterile water proof, bacterial and viral barrier polyurethane film with absorbent non-adherent pad and hypoallergenic acrylic adhesive' with window frame delivery style. 9cmX35cm	1. CA certificate submitted but percentage of market share not mentioned. 2.MSC submitted but item not specified.
2	ADVANCED MEDTECH SOLUTIONS PRIVATE LIMITED	S113.01/C	SUTURE MATERIAL, DOUBLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY / TAPER POINT 17.5MM, 25-26MM, NO. SIZE 3/0, LENGTH MIN 70 CM,	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
2	ADVANCED MEDTECH SOLUTIONS PRIVATE LIMITED	S115.01/C	SUTURE MATERIAL, POLYDIOXANONE, 1/2 CIRCLE ROUND BODY (HEAVY), 50 MM NEEDLE, NO. SIZE-1, LENGTH MIN 150 CM (LOOP).	Nil
2	ADVANCED MEDTECH SOLUTIONS PRIVATE LIMITED	S116.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY / CUTTING, 16-25MM, NO. SIZE 3/0 AND 4/0, LENGTH MIN 70 CM.	Nil
2	ADVANCED MEDTECH SOLUTIONS PRIVATE LIMITED	S117.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY, 30-40MM, NO. SIZE 1, LENGTH MIN 70 CM.	Nil
2	ADVANCED MEDTECH SOLUTIONS PRIVATE LIMITED	S118.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY, 30MM, NO. SIZE 1/0, LENGTH MIN 70 CM.	Nil
3	ANGIPLAST PRIVATE LIMITED	A17.01/C	Abdonimal Drain Kits	Nil
3	ANGIPLAST PRIVATE LIMITED	D15.01/C	Disposable HME filter : Disposable HME filter, resistance to flow 60 IL/min-2.0 cm H2O, Desirable: Bacterial Viral filtration efficiency more than 95%	Item not specified in MSC and Endorsment
3	ANGIPLAST PRIVATE LIMITED	M12.01/C	Micro drip set	Nil
3	ANGIPLAST PRIVATE LIMITED	M20.01/C	Mucus sucker	Nil
3	ANGIPLAST PRIVATE LIMITED	V4.01/C	Vacuum Drain kit Bellows Type Closed 12Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Nil
3	ANGIPLAST PRIVATE LIMITED	V4.02/C	Vacuum Drain kit Bellows Type Closed 14Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Nil
3	ANGIPLAST PRIVATE LIMITED	V4.03/C	Vacuum Drain kit Bellows Type Closed 16Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Nil
3	ANGIPLAST PRIVATE LIMITED	Y2.01/C	Yankauer Type PVC Suction Cannula and Tube Surgical suction cannula with tubing: noncollapsible at high suction pressures upto 100mmHg	Nil
4	Bard India Healthcare Pvt Ltd	P39.01/C	Pediatric Shunt, Size - 3, 3.5, 4 & 5 mm, * Shunt should be made by PTFE. * Shunt length should be 10cm,* Shunt should be used in Cardiac Procedures.	Nil
4	Bard India Healthcare Pvt Ltd	P45.01/C	Peripherally Inserted Central Venous Single Lumen polyurethane catheter. Fully radiopaque I.V. catheter in biostable polyurethane for medium and long term venous access. Flexible catheter with Stylet Integral fixation wing and extension tube Markings every 5cm Introducer: peel-apart short I.V cannula Supplied with one measuring tape. Size: Fr-3/4/5, Length - 60cm, Priming Volume: 0.25/0.40/0.70ml	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
4	Bard India Healthcare Pvt Ltd	P65.01/C	PTFE (Compressed) Felt Pledgets Size - 6.0 x 6.0 mm * Thickness should be 1.65 mm, * Pledgets should be buttretness under suture of tearing through tissue.	Nil
4	Bard India Healthcare Pvt Ltd	P65.02/C	PTFE (Compressed) Felt Pledgets Size - 9.5 x 4.8 mm * Thickness should be 1.65 mm, * Pledgets should be buttretness under suture of tearing through tissue.	Nil
4	Bard India Healthcare Pvt Ltd	P68.01/C	PTFE vascular graft of different sizes (plain and ring reinforce)	Nil
4	Bard India Healthcare Pvt Ltd	S93.01/C	Silicone Catheter for long-term venous access. Radiopaque silicone catheter for peripheral or central venous access for parental nutrition, chemotherapy. Size : G-18/16/14/11, Fr-4/5/6/9.5, Length – 60cm	Nil
5	BBraunMedical India Pvt. Ltd	C61.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 20G/22G/22G Size- 5Fr. Triple Lumen, Length-8/13 cm with Nitinol Guide Wire dilator & sutureless fixation device.	Nil
5	BBraunMedical India Pvt. Ltd	C62.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 22G Size- 4Fr. Double Lumen, Length-8/13 cm with Nitinol Guide wire, dilator & sutureless fixation device.	Nil
5	BBraunMedical India Pvt. Ltd	C63.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, (Preferred lumen size 16G/18G/18G Size-7Fr. Triple Lumen, Length-15/20 cm	Nil
5	BBraunMedical India Pvt. Ltd	C63.02/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, Double lumen. Size- 7Fr. Length 15/20 cm.	Nil
5	BBraunMedical India Pvt. Ltd	C68.01/C	Combined Spinal Epidural Anaesthesia Kit - 16G/18G. It should be needle through needle technique and have locking mechanism for securing spinal needle. Both needles should have mm graduation markings at the hub. Spinal Needle should have whitacre bevel and allow 360 degree rotation for spread of drugs.	Nil
5	BBraunMedical India Pvt. Ltd	C69.01/C	Combined Spinal Epidural system : 1. Should have 18G Tuohy needle of 80mm length and graduations with internal stylet and optional snap on wings. 2. Should contain 25G/27G pencil point spinal needle of 118 mm length with internal stylet. 3. Should have a 10ml Epirural 'Loss of Resistance' syringe. 4. Should have an 20G Peribax Epidural Catheter with a smooth closed tip, distal tip mark. 5. Should have a catheter connector with a flat profile for increased patient comfort. 6. Should have a flat filter with a 0.22µm.	Nil
5	BBraunMedical India Pvt. Ltd	C77.01/C	CVC 7.5 Fr. with Anti Kinking Nitinol Guide Wire(Adult)-14G/18G/18G-16CM * 7.5Fr. Thermosensitive Polyurethane Rifampicin & Miconazole Integrated Triple Lumen Adult CVC. * It has Anti Kinking Nitinol Guide Wire	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
5	BBraunMedical India Pvt. Ltd	C80.01/C	CVC Catheter Four Lumen - 14G/16G/18G/18G * 8 fr - 8.5 Fr. 4 Lumen Thermosensitive Polyurethane adult CVC	Nil
5	BBraunMedical India Pvt. Ltd	I14.01/C	Integrated closed IV catheter system with pre-attached high pressure extension set (up to 300psi); with two split septum, closed system needle-less connectors; needle tip encapsulated in plastic cap for NSI prevention sizes: 18g, 20g, 22g & 24g.	Nil
6	BECTON DICKINSON INDIA PVT LTD	I14.01/C	Integrated closed IV catheter system with pre-attached high pressure extension set (up to 300psi); with two split septum, closed system needle-less connectors; needle tip encapsulated in plastic cap for NSI prevention sizes: 18g, 20g, 22g & 24g.	Nil
6	BECTON DICKINSON INDIA PVT LTD	N12.01/C	Needleless access for injections/sampling - Closed system for connections/disconnections of all I.V. infusions and equipment - Cleanable membrane for swabbing before and after use. - Simple one-piece design fits all I.V. luers. No other accessories needed. - Standard Male-Female Luer locks - Supplied in a unique protector for "no touch" connection of sterile Bionector.	Nil
6	BECTON DICKINSON INDIA PVT LTD	P56.01/C	Polyurethane Triple Lumen Extension Line with needle free device for Infection control – 10cm : * Needle free IV access device with two/three Female Luer Lock Ports at one end & Male Rotating Nut Luer Lock at other end. Swabable ports allows safe access to IV line. Clear housing to allow visual, Low prime control(1.70 ml) with Neutral Displacement for non clotting the catheter.	Nil
6	BECTON DICKINSON INDIA PVT LTD	P56.02/C	Polyurethane Triple Lumen Extension Line with needle free device for Infection control – 10cm/15cm : • Needle free IV access device with two/three Female Luer Lock Ports at one end & Male Rotating Nut Luer Lock at other end. • Swabable ports allows safe access to IV line. • Clear housing to allow visual assessment of fluid path. • Low prime control(1.60 ml) • High flow rate • Length : 10-18 cm	Nil
6	BECTON DICKINSON INDIA PVT LTD	S100.03/C	Spinal Needle 25G, 26G. Grooved colourless, transparent hub for firm grip, early detection of CSF flashback. Sharp cutting bevel (Whitacre) for low puncture force. Length 90 mm	Nil
7	BENGAL SURGICALS LIMITED	G13.01/C	GAUZE, STERILIZED IN PKTS. SIZE: 10 CM X 10 CM X 12 PLY	Nil
8	BINA ENTERPRISE	M17.01/C	MOX (Connector) with pressure gauge	Nil
8	BINA ENTERPRISE	M18.01/C	MOX-26 OXYGEN PRESSURE REDUCING VALVE	Nil
8	BINA ENTERPRISE	O11.01/C	OXYGEN CYLINDER - FINE ADJUSTMENT VALVE ONLY	Nil
8	BINA ENTERPRISE	O13.01/C	OXYGEN CYLINDER FLOW METER (FINE ADJUSTMENT VALVE AND GAUGE)	Nil
8	BINA ENTERPRISE	O14.01/C	OXYGEN CYLINDER KEY FOR VALVE BULL NOSE TYPE	Nil
8	BINA ENTERPRISE	P47.01/C	PIN INDEX VALVE FOR O2 AND N2O FOR ANAESTHETIC APPARATUS	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
9	BL Lifesciences Pvt Ltd	A23.01/C	ACT tube for ACT management for CPB	Nil
9	BL Lifesciences Pvt Ltd	A29.01/C	Aortic Punch Precisely engineered scissor cut blade. Single use Aorta/vein punch provided clean accurate incisions for miocardial revascularization. Large finger ring for greater control and accuracy. Easily cuts through thick calcified tissue. Radiopaque and latex safe.	Nil
9	BL Lifesciences Pvt Ltd	B24.01/C	Blood Cardioplegia Device - Adult - Heat exchanger pleatal type. Priming volume of heat exchanger : <30 ml . Integrated heat exchanger with bubble trap. Assemble with Class VI Implant tested tubing. High cooling efficiency. Eassy set up and priming. Outlet comnnection 1/4" built in bridge for choice of 100 % blood and 100 % cardioplegia solution delivery.	Nil
9	BL Lifesciences Pvt Ltd	B24.02/C	Blood Cardioplegia Device - Paediatric - Heat exchanger pleatal type. Priming volume of heat exchanger : <30 ml . Integrated heat exchanger with bubble trap. Assemble with Class VI Implant tested tubing. High cooling efficiency. Eassy set up and priming. Outlet comnnection 1/4" built in bridge for choice of 100 % blood and 100 % cardioplegia solution delivery.	Nil
9	BL Lifesciences Pvt Ltd	B25.01/C	Blower Mister Kit : Comfortable hand grip with a 6.5" (16.5 cm) malleable stainless steel shaft for ease of positioning near the surgical site.The soft; silicon tip contains a plastic tube which carries saline to the tip .	Nil
9	BL Lifesciences Pvt Ltd	C52.01/C	Cannula for CPB-Arterial-18F, 10F, 12F, 14F & 16F (Straight), 20,22,24 (Angled tip)	Item not specified in MSC and Endorsment
9	BL Lifesciences Pvt Ltd	C70.01/C	Connector - Straight assorted sizes - PVC Material, sterile pack	Nil
9	BL Lifesciences Pvt Ltd	C71.01/C	Coronary Shunts Assorted size : Bevelled Ultra-soft Tip , Obstruction -Free Flow Path , Large Atraumatic Sealing Surface & Flexible Shaft.	Item not specified in MSC and Endorsment
9	BL Lifesciences Pvt Ltd	C74.01/C	Custom Pack for Membrane Oxygenator (Neonatal) - Class VI implanted tubing. Non-kinking transparent clear tubing. Should be Clear and Colour strip. Component include Gas line filter. Pre by pass filter.	Nil
9	BL Lifesciences Pvt Ltd	C74.02/C	Custom Pack for Membrane Oxygenator (Paediatric) - Class VI implanted tubing. Non-kinking transparent clear tubing. Should be Clear and Colour strip. Component include Gas line filter. Pre by pass filter.	Nil
9	BL Lifesciences Pvt Ltd	C75.01/C	CVC 3 Fr. with Anti Kinking Nitinol Guide Wire(Paediatric)-6CM/10CM * 3Fr. Thermosensitive Polyurethane Double Lumen Paediatric CVC. * It has Anti Kinking Nitinol Guide Wire	Nil
9	BL Lifesciences Pvt Ltd	C76.01/C	CVC 7 fr - 7.5 Fr. with Anti Kinking Nitinol Guide Wire(Adult)- 14G/18G/18G-15CM* 7 fr - 7.5Fr. Thermosensitive Polyurethane Triple Lumen.Adult CVC* It has Anti Kinking Nitinol Guide Wire & Blood Less Device	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
9	BL Lifesciences Pvt Ltd	C77.01/C	CVC 7.5 Fr. with Anti Kinking Nitinol Guide Wire(Adult)-14G/18G/18G-16CM * 7.5Fr. Thermosensitive Polyurethane Rifampicin & Miconazole Integrated Triple Lumen Adult CVC. * It has Anti Kinking Nitinol Guide Wire	Nil
9	BL Lifesciences Pvt Ltd	C80.01/C	CVC Catheter Four Lumen - 14G/16G/18G/18G * 8 fr - 8.5 Fr. 4 Lumen Thermosensitive Polyurethane adult CVC	Nil
9	BL Lifesciences Pvt Ltd	C83.01/C	CVP Transducer : Integrated unit for Clinical Accuracy. Dual mode of flushing controlled squeeze and snap-tab. Completely transparent for easy priming and debubbling with flushing of 3 cc / hr or without flush. Easy zeroing. Standard closed loop sampling kit / double.	Nil
9	BL Lifesciences Pvt Ltd	C84.01/C	CVP Transducer Compatible with Arterial Pulse Contour Monitor (Disposable single Use)	Nil
9	BL Lifesciences Pvt Ltd	C85.01/C	CVP/IBP Transducer Clamp (Reusable)	Nil
9	BL Lifesciences Pvt Ltd	C86.01/C	CVP/IBP Transducer Holder (Reusable)	Nil
9	BL Lifesciences Pvt Ltd	D9.01/C	Diathermy Pad Foam and woven backing material Bipolar model. Upright and horizontal shape. The patent shape outline design make the adhearence to be more close and comfortable on body joint anf lift bones. The conductive gel covers over the edge of metal foil. It can avoid the burned hurt which because by the connection of metal foil and skin.	Nil
9	BL Lifesciences Pvt Ltd	D12.01/C	Disposable Convective warming Blanket, Should have wide range of disposable blankets for variety of patient sizes and positions. *Blankets must have 2 layers of non-woven polypropylene fabric bonded to a layer of polyethylene for durability and to prevent tearing and puncturing	Nil
9	BL Lifesciences Pvt Ltd	D15.01/C	Disposable HME filter : Disposable HME filter, resistance to flow 60 IL/min-2.0 cm H2O, Desirable: Bacterial Viral filtration efficiency more than 95%	Nil
9	BL Lifesciences Pvt Ltd	D20.01/C	Disposable Ventilator Circuit with single water Trap. Should be tidel volume range from 200 ml to 1500 ml. Should be minimal deade space 55 ml. Medical grade PE. Connector 15/22 mm M/F for Y piece, connector 15/22 mm M/F for ETT & Mask. Standard length . 6ft. or expandable length	Nil
9	BL Lifesciences Pvt Ltd	D21.01/C	Disposable Ventilator Heated Wire Circuit with water chamber. Should be tidel volume range from 200 ml to 1500 ml. Should be minimal deade space 55 ml. Medical grade PE. Connector 15/22 mm M/F for Y piece, connector 15/22 mm M/F for ETT & Mask. Standard length . 6ft. or expandable length.	Nil
9	BL Lifesciences Pvt Ltd	D25.01/C	Dome Kit with flushing system. • Should be single line monitoring Dome. • Should be measure invasive Pressure.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
9	BL Lifesciences Pvt Ltd	E9.01/C	ECMO Disposable Kit for Adult	Item not specified in MSC and Endorsment
9	BL Lifesciences Pvt Ltd	E9.02/C	ECMO Disposable Kit for Pediatric	Item not specified in MSC and Endorsment
9	BL Lifesciences Pvt Ltd	E19.01/C	Extension lines in spirally coiled form in Polythelene Protects the patient, catheter and infusion equipment from Stress caused by pulling and tugging. Provides Freedom of movement during Early mobilisation, removes lines from floor level. L-100/150/200 cm	Nil
9	BL Lifesciences Pvt Ltd	F23.01/C	Filter for Blood Transfusion : Reduced priming volume:35 ml , High filtering flow rates for amounts of whole blood up to 2000 ml , Easy debubbling , High filtering efficiency: Microaggregate removal> 25 I-IM: 95% (Micro 20) & Microaggregate removal> 40 I-Im: 95% (Micro 40) , Maximum working pressure : 400 mmHg , Poluster monofilament screen filte.	Nil
9	BL Lifesciences Pvt Ltd	H13.01/C	Hand Switch Pencil for Diathermy. Easy handling,Light, Comfortable anatomical shape, 3 meters cabel, 3-pin standard connector for ref MB 100/MB 200, I-pin 4mm. standard connector for ref. MBSOO, single use, Ethylene oxide sterilized, Pencils been manufactured under ANSI/AAMI standard HF18 1.993 for electrourgical devices	Nil
9	BL Lifesciences Pvt Ltd	H14.01/C	Heat & Moisture Exchange Filter : 1. HEPA bacterial and viral filter with HME properties offering optimum hydrophilic filtration. 2. Gas sampling port, for end tidal CO2 monitoring. 3. Recommended tidal volume range 150-1200ml 4. Humidity output (mg H2O per L):6mg per 500 5. Even-pleated /electrostatic filter medium to allow maximum filtration efficiency with minimal resistance to flow. 6. Low deadspace, equal to 45-55ml 7. Single use and sterile.	Nil
9	BL Lifesciences Pvt Ltd	I19.01/C	Intra Cardiac Sucker: Comfortable hand grip. The tip shaft is made from rigid stanless steel . The Macro sucker has a fluted pool tip to maximize suction and minimize tissue trauma. Micro sucker 6 in(15.2 cm) approx. & Mini sucker 5 in (12.1 cm) approx.	Nil
9	BL Lifesciences Pvt Ltd	M11.01/C	Membrane Oxygenator with coating (Paediatric) - Priming Volume of 135 ml. Blood Flow range up to 4.0 L / min. Reservoir capacity of 3000 ml; 70 mL minimum operating level. Non heparin based biopassive polymer does not react with blood components.	Item not specified in MSC and Endorsment
9	BL Lifesciences Pvt Ltd	O17.01/C	Oxygenator with coating (Adult) - Priming Volume of 270 ml. Large blood flow rate of up to 7.0 L / min. Large reservoir capacity of 4000 ml; 200 mL minimum operating level. Non heparin based biopassive polymer does not react with blood components.	Item not specified in MSC and Endorsment
9	BL Lifesciences Pvt Ltd	P32.01/C	P. V. C TUBING 1/4" X 12 MTR STERILE	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
9	BL Lifesciences Pvt Ltd	P32.02/C	P. V. C TUBING 3/4" X 10 MTR STERILE	Nil
9	BL Lifesciences Pvt Ltd	P32.03/C	P.V.C. TUBING 1/2" X 10 MTR STERILE	Nil
9	BL Lifesciences Pvt Ltd	P43.01/C	Pericardial Sumps Sucker : Fluted tip which is encased in a stainless steel and has a weight at the end. This tip is attached to soft flexible tubing terminating in a connector. Size : 15 in overall length , 1/4 connector.	Nil
9	BL Lifesciences Pvt Ltd	P50.01/C	Plastic disposable bulldog angled and straight	Nil
9	BL Lifesciences Pvt Ltd	P51.01/C	PM line 10, 25, 50, 80, 100, 150, 200 cm, extension tube dia 1.2 mm, od 2.8, for pressure upto 4.5 bar (65psi)	Nil
9	BL Lifesciences Pvt Ltd	P56.01/C	Polyurethane Triple Lumen Extension Line with needle free device for Infection control – 10cm : * Needle free IV access device with two/three Female Luer Lock Ports at one end & Male Rotating Nut Luer Lock at other end.Swabable ports allows safe access to IV line. Clear housing to allow visual, Low prime control(1.70 ml) with Neutral Displacement for non clotting the catheter.	Nil
9	BL Lifesciences Pvt Ltd	P56.02/C	Polyurethane Triple Lumen Extension Line with needle free device for Infection control – 10cm/15cm : • Needle free IV access device with two/three Female Luer Lock Ports at one end & Male Rotating Nut Luer Lock at other end. • Swabable ports allows safe access to IV line. • Clear housing to allow visual assessment of fluid path. • Low prime control(1.60 ml) • High flow rate • Length : 10-18 cm	Nil
9	BL Lifesciences Pvt Ltd	P60.01/C	PRECUT STERILE TUBING SET MEMBRANE OXYGENATOR (ADULT), CUSTOMISED PACK	Nil
9	BL Lifesciences Pvt Ltd	P61.01/C	PRESSURE EXTENSION LINE MALE - FEMALE, MALE - MALE, LENGTH: 100 - 200 CM	Nil
9	BL Lifesciences Pvt Ltd	P62.01/C	Pressurised Infusor Bags	Nil
9	BL Lifesciences Pvt Ltd	R11.01/C	Reciprocating saw system with blades of different cutting lengths	Nil
9	BL Lifesciences Pvt Ltd	V5.01/C	Vascular loop, silicon, length 15-20 cm, assorted size	Nil
9	BL Lifesciences Pvt Ltd	V6.01/C	Vascular Tournicate : 3 pairs of Tournicate of different colours with S.S.Snare.	Nil
9	BL Lifesciences Pvt Ltd	V7.01/C	Venous - 12F, 14F, 16F, 18F, 20F, 24F & 28F (Metal Angled tip) 30,32,34,36 (Straight)	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
9	BL Lifesciences Pvt Ltd	W2.01/C	Water seal drainage bottle. (Paed), (BL) - Should be the facility to collection of autologous blood from patients pleural cavity or mediastinal area. Should be evacuate air or fluid from chest cavity or mediastinal. Should be help re-established lung expansion. Should be disposable water seale operated system. Should be in 2000 ml. Should be non-pyrogenic. Should be Taperal water seal for the Patient safety.	Nil
9	BL Lifesciences Pvt Ltd	Y2.01/C	Yankauer Type PVC Suction Cannula and Tube Surgical suction cannula with tubing: noncollapsible at high suction pressures upto 100mmHg	Nil
10	CAREGROUP SIGHT SOLUTION PRIVATE LIMITED	A19.01/C	AC Lens • Material: PMMA • Optic Size: 6.00 mm • Overall Length: 12.75 mm • A-Constant: 114.9	Nil
10	CAREGROUP SIGHT SOLUTION PRIVATE LIMITED	C53.01/C	Capsular Tension Ring • Material: PMMA • Normal Size: 12.00 mm • Compressed Size: 10.00 mm • Fixation Hook: Both Sides	Nil
10	CAREGROUP SIGHT SOLUTION PRIVATE LIMITED	F26.02/C	Foldable Lens (Phaco) • Single piece Foldable Lens • Material is UV Block incorporated ensuring adequate UV protection • Optics are YAG Laser friendly • Non-Ionic nature of materials ensures resistance to deposits thus lowering the incidence of PCO • Material: Acrylic Hydrophilic • Optic Type: Biconvex • A-Constant: 118.0 • Optic Size: 6.0 mm • Overall Length: 12.5 mm	Nil
10	CAREGROUP SIGHT SOLUTION PRIVATE LIMITED	F26.01/C	Foldable Lens (Phaco) of different IOL powers: + 1 D to + 25 D • Single piece Foldable Lens • Material is UV Block incorporated ensuring adequate UV protection • Optics are YAG Laser friendly • Non-Ionic nature of materials ensures resistance to deposits thus lowering the incidence of PCO • Material: Acrylic Hydrophobic • Optic Type: Biconvex • A-Constant: 118.0 / 118.5 • Optic Size: 5.5 mm / 6.0 mm • Overall Length: 12.5 mm	Nil
10	CAREGROUP SIGHT SOLUTION PRIVATE LIMITED	P38.01/C	PC IOL (RIGID) • Material: PMMA • Optic Size: 6.0 mm • Overall Length: 12.5 mm • Power: +2.00 to 35.000 (0.50 Steps) • A-Constant: 118.2 • Optical Clarity to ensure high contrast sensitivity	Nil
10	CAREGROUP SIGHT SOLUTION PRIVATE LIMITED	S88.01/C	SF IOL • Material: Acrylic • Single / Multi piece • Optic Design: Equiconvex • Optic Size: 6.50 mm • Overall Length: 13.50 mm • Haptic Angle: Modified C • Dialling Holes: 2 Evelets • A-Constant: 118.2	Nil
11	CURE SURGICALS	C64.01/C	Cervical spinal locking plate Assorted Size with required screw, Material – Titanium	1. Item not specified in Endorsment 2. MSC not submtted

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
11	CURE SURGICALS	C69.01/C	Combined Spinal Epidural system : 1. Should have 18G Tuohy needle of 80mm length and graduations with internal stylet and optional snap on wings. 2. Should contain 25G/27G pencil point spinal needle of 118 mm length with internal stylet. 3. Should have a 10ml Epirural 'Loss of Resistance' syringe. 4. Should have an 20G Peribax Epidural Catheter with a smooth closed tip, distal tip mark. 5. Should have a catheter connector with a flat profile for increased patient comfort. 6. Should have a flat filter with a 0.22µm.	1. Item not specified in Endorsment 2. MSC not submtted
12	DATT MEDIPRODUCTS PRIVATE LIMITED	B33.01/C	Bridge Dressing for bridging the wound where the wound location is not suitable for dressing for VAC Unit	Nil
12	DATT MEDIPRODUCTS PRIVATE LIMITED	C58.01/C	CDC Guided Peripheral IV Securement Device with component: 1 No 2% Chlorohexidine Gluconate & 70% Isopropyl Alcohol wipe as per CDC recommendations, 1 No Sterile Gauze piece, 1 No Latex Free Synthetic Poly-isoprene Based texture Surface Material Of Tourniquet, 1 No Transparent Semi Permeable polyurethane film with Reinforcement of Waterproof Soft cloth and Pattern Coated Adhesive for Higher Sweat Transfer Rates Dressing. Size - 7 cm X 8.5 cm - 9 cm.	Nil
12	DATT MEDIPRODUCTS PRIVATE LIMITED	E21.01/C	Eye Pad With Out Adhesive. • Gauze or nonwoven covered outside, cotton inside. • Size: Standard size in Oval Shape to cover the eye. • Individual pack in sterile packaging, ETO (EO) Sterile Eye Pad. • Without Adhesive.	Nil
12	DATT MEDIPRODUCTS PRIVATE LIMITED	G13.01/C	GAUZE, STERILIZED IN PKTS. SIZE: 10 CM X 10 CM X 12 PLY	Nil
12	DATT MEDIPRODUCTS PRIVATE LIMITED	O2.01/C	Open Abdomen Negative Pressure System for temporary abdominal closure system comprises of a) Polyurethane foam with pore size 400-600 micron b) Visceral Protective layer comprises of Polyurethane encapsulated foam extension reach deep into paracolic gutter c) Adhesive drape d) Interface Pad.It should be FDA and European CE Certified.	Nil
12	DATT MEDIPRODUCTS PRIVATE LIMITED	P57.01/C	Polyvinyl alcohol White foam small dressing w/ Sensa TRAC (10 cmx7.5cm) for VAC Unit	Nil
12	DATT MEDIPRODUCTS PRIVATE LIMITED	P57.02/C	Polyvinyl alcohol Whitefoam Large dressing w/ Sensa TRAC (10 cmx 15cm) for VAC Unit	Nil
12	DATT MEDIPRODUCTS PRIVATE LIMITED	S105.01/C	Sterile pack of Dressing (9cmX15cm)	Nil
12	DATT MEDIPRODUCTS PRIVATE LIMITED	S105.02/C	Sterile pack of Dressing (9cmX20cm)	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
12	DATT MEDIPRODUCTS PRIVATE LIMITED	T21.01/C	Transparent sterile water proof, bacterial and viral barrier polyurethane film with absorbent non-adherent pad and hypoallergenic acrylic adhesive' with window frame delivery style. 9cmX25cm	Nil
12	DATT MEDIPRODUCTS PRIVATE LIMITED	T21.02/C	Transparent sterile water proof, bacterial and viral barrier polyurethane film with absorbent non-adherent pad and hypoallergenic acrylic adhesive' with window frame delivery style. 9cmX35cm	Nil
13	Dr Sabharwals Wound Care	S105.01/C	Sterile pack of Dressing (9cmX15cm)	Nil
13	Dr Sabharwals Wound Care	S105.02/C	Sterile pack of Dressing (9cmX20cm)	Nil
13	Dr Sabharwals Wound Care	S121.01/C	Synthetic fiberglass cast material - 3"	Nil
13	Dr Sabharwals Wound Care	S121.02/ C	Synthetic fiberglass cast material - 4"	Nil
13	Dr Sabharwals Wound Care	S121.03/ C	Synthetic fiberglass cast material - 5"	Nil
14	Futura Surgicare pvt.Ltd.	P42.01/C	Pericardial Bioprosthetic Heart Valve • Both Aortic & Mitral Position . • Aortic Position – Sizes 19 to 29 mm, • Mitral Position – sizes 25 to 33 mm. • It should be US FDA / CE approved . • It should have anti-calcification treatment	MSC not submitted
14	Futura Surgicare pvt.Ltd.	P55.01/C	Polypropelene mesh - (11cm to 14cm) x 15 cm	MSC not submitted
14	Futura Surgicare pvt.Ltd.	P55.02/C	Polypropelene mesh - (6cm to 8cm) x 15 cm	MSC not submitted
14	Futura Surgicare pvt.Ltd.	P67.01/C	PTFE Sutures 5-0, 4-0	Nil
14	Futura Surgicare pvt.Ltd.	S106.02/C	Sterile, freeze dried composite of 44% oxidized regenerated cellulose (ORC), 55% collagen and 1% silver-ORC. Silver-ORC contains 25 % w/w ionically bound silver, a well-known antimicrobial agent European CE and DCGI Certified. 5x5cm	MSC not submitted
14	Futura Surgicare pvt.Ltd.	S107.01/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 235 IN. DIAM. X 120.65 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Manufacture licence, MSC & Quality Assurance certificate not submitted
14	Futura Surgicare pvt.Ltd.	S107.02/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 235 IN. DIAM. X 241 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Manufacture licence, MSC & Quality Assurance certificate not submitted

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
14	Futura Surgicare pvt.Ltd.	S107.03/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 285.75 IN. DIAM. X 241 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Manufacture licence, MSC & Quality Assurance certificate not submitted
14	Futura Surgicare pvt.Ltd.	S107.04/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 336.55 IN. DIAM. X 241 MM. HEIGHT	Manufacture licence, MSC & Quality Assurance certificate not submitted
14	Futura Surgicare pvt.Ltd.	S108.01/C	Sternum Drape : Non Woven Sternum Drape having the control of PH Level with 45 modified cellulose each.	MSC & Manufacture licence not submitted
14	Futura Surgicare pvt.Ltd.	S110.01/C	Suture 10/0 • 10-0 Nylon Non Absorbable Surgical Suture, Monofilament. • Length: 40 cm • Needle: 6 mm, 3/8 circle premium point spatulated, double armed.	Nil
14	Futura Surgicare pvt.Ltd.	S111.01/C	Suture 8/0 • 8-0 Black Braided Silk, Non Absorbable. • Length: 38 cm • Needle: 6 mm, 3/8 circle premium point spatulated, double armed.	MSC not submitted
14	Futura Surgicare pvt.Ltd.	S112.01/C	Suture 8/0 • 8-0 Poly Glycolic Acid Absorbable Surgical Suture, Violet Braided. • Length: 30 cm • Needle: 6 mm, 3/8 circle premium point spatulated, double armed.	MSC not submitted
14	Futura Surgicare pvt.Ltd.	S113.01/C	SUTURE MATERIAL, DOUBLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY / TAPER POINT 17.5MM, 25-26MM, NO. SIZE 3/0, LENGTH MIN 70 CM,	Nil
14	Futura Surgicare pvt.Ltd.	S114.01/C	SUTURE MATERIAL, DOUBLE ARMED POLYPROPYLENE, 1/2 CIRCLE TAPER CUT, 25-26MM, 17.5MM, NO. SIZE 2/0, LENGTH MIN 70 CM, FOR CARDIOVASCULAR SURGERY.	Nil
14	Futura Surgicare pvt.Ltd.	S115.01/C	SUTURE MATERIAL, POLYDIOXANONE, 1/2 CIRCLE ROUND BODY (HEAVY), 50 MM NEEDLE, NO. SIZE-1, LENGTH MIN 150 CM (LOOP).	MSC not submitted
14	Futura Surgicare pvt.Ltd.	S116.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY / CUTTING, 16-25MM, NO. SIZE 3/0 AND 4/0, LENGTH MIN 70 CM.	Nil
14	Futura Surgicare pvt.Ltd.	S117.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY, 30-40MM, NO. SIZE 1. LENGTH MIN 70 CM.	Nil
14	Futura Surgicare pvt.Ltd.	S118.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY, 30MM, NO. SIZE 1/0, LENGTH MIN 70 CM.	Nil
14	Futura Surgicare pvt.Ltd.	S119.01/C	SUTURE MATERIAL, STERILISED CHROMIC CATGUT NO SIZE - 2 LENGTH MIN 152 CMS	Nil
14	Futura Surgicare pvt.Ltd.	S119.02/C	SUTURE MATERIAL, STERILISED CHROMIC CATGUT NO SIZE - 2/0 LENGTH MIN 152 CMS	Nil
14	Futura Surgicare pvt.Ltd.	S119.04/C	SUTURE MATERIAL, STERILISED CHROMIC CATGUT NO SIZE - 3/0 LENGTH MIN 152 CMS	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
15	G. SURGIWEAR LIMITED	B28.01/C	Bone Graft Substitutes with Antibiotics 1. BONE SUBSTITUTE HYDROXYAPATITE GRANULE / BLOCKS MATERIALS. 2. ANTIBIOTICS MAY BE MIX WITH HYDROXYAPATITE SEPARATELY	Nil
15	G. SURGIWEAR LIMITED	C56.01/C	C-ARM Cover 2 part Materials-Plastic, Sterile pack, Ready to use.	Nil
15	G. SURGIWEAR LIMITED	D17.01/C	Disposable Sterile Full Gown With Eye Protection Sterile disposable prepackaged	Nil
15	G. SURGIWEAR LIMITED	E20.01/C	Eye Drape • Sheet Size: 80 X 75 cm - 90 X 75 cm • Adhesive Area: 9 X 7 cm with 6 eye lid holders • Drainage Pouch of Transparent PE Film • ETO (EO) Sterile	Nil
15	G. SURGIWEAR LIMITED	E21.01/C	Eye Pad With Out Adhesive. • Gauze or nonwoven covered outside, cotton inside. • Size: Standard size in Oval Shape to cover the eye. • Individual pack in sterile packaging, ETO (EO) Sterile Eye Pad. • Without Adhesive.	Nil
15	G. SURGIWEAR LIMITED	P49.02/C	Plain Towel (Sheet) • 50 Micron thick • Total Size: 75 x 120 sqcm, • 4 corner adhesive • ETO (EO) Sterile material - Non plastic	Nil
15	G. SURGIWEAR LIMITED	P49.01/C	Plain Towel (Sheet) • 50 Micron thick • Total Size: 90 x 120 sqcm. • 4 corner adhesive • ETO (EO) Sterile material - Non plastic	Nil
15	G. SURGIWEAR LIMITED	S89.01/C	Shoe Cover (Disposable)	Nil
15	G. SURGIWEAR LIMITED	S105.01/C	Sterile pack of Dressing (9cmX15cm)	Nil
15	G. SURGIWEAR LIMITED	S105.02/C	Sterile pack of Dressing (9cmX20cm)	Nil
15	G. SURGIWEAR LIMITED	S108.01/C	Sternum Drape : Non Woven Sternum Drape having the control of PH Level with 45 modified cellulose each.	Nil
15	G. SURGIWEAR LIMITED	T21.01/C	Transparent sterile water proof, bacterial and viral barrier polyurethane film with absorbent non-adherent pad and hypoallergenic acrylic adhesive' with window frame delivery style. 9cmX25cm	Nil
16	GEETA FAB. SURG. (INDIA)	S107.01/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 235 IN. DIAM. X 120.65 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Nil
16	GEETA FAB. SURG. (INDIA)	S107.02/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 235 IN. DIAM. X 241 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
16	GEETA FAB. SURG. (I	S107.03/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 285.75 IN. DIAM. X 241 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Nil
16	GEETA FAB. SURG. (I	S107.04/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 336.55 IN. DIAM. X 241 MM. HEIGHT	Nil
16	GEETA FAB. SURG. (I	S107.05/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 381 IN. DIAM. X 279.4 MM. HEIGHT	Nil
17	GEETA INDUSTRIES	S107.01/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 235 IN. DIAM. X 120.65 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Nil
17	GEETA INDUSTRIES	S107.02/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 235 IN. DIAM. X 241 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Nil
17	GEETA INDUSTRIES	S107.03/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 285.75 IN. DIAM. X 241 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Nil
17	GEETA INDUSTRIES	S107.04/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 336.55 IN. DIAM. X 241 MM. HEIGHT	Nil
17	GEETA INDUSTRIES	S107.05/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 381 IN. DIAM. X 279.4 MM. HEIGHT	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
18	GG Creation	D7.01/C	Dark Goggles (Adult size) with side covering	1. Not a manufacture for the item. 2. No certificat submitted for the item. 3. Brochure not submitted.
18	GG Creation	E20.01/C	Eye Drape • Sheet Size: 80 X 75 cm - 90 X 75 cm • Adhesive Area: 9 X 7 cm with 6 eye lid holders • Drainage Pouch of Transparent PE Film • ETO (EO) Sterile	1. Not a manufacture for the item. 2. No certificat submitted for the item. 3. Brochure not submitted.
18	GG Creation	E21.01/C	Eye Pad With Out Adhesive. • Gauze or nonwoven covered outside, cotton inside. • Size: Standard size in Oval Shape to cover the eye. • Individual pack in sterile packaging, ETO (EO) Sterile Eye Pad. • Without Adhesive.	1. Not a manufacture for the item. 2. No certificat submitted for the item. 3. Brochure not submitted.
18	GG Creation	P49.02/C	Plain Towel (Sheet) • 50 Micron thick • Total Size: 75 x 120 sqcm, • 4 corner adhesive • ETO (EO) Sterile material - Non plastic	1. Not a manufacture for the item. 2. No certificat submitted for the item. 3. Brochure not submitted.
18	GG Creation	P49.01/C	Plain Towel (Sheet) • 50 Micron thick • Total Size: 90 x 120 sqcm. • 4 corner adhesive • ETO (EO) Sterile material - Non plastic	1. Not a manufacture for the item. 2. No certificat submitted for the item. 3. Brochure not submitted.
18	GG Creation	S89.01/C	Shoe Cover (Disposable)	1. Not a manufacture for the item. 2. No certificat submitted for the item. 3. Brochure not submitted.
19	GITA OXYGEN CO.	N16.01/C	Nitrous Oxide Cylinder 5 LIT WC, A type IS 7285 read with approval from Petroleum and Explosives Safety organization GOI Specification : With Pin index chromeplated valves as per IS 3745, 2006 inlet size 18.16 mm and up 177 kg/Cm ² . Token part No. VP-00002-N2O(Yoke Type Valve Connection for Small Medical Gas Cylinders) 1. Water capacity : 5.0 lts. 2. Hydrostatic Test Pressure : 250 kgf/Cm ² Maxm. 3. Working Pressure : 150 kgf/Cm ² 4. Cylinder Outside Dia : 108.58 mm. 5. Min Wall Thickness : 3.5 mm. 6. Weight : 8.0 kgs. 7. Length : 735 mm. 8. Gas capacity : 0.75 CuM	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
19	GITA OXYGEN CO.	O12.02/C	Oxygen Cylinder 46.7 LIT WC D Type IS 7285 read with approval from Petroleum and Explosives Safety organization GOI Specification : 1. Water capacity : 46.7 lts. 2. Hydrostatic Test Pressure : 250 kgf/Cm2 Maxm. 3. Working Pressure : 150 kgf/Cm2 4. Cylinder Outside Dia : 232 mm. 5. Cylinder Min Wall Thickness : 5.2 mm. 6. Weight : 52.0 kgs. 7. Length : 1365 mm.	Nil
19	GITA OXYGEN CO.	O12.03/C	Oxygen Cylinder 5 LIT WC A Type IS 7285 read with approval from Petroleum and Explosives Safety organization GOI Specification : With Pin index chrome plated valves as per IS 3745, 2006 inlet size 18.16 mm and up 177 kg/Cm2. Token part No. VP-00001-MO2(Yoke Type Valve Connection for Small Medical Gas Cylinders) 1. Water capacity : 5.0 lts. 2. Hydrostatic Test Pressure : 250 kgf/Cm2 Maxm. 3. Working Pressure : 150 kgf/Cm2 4. Outside Dia : 108.58 mm. 5. Min Wall Thickness : 3.5 mm. 6. Weight : 8.0 kgs. 7. Length : 735 mm. 8. Gas capacity : 0.75 CuM	Nil
19	GITA OXYGEN CO.	O12.01/C	Oxygen Cylinder B Type IS 7285 read with approval from Petroleum and Explosives Safety organization GOI Specification : Cylinder 10 Lit WC with Valve Guard with Valve fitted with SS304 flow control spindle and nylon66 as per IS : 3224,2002, inlet size 2 5.4mm, wp 205 KG/CM2 Token No. Part No. VO-00128. 1. Hydrostatic Test Pressure :- 250 Kgf/Cm2 Maxm. 2. Working Pressure :- 150 kgf/Cm2 3. Water Capacity :- 10.2 Ltr + 5%/- 0% 4. Outside Dia : 139.8 mm. 5. Min Wall Thickness : 4.2 mm. 6. Length : 855 mm. 7. Weight (approx) : 15.2 Kg. 8. Material : Manganese steel with yield strength greater than 48Kgf/Cm2.	Nil
20	HARDIK MEDI TECH.	E24.01/C	Examination lamp	Nil
20	HARDIK MEDI TECH.	H19.01/C	Head Lights Specification : a. Combination of xenon bulb and LED bulbs. b. 18 lumens, xenon: 7.5 lumens, LED. c. 90 degree tilting head. d. Water resistant. e. Push button switch. f. Unbreakable poly carbonate lens. g. Weights less than 5 Oz with batteries. h. Runs on alkaline batteries	Nil
20	HARDIK MEDI TECH.	M22.01/ C	Measuring Tape (MUAC)	Nil
20	HARDIK MEDI TECH.	S122.01/ C	Stadiometer	Nil
20	HARDIK MEDI TECH.	W6.01/C	Weighing Machine FOR Baby	Nil
20	HARDIK MEDI TECH.	W6.02/C	Weighing Machine for Blood donors	Nil
21	HEALTH CARE PRODUCTS	C87.01/C	Cusco's / Graves Speculum Vaginal bi- valve Medium	Nil
21	HEALTH CARE PRODUCTS	D28.01/C	Dental Probe with mirror set	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
21	HEALTH CARE PRODUCTS	E24.01/C	Examination lamp	Nil
21	HEALTH CARE PRODUCTS	S122.01/ C	Stadiometer	Nil
21	HEALTH CARE PRODUCTS	T26.01/C	Tongue Depressor	Nil
21	HEALTH CARE PRODUCTS	T23.01/C	TROLLEY, DRESSING DRUM IS 7099	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	O8.01/C	Oxidized Regenerated Cellulose based Topical Absorbable Hemostat Regular, with Bactericidal property.* Size : 2" x 4"	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	O8.02/C	Oxidized Regenerated Cellulose based Topical Absorbable Hemostat Regular, with Bactericidal property.* Size : 4" x 8"	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	P33.01/C	PACING WIRE SUTURE (Atrium / Ventricle)	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	P55.01/C	Polypropelene mesh - (11cm to 14cm) x 15 cm	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	P55.02/C	Polypropelene mesh - (6cm to 8cm) x 15 cm	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	S110.01/C	Suture 10/0 • 10-0 Nylon Non Absorbable Surgical Suture, Monofilament. • Length: 40 cm • Needle: 6 mm, 3/8 circle premium point spatulated, double armed.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	S113.01/C	SUTURE MATERIAL, DOUBLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY / TAPER POINT 17.5MM, 25-26MM, NO. SIZE 3/0, LENGTH MIN 70 CM,	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	S114.01/C	SUTURE MATERIAL, DOUBLE ARMED POLYPROPYLENE, 1/2 CIRCLE TAPER CUT, 25-26MM, 17.5MM, NO. SIZE 2/0, LENGTH MIN 70 CM, FOR CARDIOVASCULAR SURGERY.	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	S115.01/C	SUTURE MATERIAL, POLYDIOXANONE, 1/2 CIRCLE ROUND BODY (HEAVY), 50 MM NEEDLE, NO. SIZE-1, LENGTH MIN 150 CM (LOOP).	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	S116.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY / CUTTING, 16-25MM, NO. SIZE 3/0 AND 4/0, LENGTH MIN 70 CM.	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	S117.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY, 30-40MM, NO. SIZE 1, LENGTH MIN 70 CM.	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	S118.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY, 30MM, NO. SIZE 1/0, LENGTH MIN 70 CM.	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	S119.01/C	SUTURE MATERIAL, STERILISED CHROMIC CATGUT NO SIZE - 2 LENGTH MIN 152 CMS	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	S119.02/C	SUTURE MATERIAL, STERILISED CHROMIC CATGUT NO SIZE - 2/0 LENGTH MIN 152 CMS	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	S119.03/C	SUTURE MATERIAL, STERILISED CHROMIC CATGUT NO SIZE - 3 LENGTH MIN 152 CMS	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	S119.04/C	SUTURE MATERIAL, STERILISED CHROMIC CATGUT NO SIZE - 3/0 LENGTH MIN 152 CMS	Nil
22	HEALTHIUM MEDTECH PRIVATE LIMITED (Formerly known as SUTURES INDIA PRIVATE LIMITED)	U4.01/C	Umbilical Tape Sterile prepackaged hypoallergenic nonwoven material USFDA/EC approved manufacturer	Nil
23	India Medtronic Pvt.	A29.01/C	Aortic Punch Precisely engineered scissor cut blade. Single use Aorta/vein punch provided clean accurate incisions for miocardial revascularization. Large finger ring for greater control and accuracy. Easily cuts through thick calcified tissue. Radiopaque and latex safe.	MSC not submitted
23	India Medtronic Pvt.	B22.01/C	Bioprosthetic Heart Valve for Mitral / Aortic Position * Triple Composite Design Valve. * Sewing ring is made of Polyester with markers for helping in sutures. * Low pressure glutaraldehyde fixation. * Flexfit stent ot reduce leaflet stress. * Mitral Retchating system failitates insertion into mitral annules and avoids suture looping. * Low Profile hieght of 9 mm. * Intra & Supra Annular implatability * No + 1 Regurgitation * US FDA / CE Approved * Sizes Mitral : 25mm to 33mm Sizes Aortic : 19mm to 25mm	MSC not submitted
23	India Medtronic Pvt.	B25.01/C	Blower Mister Kit : Comfortable hand grip with a 6.5" (16.5 cm) malleable stainless steel shaft for ease of positioning near the surgical site.The soft; silicon tip contains a plastic tube which carries saline to the tip .	MSC not submitted
23	India Medtronic Pvt.	C52.01/C	Cannula for CPB-Arterial-18F, 10F, 12F, 14F & 16F (Straight), 20,22,24 (Angled tip)	MSC not submitted
23	India Medtronic Pvt.	C64.01/C	Cervical spinal locking plate Assorted Size with required screw, Material – Titanium	Nil
23	India Medtronic Pvt.	C66.01/C	Close Suction with non returnable valve and terbojet clining system. Sizes 10,12,14 Fr.	Nil
23	India Medtronic Pvt.	C71.01/C	Coronary Shunts Assorted size : Bevelled Ultra-soft Tip , Obstruction -Free Flow Path , Large Atraumatic Sealing Surface & Flexible Shaft.	MSC not submitted

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
23	India Medtronic Pvt.	C73.01/C	Cuff Manometer (Cuff Inflator Pressure Gauge): 1. Allows controlled initial cuff inflation. 2. Intermittend pressure monitoring facility. 3. Instant visual confirmation of intra-cuff pressure. 4. Simple operation of pressure adjustment without need for disconnection or introduction of syringe into system. 5. Solid green zone indicates ususal cuff pressure range for tracheal & tracheostomy tubes. 6. Connecting tube is supplied with the gauge for convenient positioning. 7. Portable gauge and clips easily into pock.	MSC not submitted
23	India Medtronic Pvt.	D9.01/C	Diathermy Pad Foam and woven backing material Bipolar model. Upright and horizontal shape. The patent shape outline design make the adhearence to be more close and comfortable on body joint anf lift bones. The conductive gel covers over the edge of metal foil. It can avoid the burned hurt which because by the connection of metal foil and skin.	MSC not submitted
23	India Medtronic Pvt.	D12.01/C	Disposable Convective warming Blanket, Should have wide range of disposable blankets for variety of patient sizes and positions. *Blankets must have 2 layers of non-woven polypropylene fabric bonded to a layer of polyethylene for durability and to prevent tearing and puncturing	Nil
23	India Medtronic Pvt.	D15.01/C	Disposable HME filter : Disposable HME filter, resistance to flow 60 IL/min-2.0 cm H2O, Desirable: Bacterial Viral filtration efficiency more than 95%	Nil
23	India Medtronic Pvt.	D18.01/C	DISPOSABLE SUCTION POD STABILISATION SYSTEM FOR CABG, THE POD SHOULD ROTATE 3600	MSC not submitted
23	India Medtronic Pvt.	D19.01/C	DISPOSABLE VACCUM SYSTEM FOR POSITIONING HEART FOR CABG	MSC not submitted
23	India Medtronic Pvt.	F21.01/C	Femoral arterial & venous cannual for MICS (Percutaneous)	MSC not submitted
23	India Medtronic Pvt.	F22.01/C	Femoral Venous - 17F, 19F, 21F & 23F	MSC not submitted
23	India Medtronic Pvt.	F24.01/C	Flexible Annuloplasty Ring - Assorted Sizes, Complete or Open Ring. Large target area eases suturing, Suitable for implant using open sternotomy, minimally invasive and robotic approaches.	MSC not submitted
23	India Medtronic Pvt.	H13.01/C	Hand Switch Pencil for Diathermy. Easy handling,Light, Comfortable anatomical shape, 3 metters cabel, 3-pin standard connector for ref MB 100/MB 200, 1-pin 4mm. standard connector for ref. MBSOO, single use, Ethylene oxide sterilized, Pencils been manufactured under ANSI/AAMI standard HF18 1.993 for electrosurgical devices	MSC not submitted

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
23	India Medtronic Pvt.	H14.01/C	Heat & Moisture Exchange Filter : 1. HEPA bacterial and viral filter with HME properties offering optimum hydrophilic filtration. 2. Gas sampling port, for end tidal CO2 monitoring. 3. Recommended tidal volume range 150-1200ml 4. Humidity output (mg H2O per L):6mg per 500 5. Even-pleated /electrostatic filter medium to allow maximum filtration efficiency with minimal resistance to flow. 6. Low deadspace, equal to 45-55ml 7. Single use and sterile.	MSC not submitted
23	India Medtronic Pvt.	I19.01/C	Intra Cardiac Sucker: Comfortable hand grip. The tip shaft is made from rigid stainless steel . The Macro sucker has a fluted pool tip to maximize suction and minimize tissue trauma. Micro sucker 6 in(15.2 cm) approx. & Mini sucker 5 in (12.1 cm) approx.	MSC not submitted
23	India Medtronic Pvt.	I20.01/C	Intubating stylet – small, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	MSC not submitted
23	India Medtronic Pvt.	I20.02/C	Intubating stylet – large, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	MSC not submitted
23	India Medtronic Pvt.	I20.03/C	Intubating stylet – medium, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	MSC not submitted
23	India Medtronic Pvt.	L13.01/C	Linear Cutter cum Stapler, Size: 100 mm	Nil
23	India Medtronic Pvt.	L14.01/C	Linear Cutter cum Stapler, Size: 75mm / 80mm	Nil
23	India Medtronic Pvt.	M21.01/C	Multiple Clip Applicator - Should be 20 titanium clips of different sizes with precise angled jaws. Anti drop ratchet. Lateral Transverse inner grooves.	Nil
23	India Medtronic Pvt.	O17.01/C	Oxygenator with coating (Adult) - Priming Volume of 270 ml. Large blood flow rate of up to 7.0 L / min. Large reservoir capacity of 4000 ml; 200 mL minimum operating level. Non heparin based biopassive polymer does not react with blood components.	MSC not submitted
23	India Medtronic Pvt.	P33.01/C	PACING WIRE SUTURE (Atrium / Ventricle)	Nil
23	India Medtronic Pvt.	P42.01/C	Pericardial Bioprosthetic Heart Valve • Both Aortic & Mitral Position . • Aortic Position – Sizes 19 to 29 mm, • Mitral Position – sizes 25 to 33 mm. • It should be US FDA / CE approved . • It should have anti-calcification treatment	MSC not submitted
23	India Medtronic Pvt.	P43.01/C	Pericardial Sumps Sucker : Fluted tip which is encased in a stainless steel and has a weight at the end. This tip is attached to soft flexible tubing terminating in a connector. Size : 15 in overall length , 1/4 connector.	MSC not submitted

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
23	India Medtronic Pvt.	P52.01/C	Polar South Preformed Tube with Cuff: 1. Made of thermo sensitive clear PVC with a smooth tip and radio-opaque blue line 2. Clear size identification on south limb 3. Intubation length (tip to incisor teeth identification mark) conforms to cut-to-length norms. 4. Low pressure high volume cuff for minimal risk of trauma. 5. Inflation line take-off point lies outside the mouth to avoid damage to teeth. 6. 15mm connector 8. Single use and should be available in sterile package. Should be available in size from 3.5, 4,,4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5 & 9 mm.	Nil
23	India Medtronic Pvt.	P55.01/C	Polypropelene mesh - (11cm to 14cm) x 15 cm	Nil
23	India Medtronic Pvt.	P55.02/C	Polypropelene mesh - (6cm to 8cm) x 15 cm	Nil
23	India Medtronic Pvt.	R13.01/C	Reinforced Tracheal Access device: Size : 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5 mm. 1. Made of thermo sensitive clear PVC with a smooth tip and Murphy eye with spiral steel reinforcement to minimize crushing or kinking. Low pressure high volume smooth tapered Soft Seal cuff made from PVC material, for minimal risk of trauma.	Nil
23	India Medtronic Pvt.	R18.01/C	Reusable Linear Cutter Stapler, Size: 55mm / 60mm with appropriate 100 Pcs of Cartridge	Nil
23	India Medtronic Pvt.	R18.02/C	Reusable Linear Cutter Stapler, Size: 75mm / 80mm with appropriate 100 Pcs of Cartridge	Nil
23	India Medtronic Pvt.	R22.01/C	Rigid Annuloplasty Ring - Assorted Sizes, Complete or Open Ring, Alloy Core maintains anatomical shape and provides annular remodeling, Polyester suture cuff is supported by a large suture target and encourage tissue in growth	MSC not submitted
23	India Medtronic Pvt.	S113.01/C	SUTURE MATERIAL, DOUBLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY / TAPER POINT 17.5MM, 25-26MM, NO. SIZE 3/0, LENGTH MIN 70 CM,	Nil
23	India Medtronic Pvt.	S114.01/C	SUTURE MATERIAL, DOUBLE ARMED POLYPROPYLENE, 1/2 CIRCLE TAPER CUT, 25-26MM, 17.5MM, NO. SIZE 2/0, LENGTH MIN 70 CM, FOR CARDIOVASCULAR SURGERY.	Nil
23	India Medtronic Pvt.	S115.01/C	SUTURE MATERIAL, POLYDIOXANONE, 1/2 CIRCLE ROUND BODY (HEAVY), 50 MM NEEDLE, NO. SIZE-1, LENGTH MIN 150 CM (LOOP).	Nil
23	India Medtronic Pvt.	S116.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY / CUTTING, 16-25MM, NO. SIZE 3/0 AND 4/0, LENGTH MIN 70 CM.	Nil
23	India Medtronic Pvt.	S117.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY, 30-40MM, NO. SIZE 1, LENGTH MIN 70 CM.	Nil
23	India Medtronic Pvt.	S118.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY, 30MM, NO. SIZE 1/0, LENGTH MIN 70 CM.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
23	India Medtronic Pvt.	T17.01/C	Tracheal Access device with Suction port. Size: 6, 6.5, 7, 7.5, 8, 8.5, 9 mm. 1. It should have a Low pressure-High volume / low pressure-low Volume Reverse cuff, whose inverted profile allows pooling and easy removal of secretion from the above the cuff while leaving the tube in-situ. 2. Low pressure high volume smooth tapered soft seal cuff made from velvet soft PVC material, for minimal risk of trauma.	Nil
23	India Medtronic Pvt.	T22.01/C	Tricuspid Rigid Annuloplasty Ring - Assorted Sizes Rigid ring for durable repair Complete or Open Ring conforms to Tricuspid annulus Marking for anatomic orientation, US-FDA / CE Approved.	MSC not submitted
23	India Medtronic Pvt.	U6.01/C	Uncuffed Fenestrated Tracheostomy Tube Kit . It should have multiple fenestrations . The Kit should also contain 2 inner cannulas (1 fenestrated &1 non fenestrated), cleaning brush, Strap and decannulation cap.	Nil
23	India Medtronic Pvt.	U7.01/C	Uncuffed fenestrated Tracheostomy Tube Kit : 1. Should have uncuffed tracheostomy tube kit. 2. Should have 2 fenestrated inner cannulae that has a pull ring that aids which aids in smooth insertion and removal from tube, minimizing patient trauma. 3. Should have a cleaning brush to clean the tracheostomy tube and inner cannula. 4. Should have a tracheostomy tube holder.	Nil
23	India Medtronic Pvt.	V7.01/C	Venous - 12F, 14F, 16F, 18F, 20F, 24F & 28F (Metal Angled tip) 30,32,34,36 (Straight)	MSC not submitted
23	India Medtronic Pvt.	V10.01/C	VIDEO LARYNGOSCOPE WITH DISPOSABLE BLADES, SIZE - 1, 2, 3, 4.	MSC not submitted
24	JOHNSON AND JOHNSON PRIVATE LIMITED	B27.01/C	Bone cement 20 gm Pack with Gentamycin : Methyl Methacrylate / Methyl acrylate copolymer blend Sterilised using ethylene oxide gas.uses zirconium as the radioactive agent Gentamycin loaded	MSC not submitted
24	JOHNSON AND JOHNSON PRIVATE LIMITED	B27.02/C	Bone cement 40 gm Pack with Gentamycin : Methyl Methacrylate / Methyl acrylate copolymer blend Sterilised using ethylene oxide gas.uses zirconium as the radioactive agent Gentamycin loaded.	MSC not submitted
24	JOHNSON AND JOHNSON PRIVATE LIMITED	D9.01/C	Diathermy Pad Foam and woven backing material Bipolar model. Upright and horizontal shape. The patent shape outline design make the adherence to be more close and comfortable on body joint and lift bones. The conductive gel covers over the edge of metal foil. It can avoid the burned hurt which because by the connection of metal foil and skin.	Nil
24	JOHNSON AND JOHNSON PRIVATE LIMITED	H13.01/C	Hand Switch Pencil for Diathermy. Easy handling,Light, Comfortable anatomical shape, 3 meters cable, 3-pin standard connector for ref MB 100/MB 200, I-pin 4mm. standard connector for ref. MBSOO, single use, Ethylene oxide sterilized, Pencils been manufactured under ANSI/AAMI standard HF18 1.993 for electrosurgical devices	Nil
24	JOHNSON AND JOHNSON PRIVATE LIMITED	L13.01/C	Linear Cutter cum Stapler, Size: 100 mm	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
24	JOHNSON AND JOHNSON PRIVATE LIMITED	L14.01/C	Linear Cutter cum Stapler, Size: 75mm / 80mm	Nil
24	JOHNSON AND JOHNSON PRIVATE LIMITED	M21.01/C	Multiple Clip Applicator - Should be 20 titanium clips of different sizes with precise angled jaws. Anti drop ratchet. Lateral Transverse inner grooves.	Nil
24	JOHNSON AND JOHNSON PRIVATE LIMITED	O8.01/C	Oxidized Regenerated Cellulose based Topical Absorbable Hemostat Regular, with Bactericidal property.* Size : 2" x 4"	Nil
24	JOHNSON AND JOHNSON PRIVATE LIMITED	O8.02/C	Oxidized Regenerated Cellulose based Topical Absorbable Hemostat Regular, with Bactericidal property.* Size : 4" x 8"	Nil
24	JOHNSON AND JOHNSON PRIVATE LIMITED	R18.01/C	Reusable Linear Cutter Stapler, Size: 55mm / 60mm with appropriate 100 Pcs of Cartridge	Nil
24	JOHNSON AND JOHNSON PRIVATE LIMITED	S110.01/C	Suture 10/0 • 10-0 Nylon Non Absorbable Surgical Suture, Monofilament. • Length: 40 cm • Needle: 6 mm, 3/8 circle premium point spatulated, double armed.	Nil
24	JOHNSON AND JOHNSON PRIVATE LIMITED	S111.01/C	Suture 8/0 • 8-0 Black Braided Silk, Non Absorbable. • Length: 38 cm • Needle: 6 mm, 3/8 circle premium point spatulated, double armed.	Nil
24	JOHNSON AND JOHNSON PRIVATE LIMITED	S112.01/C	Suture 8/0 • 8-0 Poly Glycolic Acid Absorbable Surgical Suture, Violet Braided. • Length: 30 cm • Needle: 6 mm, 3/8 circle premium point spatulated, double armed.	Nil
24	JOHNSON AND JOHNSON PRIVATE LIMITED	S115.01/C	SUTURE MATERIAL, POLYDIOXANONE, 1/2 CIRCLE ROUND BODY (HEAVY), 50 MM NEEDLE, NO. SIZE-1, LENGTH MIN 150 CM (LOOP).	Nil
25	KANJI AND SONS SURGICAL	C87.01/C	Cusco's / Graves Speculum Vaginal bi- valve Medium	Nil
25	KANJI AND SONS SURGICAL	D28.01/C	Dental Probe with mirror set	Nil
25	KANJI AND SONS SURGICAL	E24.01/C	Examination lamp	Nil
25	KANJI AND SONS SURGICAL	S122.01/ C	Stadiometer	Nil
25	KANJI AND SONS SURGICAL	T26.01/C	Tongue Depressor	Nil
25	KANJI AND SONS SURGICAL	T23.01/C	TROLLEY, DRESSING DRUM IS 7099	Nil
26	MS KANJI SURGICAL PVT. LTD.	C87.01/C	Cusco's / Graves Speculum Vaginal bi- valve Medium	Nil
26	MS KANJI SURGICAL PVT. LTD.	D28.01/C	Dental Probe with mirror set	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
26	MS KANJI SURGICAL PVT. LTD.	E24.01/C	Examination lamp	Nil
26	MS KANJI SURGICAL PVT. LTD.	F27.01/C	Foreign Body Hook(ENT)	Nil
26	MS KANJI SURGICAL PVT. LTD.	I13.01/C	INSTRUMENT TRAY E. I. 30 C. M. X 25 C. M. WITH COVER STAINLESS STEEL IS 3257, IS 3424	Nil
26	MS KANJI SURGICAL PVT. LTD.	J2.01/C	Jobson Horne Probes Specification : a. Double ended – Serrated tip & smooth ring, length 140 mm. b. Made up of good quality rust free stainless steel materials.	Nil
26	MS KANJI SURGICAL PVT. LTD.	K7.01/C	KIDNEY TRAY 15 C.M. S.S.	Nil
26	MS KANJI SURGICAL PVT. LTD.	K7.02/C	KIDNEY TRAY 25 C.M. E.I.	Nil
26	MS KANJI SURGICAL PVT. LTD.	S122.01/ C	Stadiometer	Nil
26	MS KANJI SURGICAL PVT. LTD.	S107.01/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 235 IN. DIAM. X 120.65 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Nil
26	MS KANJI SURGICAL PVT. LTD.	S107.02/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 235 IN. DIAM. X 241 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Nil
26	MS KANJI SURGICAL PVT. LTD.	S107.03/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 285.75 IN. DIAM. X 241 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	Nil
26	MS KANJI SURGICAL PVT. LTD.	S107.04/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 336.55 IN. DIAM. X 241 MM. HEIGHT	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
26	MS KANJI SURGICAL PVT. LTD.	S107.05/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 381 IN. DIAM. X 279.4 MM. HEIGHT	Nil
26	MS KANJI SURGICAL PVT. LTD.	T11.01/C	T-Handle Drill	Nil
26	MS KANJI SURGICAL PVT. LTD.	T26.01/C	Tongue Depressor	Nil
26	MS KANJI SURGICAL PVT. LTD.	T23.01/C	TROLLEY, DRESSING DRUM IS 7099	Nil
27	Meril Endo Surgery Pvt Ltd	L13.01/C	Linear Cutter cum Stapler, Size: 100 mm	Nil
27	Meril Endo Surgery Pvt Ltd	L14.01/C	Linear Cutter cum Stapler, Size: 75mm / 80mm	Nil
27	Meril Endo Surgery Pvt Ltd	O8.01/C	Oxidized Regenerated Cellulose based Topical Absorbable Hemostat Regular, with Bactericidal property. * Size : 2" x 4"	Nil
27	Meril Endo Surgery Pvt Ltd	P55.01/C	Polypropelene mesh - (11cm to 14cm) x 15 cm	Nil
27	Meril Endo Surgery Pvt Ltd	P55.02/C	Polypropelene mesh - (6cm to 8cm) x 15 cm	Nil
27	Meril Endo Surgery Pvt Ltd	S110.01/C	Suture 10/0 • 10-0 Nylon Non Absorbable Surgical Suture, Monofilament. • Length: 40 cm • Needle: 6 mm, 3/8 circle premium point spatulated, double armed.	Nil
27	Meril Endo Surgery Pvt Ltd	S112.01/C	Suture 8/0 • 8-0 Poly Glycolic Acid Absorbable Surgical Suture, Violet Braided. • Length: 30 cm • Needle: 6 mm, 3/8 circle premium point spatulated, double armed.	Nil
27	Meril Endo Surgery Pvt Ltd	S113.01/C	SUTURE MATERIAL, DOUBLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY / TAPER POINT 17.5MM, 25-26MM, NO. SIZE 3/0, LENGTH MIN 70 CM,	Nil
27	Meril Endo Surgery Pvt Ltd	S114.01/C	SUTURE MATERIAL, DOUBLE ARMED POLYPROPYLENE, 1/2 CIRCLE TAPER CUT, 25-26MM, 17.5MM, NO. SIZE 2/0, LENGTH MIN 70 CM, FOR CARDIOVASCULAR SURGERY.	Nil
27	Meril Endo Surgery Pvt Ltd	S115.01/C	SUTURE MATERIAL, POLYDIOXANONE, 1/2 CIRCLE ROUND BODY (HEAVY), 50 MM NEEDLE, NO. SIZE-1, LENGTH MIN 150 CM (LOOP).	Nil
27	Meril Endo Surgery Pvt Ltd	S116.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY / CUTTING, 16-25MM, NO. SIZE 3/0 AND 4/0, LENGTH MIN 70 CM.	Nil
27	Meril Endo Surgery Pvt Ltd	S117.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY, 30-40MM, NO. SIZE 1. LENGTH MIN 70 CM.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
27	Meril Endo Surgery Pvt Ltd	S118.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY, 30MM, NO. SIZE 1/0, LENGTH MIN 70 CM.	Nil
27	Meril Endo Surgery Pvt Ltd	S119.01/C	SUTURE MATERIAL, STERILISED CHROMIC CATGUT NO SIZE - 2 LENGTH MIN 152 CMS	Nil
27	Meril Endo Surgery Pvt Ltd	S119.02/C	SUTURE MATERIAL, STERILISED CHROMIC CATGUT NO SIZE - 2/0 LENGTH MIN 152 CMS	Nil
28	MICROLIT	P48.01/C	PIPETTE, AUTOMATIC ADJUSTABLE VOLUME DISPENSING OF DIFFERENT SIZES FROM 10 TO 1,000 ML.	Nil
29	NARAYAN INDUSTRIES	D29.01/C	Digital Foetal Doppler	Nil
29	NARAYAN INDUSTRIES	E24.01/C	Examination lamp	Nil
29	NARAYAN INDUSTRIES	S107.01/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 235 IN. DIAM. X 120.65 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	MSC and Quality assurance certificate not submitted
29	NARAYAN INDUSTRIES	S107.02/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 235 IN. DIAM. X 241 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	MSC and Quality assurance certificate not submitted
29	NARAYAN INDUSTRIES	S107.03/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 285.75 IN. DIAM. X 241 MM. HEIGHT [STERILIZER, SHALLOW (DRESSING DRUM)]	MSC and Quality assurance certificate not submitted
29	NARAYAN INDUSTRIES	S107.04/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 336.55 IN. DIAM. X 241 MM. HEIGHT	MSC and Quality assurance certificate not submitted
29	NARAYAN INDUSTRIES	S107.05/C	STERILIZING DRUMS, FOR USE IN STERILIZERS AND FOR STRONG STERILIZED DRESSINGS. IMPROVED PATTERN. MADE OF EXTRA HEAVY STEEL WITH DOME SHAPED TOP AND BOTTOM AND CHROME PLATED. ABSOLUTELY DUST PROOF. HASPS LOCK THE JACKET TIGHTLY IN ORDER 381 IN. DIAM. X 279.4 MM. HEIGHT	MSC and Quality assurance certificate not submitted
29	NARAYAN INDUSTRIES	T23.01/C	TROLLEY, DRESSING DRUM IS 7099	IS 7099 not submitted

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
30	Newtech Medical De	C61.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 20G/22G/22G Size- 5Fr. Triple Lumen, Length-8/13 cm with Nitinol Guide Wire dilator & sutureless fixation device.	Nil
30	Newtech Medical De	C62.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 22G Size- 4Fr. Double Lumen, Length-8/13 cm with Nitinol Guide wire, dilator & sutureless fixation device.	Nil
30	Newtech Medical De	C63.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, (Preferred lumen size 16G/18G/18G Size-7Fr. Triple Lumen, Length-15/20 cm.	Nil
30	Newtech Medical De	C63.02/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, Double lumen. Size- 7Fr. Length 15/20 cm.	Nil
30	Newtech Medical De	C76.01/C	CVC 7 fr - 7.5 Fr. with Anti Kinking Nitinol Guide Wire(Adult)- 14G/18G/18G-15CM* 7 fr - 7.5Fr. Thermosensitive Polyurethane Triple Lumen.Adult CVC* It has Anti Kinking Nitinol Guide Wire & Blood Less Device	Nil
30	Newtech Medical De	C80.01/C	CVC Catheter Four Lumen - 14G/16G/18G/18G * 8 fr - 8.5 Fr. 4 Lumen Thermosensitive Polyurethane adult CVC	Nil
31	NIBSO METALS PVT. LTD.	C54.01/C	Cardiac defibrillator biphasic, with internal and external cardiac paddle for open heart surgery.	Nil
32	NUVO MEDSURG PRIVATE LIMITED	S113.01/C	SUTURE MATERIAL, DOUBLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY / TAPER POINT 17.5MM, 25-26MM, NO. SIZE 3/0, LENGTH MIN 70 CM,	Nil
32	NUVO MEDSURG PRIVATE LIMITED	S114.01/C	SUTURE MATERIAL, DOUBLE ARMED POLYPROPYLENE, 1/2 CIRCLE TAPER CUT, 25-26MM, 17.5MM, NO. SIZE 2/0, LENGTH MIN 70 CM, FOR CARDIOVASCULAR SURGERY.	Nil
32	NUVO MEDSURG PRIVATE LIMITED	S115.01/C	SUTURE MATERIAL, POLYDIOXANONE, 1/2 CIRCLE ROUND BODY (HEAVY), 50 MM NEEDLE, NO. SIZE-1, LENGTH MIN 150 CM (LOOP).	Nil
32	NUVO MEDSURG PRIVATE LIMITED	S116.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY / CUTTING, 16-25MM, NO. SIZE 3/0 AND 4/0, LENGTH MIN 70 CM.	Nil
32	NUVO MEDSURG PRIVATE LIMITED	S117.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE / 3/8 CIRCLE ROUND BODY, 30-40MM, NO. SIZE 1, LENGTH MIN 70 CM.	Nil
32	NUVO MEDSURG PRIVATE LIMITED	S118.01/C	SUTURE MATERIAL, SINGLE ARMED POLYPROPYLENE, 1/2 CIRCLE ROUND BODY, 30MM, NO. SIZE 1/0, LENGTH MIN 70 CM.	Nil
33	P. BHOGILAL PVT. LTD.	A10.03/C	AMBU a Scope	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
33	P. BHOGILAL PVT. LTD.	C73.01/C	Cuff Manometer (Cuff Inflator Pressure Gauge): 1. Allows controlled initial cuff inflation. 2. Intermittend pressure monitoring facility. 3. Instant visual confirmation of intra-cuff pressure. 4. Simple operation of pressure adjustment without need for disconnection or introduction of syringe into system. 5. Solid green zone indicates usual cuff pressure range for tracheal & tracheostomy tubes. 6. Connecting tube is supplied with the gauge for convenient positioning. 7. Portable gauge and clips easily into pock.	Nil
33	P. BHOGILAL PVT. LTD.	I11.01/C	I-GEL ALL SIZES (1, 1.5, 2, 2.5, 3, 4)	Nil
33	P. BHOGILAL PVT. LTD.	N14.01/C	NEONATAL/INFANT RESUSCITATOR SET COMPLETE IN A CARRYING CASE (FOR LABOUR ROOM, MOBILE VANS AND PAEDIATRIC WARDS & O.T.S) 1. Silicone Manual Resuscitators Autoclavable Reusable, Non- Rcbreathing valve, 360 degree swiveling patient connector, Autoclavable Oxygen Reservoir. 1.5 mtr. Oxygen tubing. 2. Should have two silicone manual resuscitator for Neonate of 200ml. to 250m1. and for Infant of 550 ml to 650ml with size of 0, 1, 2 & 3 face masks. Silicone manual resuscitator should be USFDA /CE approved. 3.Should be supplied with carrying cum storage bag	Nil
33	P. BHOGILAL PVT. LTD.	R20.01/C	REUSEABLE LARYNGEAL MASK AIRWAY, SIZES - 1, 1.5, 2, 2.5, 3 & 4	Nil
33	P. BHOGILAL PVT. LTD.	V10.01/C	VIDEO LARYNGOSCOPE WITH DISPOSABLE BLADES, SIZE - 1, 2, 3, 4.	Nil
34	PODDAR SALES PVT LTD	R24.01/C	RUBBER CLOTH (IN METER) (SOFT QUALITY) WIDTH 92 CM TO 100 CM, POLYESTER FIBRE, HIGHER GRADE HAVING 50% POLYMER IS 4135:1974	Nil
35	Poly Medicure Ltd.	A17.01/C	Abdonimal Drain Kits	Nil
35	Poly Medicure Ltd.	B35.01/C	Blood Tubing and AVF Needles	Nil
35	Poly Medicure Ltd.	C63.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, (Preferred lumen size 16G/18G/18G Size-7Fr. Triple Lumen, Length-15/20 cm.	Nil
35	Poly Medicure Ltd.	C63.02/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, Double lumen. Size- 7Fr. Length 15/20 cm.	Nil
35	Poly Medicure Ltd.	C80.01/C	CVC Catheter Four Lumen - 14G/16G/18G/18G * 8 fr - 8.5 Fr. 4 Lumen Thermosensitive Polyurethane adult CVC	MSC not submitted
35	Poly Medicure Ltd.	M12.01/C	Micro drip set	Nil
35	Poly Medicure Ltd.	M15.01/C	Mini-Vacuum Drain kit with soft Catheter PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	MSC not submitted
35	Poly Medicure Ltd.	M20.01/C	Mucus sucker	Nil
35	Poly Medicure Ltd.	N9.01/C	Nasel Canula, siliconised nasel prong with star lumen crush tubing	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
35	Poly Medicure Ltd.	N12.01/C	Needleless access for injections/sampling - Closed system for connections/disconnections of all I.V. infusions and equipment - Cleanable membrane for swabbing before and after use. - Simple one-piece design fits all I.V. luers. No other accessories needed. - Standard Male-Female Luer locks - Supplied in a unique protector for "no touch" connection of sterile Bionector.	Nil
35	Poly Medicure Ltd.	N19.01/C.	Non-rebreathing masks : Non-rebreathing masks adult size.	MSC not submitted
35	Poly Medicure Ltd.	O6.01/C	Oropharyngeal Airways (Guedel Airways), Oropharyngeal Airways, Guedel Airways, non toxic, pyrogen free, single use size 000 to 5 (8 sizes)	Nil
35	Poly Medicure Ltd.	S100.02/C	Spinal Needle 25G, 26G. Grooved colourless, transparent hub for firm grip, early detection of CSF flashback. Sharp cutting bevel (Quincke) for low puncture force. Length 90 mm	Nil
35	Poly Medicure Ltd.	T24.01/C	TWIN BORE NASAL OXYGEN SET PAEDIATRIC & ADULT	Nil
35	Poly Medicure Ltd.	U8.01/C	Urine Collection Bag with Urometer : Universal tapered connector with sampling port to facilitate mid stream urine sampling. Designed for measurement of hourly urine output. Clear and transparent measured volume chamber. Urine Meter directly attached to two litre capacity Urine Bag with overflow facility. Completely closed circuit eliminates the risk of contamination. Sizes: Infant.	MSC not submitted
35	Poly Medicure Ltd.	V4.01/C	Vacuum Drain kit Bellows Type Closed 12Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Nil
35	Poly Medicure Ltd.	V4.02/C	Vacuum Drain kit Bellows Type Closed 14Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Nil
35	Poly Medicure Ltd.	V4.03/C	Vacuum Drain kit Bellows Type Closed 16Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Nil
35	Poly Medicure Ltd.	W2.01/C	Water seal drainage bottle. (Paed), (BL) - Should be the facility to collection of autologous blood from patients pleural cavity or mediastinal area. Should be evacuate air or fluid from chest cavity or mediastinal. Should be help re-established lung expansion.Should be disposable water seale operated system. Should be in 2000 ml. Should be non-pyrogenic. Should be Taperal water seal for the Patient safety.	Nil
35	Poly Medicure Ltd.	Y2.01/C	Yankauer Type PVC Suction Cannula and Tube Surgical suction cannula with tubing: noncollapsible at high suction pressures upto 100mmHg	Nil
36	RAJKUMAR DYEING & PRINTING WORKS PVT. LTD.	R24.01/C	RUBBER CLOTH (IN METER) (SOFT QUALITY) WIDTH 92 CM TO 100 CM, POLYESTER FIBRE, HIGHER GRADE HAVING 50% POLYMER IS 4135:1974	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
37	RAMA CYLINDERS PV	N16.01/C	Nitrous Oxide Cylinder 5 LIT WC, A type IS 7285 read with approval from Petroleum and Explosives Safety organization GOI Specification : With Pin index chrome plated valves as per IS 3745, 2006 inlet size 18.16 mm and up 177 kg/Cm2. Token part No. VP-00002-N2O(Yoke Type Valve Connection for Small Medical Gas Cylinders) 1. Water capacity : 5.0 lts. 2. Hydrostatic Test Pressure : 250 kgf/Cm2 Maxm. 3. Working Pressure : 150 kgf/Cm2 4. Cylinder Outside Dia : 108.58 mm. 5. Min Wall Thickness : 3.5 mm. 6. Weight : 8.0 kgs. 7. Length : 735 mm. 8. Gas capacity : 0.75 CuM	P/L & B.S not submitted
37	RAMA CYLINDERS PV	O12.02/C	Oxygen Cylinder 46.7 LIT WC D Type IS 7285 read with approval from Petroleum and Explosives Safety organization GOI Specification : 1. Water capacity : 46.7 lts. 2. Hydrostatic Test Pressure : 250 kgf/Cm2 Maxm. 3. Working Pressure : 150 kgf/Cm2 4. Cylinder Outside Dia : 232 mm. 5. Cylinder Min Wall Thickness : 5.2 mm. 6. Weight : 52.0 kgs. 7. Length : 1365 mm.	P/L & B.S not submitted
37	RAMA CYLINDERS PV	O12.03/C	Oxygen Cylinder 5 LIT WC A Type IS 7285 read with approval from Petroleum and Explosives Safety organization GOI Specification : With Pin index chrome plated valves as per IS 3745, 2006 inlet size 18.16 mm and up 177 kg/Cm2. Token part No. VP-00001-MO2(Yoke Type Valve Connection for Small Medical Gas Cylinders) 1. Water capacity : 5.0 lts. 2. Hydrostatic Test Pressure : 250 kgf/Cm2 Maxm. 3. Working Pressure : 150 kgf/Cm2 4. Outside Dia : 108.58 mm. 5. Min Wall Thickness : 3.5 mm. 6. Weight : 8.0 kgs. 7. Length : 735 mm. 8. Gas capacity : 0.75 CuM	P/L & B.S not submitted
37	RAMA CYLINDERS PV	O12.01/C	Oxygen Cylinder B Type IS 7285 read with approval from Petroleum and Explosives Safety organization GOI Specification : Cylinder 10 Lit WC with Valve Guard with Valve fitted with SS304 flow control spindle and nylon66 as per IS : 3224,2002, inlet size 2 5.4mm, wp 205 KG/CM2 Token No. Part No. VO-00128. 1. Hydrostatic Test Pressure :- 250 Kgf/Cm2 Maxm. 2. Working Pressure :- 150 kgf/Cm2 3. Water Capacity :- 10.2 Ltr + 5%/- 0% 4. Outside Dia : 139.8 mm. 5. Min Wall Thickness : 4.2 mm. 6. Length : 855 mm. 7. Weight (approx) : 15.2 Kg. 8. Material : Manganese steel with yield strength greater than 48Kgf/Cm2.	P/L & B.S not submitted
38	RAMON SURGICAL COMPANY	Y2.01/C	Stadiometer	Nil
38	RAMON SURGICAL COMPANY	W6.01/C	Weighing Machine FOR Baby	Nil
38	RAMON SURGICAL COMPANY	W6.02/C	Weighing Machine for Blood donors	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
39	Romsons Group Private Limited	A17.01/C	Abdonimal Drain Kits	Nil
39	Romsons Group Private Limited	B25.01/C	Blower Mister Kit : Comfortable hand grip with a 6.5" (16.5 cm) malleable stainless steel shaft for ease of positioning near the surgical site.The soft; silicon tip contains a plastic tube which carries saline to the tip .	Nil
39	Romsons Group Private Limited	C57.01/C	Catheter Mount, collapseble catheter mount with bronchoscopy and suction port	Nil
39	Romsons Group Private Limited	C63.02/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, Double lumen. Size- 7Fr. Length 15/20 cm.	Nil
39	Romsons Group Private Limited	D15.01/C	Disposable HME filter : Disposable HME filter, resistance to flow 60 IL/min-2.0 cm H2O, Desirable: Bacterial Viral filtration efficiency more than 95%	Nil
39	Romsons Group Private Limited	D20.01/C	Disposable Ventilator Circuit with single water Trap. Should be tidel volume range from 200 ml to 1500 ml. Should be minimal deade space 55 ml. Medical grade PE. Connector 15/22 mm M/F for Y piece, connector 15/22 mm M/F for ETT & Mask. Standard length . 6ft. or expandable length	Nil
39	Romsons Group Private Limited	E15.01/C	Epidural Catheterization full set - 16g/18g with catheter fixation device and lock connector filter.	Nil
39	Romsons Group Private Limited	E16.01/C	ET connector : Connector with bronchoscopy port for endotracheal tube / tracheostomy tube	Nil
39	Romsons Group Private Limited	E17.01/C	ET connector with Catheter Mount: Connector with bronchoscopy port for endotracheal tube / tracheostomy tube	Nil
39	Romsons Group Private Limited	E19.01/C	Extension lines in spirally coiled form in Polythelene Protects the patient, catheter and infusion equipment from Stress caused by pulling and tugging. Provides Freedom of movement during Early mobilisation, removes lines from floor level. L-100/150/200 cm	Nil
39	Romsons Group Private Limited	H14.01/C	Heat & Moisture Exchange Filter : 1. HEPA bacterial and viral filter with HME properties offering optimum hydrophilic filtration. 2. Gas sampling port, for end tidal CO2 monitoring. 3. Recommended tidal volume range 150-1200ml 4. Humidity output (mg H2O per L):6mg per 500 5. Even-pleated /electrostatic filter medium to allow maximum filtration efficiency with minimal resistance to flow. 6. Low deadspace, equal to 45-55ml 7. Single use and sterile.	Nil
39	Romsons Group Private Limited	I16.01/C	Inter costal Drain with trochar No. 10, 12, 14, 16, 18.	Nil
39	Romsons Group Private Limited	I15.01/C	Inter costal drainage tubes with bag (No. 28, 30, 32)	Nil
39	Romsons Group Private Limited	M12.01/C	Micro drip set	Nil
39	Romsons Group Private Limited	M20.01/C	Mucus sucker	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
39	Romsons Group Private Limited	N9.01/C	Nasal Canula, siliconised nasal prong with star lumen crush tubing	Nil
39	Romsons Group Private Limited	N11.01/C	Nebulizer T pc : 1. Complete kit with T mouth pc, special chamber with 'cc' mark 2. 2cc medicine locking system 3. 2mtr star lumen crush resistant oxygen tubing.	Nil
39	Romsons Group Private Limited	N12.01/C	Needleless access for injections/sampling - Closed system for connections/disconnections of all I.V. infusions and equipment - Cleanable membrane for swabbing before and after use. - Simple one-piece design fits all I.V. luers. No other accessories needed. - Standard Male-Female Luer locks - Supplied in a unique protector for "no touch" connection of sterile Bionector.	Nil
39	Romsons Group Private Limited	N14.01/C	NEONATAL/INFANT RESUSCITATOR SET COMPLETE IN A CARRYING CASE (FOR LABOUR ROOM, MOBILE VANS AND PAEDIATRIC WARDS & O.T.S) 1. Silicone Manual Resuscitators Autoclavable Reusable, Non- Rcbreathing valve, 360 degree swiveling patient connector, Autoclavable Oxygen Reservoir. 1.5 mtr. Oxygen tubing. 2. Should have two silicone manual resuscitator for Neonate of 200ml. to 250ml. and for Infant of 550 ml to 650ml with size of 0, 1, 2 & 3 face masks. Silicone manual resuscitator should be USFDA /CE approved. 3.Should be supplied with carrying cum storage bag	Nil
39	Romsons Group Private Limited	N19.01/C.	Non-rebreathing masks : Non-rebreathing masks adult size.	Nil
39	Romsons Group Private Limited	O6.01/C	Oropharyngeal Airways (Guedel Airways), Oropharyngeal Airways, Guedel Airways, non toxic, pyrogen free, single use size 000 to 5 (8 sizes)	Nil
39	Romsons Group Private Limited	O16.01/C	Oxygen Mask, vinyl o2 mask with pre mounted star lumen crush o2 tubing	Nil
39	Romsons Group Private Limited	P51.01/C	PM line 10, 25, 50, 80, 100, 150, 200 cm, extension tube dia 1.2 mm, od 2.8, for pressure upto 4.5 bar (65psi)	Nil
39	Romsons Group Private Limited	P56.01/C	Polyurethane Triple Lumen Extension Line with needle free device for Infection control – 10cm : * Needle free IV access device with two/three Female Luer Lock Ports at one end & Male Rotating Nut Luer Lock at other end.Swabable ports allows safe access to IV line. Clear housing to allow visual, Low prime control(1.70 ml) with Neutral Displacement for non clotting the catheter.	Nil
39	Romsons Group Private Limited	P56.02/C	Polyurethane Triple Lumen Extension Line with needle free device for Infection control – 10cm/15cm : • Needle free IV access device with two/three Female Luer Lock Ports at one end & Male Rotating Nut Luer Lock at other end. • Swabable ports allows safe access to IV line. • Clear housing to allow visual assessment of fluid path. • Low prime control(1.60 ml) • High flow rate • Length : 10-18 cm	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
39	Romsons Group Private Limited	P61.01/C	PRESSURE EXTENSION LINE MALE - FEMALE, MALE - MALE, LENGTH: 100 - 200 CM	Nil
39	Romsons Group Private Limited	P62.01/C	Pressurised Infusor Bags	Nil
39	Romsons Group Private Limited	S100.01/C	Spinal Needle 25G, 26G. Grooved colourless, transparent hub for firm grip, early detection of CSF flashback. Sharp cutting bevel (Quincke) for low puncture force. Length 120 mm - 150 mm.	Nil
39	Romsons Group Private Limited	S100.02/C	Spinal Needle 25G, 26G. Grooved colourless, transparent hub for firm grip, early detection of CSF flashback. Sharp cutting bevel (Quincke) for low puncture force. Length 90 mm	Nil
39	Romsons Group Private Limited	S100.03/C	Spinal Needle 25G, 26G. Grooved colourless, transparent hub for firm grip, early detection of CSF flashback. Sharp cutting bevel (Whitacre) for low puncture force. Length 90 mm	Nil
39	Romsons Group Private Limited	S104.01/C	Sterile mucous extractor with long extension pipe for tracheal suctioning, spare closure cap.	Nil
39	Romsons Group Private Limited	T18.01/C	Tracheostomy tube with suction port Sizes 6, 7, 7.5, 8, 8.5, 9, 10 mm. 1. Made of thermo-sensitive clear PVC that softens at body temperature to conform to patient anatomy. 2. Integral suction lumen allows removal of pooled secretions. 3. Clear suction line for removal of pooled secretions. 4. Profile Low Pressure-High Volume Soft Seal® with reduced bulk and smooth transition to tracheostomy tube to improve ease of insertion. 5. 15 mm connector located on the tube, not the inner cannula. 9. Smooth inner cannula (available separately). 10. Available in sizes ranging from Single-use. 11. Should have FDA/CE approval	Nil
39	Romsons Group Private Limited	T24.01/C	TWIN BORE NASAL OXYGEN SET PAEDIATRIC & ADULT	Nil
39	Romsons Group Private Limited	U8.01/C	Urine Collection Bag with Urometer : Universal tapered connector with sampling port to facilitate mid stream urine sampling. Designed for measurement of hourly urine output. Clear and transparent measured volume chamber. Urine Meter directly attached to two litre capacity Urine Bag with overflow facility. Completely closed circuit eliminates the risk of contamination. Sizes: Infant.	Nil
39	Romsons Group Private Limited	V4.01/C	Vacuum Drain kit Bellows Type Closed 12Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Nil
39	Romsons Group Private Limited	V4.02/C	Vacuum Drain kit Bellows Type Closed 14Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Nil
39	Romsons Group Private Limited	V4.03/C	Vacuum Drain kit Bellows Type Closed 16Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
39	Romsons Group Private Limited	V11.01/C	Volume-based lung exerciser 2500ml 1. One-way valve to ensure patients inhale, rather than exhale into unit 2. Adjustable incentive marker 3. Highly visible piston with universal graphics 4. Oxygen port to allow administration of supplemental oxygen 5. Bed Rail hook for positioning at the patient bedside	Nil
39	Romsons Group Private Limited	W2.01/C	Water seal drainage bottle. (Paed), (BL) - Should be the facility to collection of autologous blood from patients pleural cavity or mediastinal area. Should be evacuate air or fluid from chest cavity or mediastinal. Should be help re-established lung expansion. Should be disposable water seale operated system. Should be in 2000 ml. Should be non-pyrogenic. Should be Taperal water seal for the Patient safety.	Nil
39	Romsons Group Private Limited	Y2.01/C	Yankauer Type PVC Suction Cannula and Tube Surgical suction cannula with tubing: noncollapsible at high suction pressures upto 100mmHg	Nil
40	SHREE UMIYA SURGICAL PVT. LTD.	Y2.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 20G/22G/22G Size- 5Fr. Triple Lumen, Length-8/13 cm with Nitinol Guide Wire dilator & sutureless fixation device.	Nil
40	SHREE UMIYA SURGICAL PVT. LTD.	C62.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 22G Size- 4Fr. Double Lumen, Length-8/13 cm with Nitinol Guide wire, dilator & sutureless fixation device.	Nil
40	SHREE UMIYA SURGICAL PVT. LTD.	C63.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, (Preferred lumen size 16G/18G/18G Size-7Fr. Triple Lumen, Length-15/20 cm.	Nil
40	SHREE UMIYA SURGICAL PVT. LTD.	C63.02/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, Double lumen. Size- 7Fr. Length 15/20 cm.	Nil
40	SHREE UMIYA SURGICAL PVT. LTD.	C76.01/C	CVC 7 fr - 7.5 Fr. with Anti Kinking Nitinol Guide Wire(Adult)- 14G/18G/18G-15CM* 7 fr - 7.5Fr. Thermosensitive Polyurethane Triple Lumen. Adult CVC* It has Anti Kinking Nitinol Guide Wire & Blood Less Device	Nil
40	SHREE UMIYA SURGICAL PVT. LTD.	C80.01/C	CVC Catheter Four Lumen - 14G/16G/18G/18G * 8 fr - 8.5 Fr. 4 Lumen Thermosensitive Polyurethane adult CVC	Nil
40	SHREE UMIYA SURGICAL PVT. LTD.	D20.01/C	Disposable Ventilator Circuit with single water Trap. Should be tidel volume range from 200 ml to 1500 ml. Should be minimal deade space 55 ml. Medical grade PE. Connector 15/22 mm M/F for Y piece, connector 15/22 mm M/F for ETT & Mask. Standard length . 6ft. or expandable length	MSC & Endorsment not submitted

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
40	SHREE UMIYA SURGICAL PVT. LTD.	D21.01/C	Disposable Ventilator Heated Wire Circuit with water chamber. Should be tidal volume range from 200 ml to 1500 ml. Should be minimal dead space 55 ml. Medical grade PE. Connector 15/22 mm M/F for Y piece, connector 15/22 mm M/F for ETT & Mask. Standard length . 6ft. or expandable length.	MSC & Endorsment not submitted
40	SHREE UMIYA SURGICAL PVT. LTD.	P34.01/C	Paediatric Cuff Endotracheal Tube, Size - 2.5, 3, 3.5, 4, 4.5, 5.	Nil
40	SHREE UMIYA SURGICAL PVT. LTD.	S100.01/C	Spinal Needle 25G, 26G. Grooved colourless, transparent hub for firm grip, early detection of CSF flashback. Sharp cutting bevel (Quincke) for low puncture force. Length 120 mm - 150 mm	Nil
40	SHREE UMIYA SURGICAL PVT. LTD.	T24.01/C	TWIN BORE NASAL OXYGEN SET PAEDIATRIC & ADULT	Nil
41	SMITHS MEDICAL INDIA PVT LTD	A30.01/C	Arterial blood gas sampling kit Pre-heparinised -1ml,3ml. Sizes 1ml & 3ml	Nil
41	SMITHS MEDICAL INDIA PVT LTD	C61.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 20G/22G/22G Size- 5Fr. Triple Lumen, Length-8/13 cm with Nitinol Guide Wire dilator & sutureless fixation device.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	C62.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 22G Size- 4Fr. Double Lumen, Length-8/13 cm with Nitinol Guide wire, dilator & sutureless fixation device.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	C63.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, (Preferred lumen size 16G/18G/18G Size-7Fr. Triple Lumen, Length-15/20 cm.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	C63.02/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, Double lumen. Size- 7Fr. Length 15/20 cm.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	C66.01/C	Close Suction with non returnable valve and terbojet clining system. Sizes 10,12,14 Fr.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	C67.01/C	Closed Intra -Venous and Intra-Arterial blood sampling system, along with two pressure transducer with flush device & vent stopcock, IV set ,2 Shutoff Valve, 87" Patient pressure Tubing along with inbuilt inline 12 cc reservoir & 2 self-sealing Z-Site for closed blood sampling port, Pole mountable	Nil
41	SMITHS MEDICAL INDIA PVT LTD	C68.01/C	Combined Spinal Epidural Anaesthesia Kit - 16G/18G. It should be needle through needle technique and have locking mechanism for securing spinal needle. Both needles should have mm graduation markings at the hub. Spinal Needle should have whitacre bevel and allow 360 degree rotation for spread of drugs.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
41	SMITHS MEDICAL INDIA PVT LTD	C69.01/C	Combined Spinal Epidural system : 1. Should have 18G Tuohy needle of 80mm length and graduations with internal stylet and optional snap on wings. 2. Should contain 25G/27G pencil point spinal needle of 118 mm length with internal stylet. 3. Should have a 10ml Epirural 'Loss of Resistance' syringe. 4. Should have an 20G Peribax Epidural Catheter with a smooth closed tip, distal tip mark. 5. Should have a catheter connector with a flat profile for increased patient comfort. 6. Should have a flat filter with a 0.22µm.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	C73.01/C	Cuff Manometer (Cuff Inflator Pressure Gauge): 1. Allows controlled initial cuff inflation. 2. Intermittend pressure monitoring facility. 3. Instant visual confirmation of intra-cuff pressure. 4. Simple operation of pressure adjustment without need for disconnection or introduction of syringe into system. 5. Solid green zone indicates ususal cuff pressure range for tracheal & tracheostomy tubes. 6. Connecting tube is supplied with the gauge for convenient positioning. 7. Portable gauge and clips easily into pock.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	C80.01/C	CVC Catheter Four Lumen - 14G/16G/18G/18G * 8 fr - 8.5 Fr. 4 Lumen Thermosensitive Polyurethane adult CVC .	Nil
41	SMITHS MEDICAL INDIA PVT LTD	C83.01/C	CVP Transducer : Integrated unit for Clinical Accuracy. Dual mode of flushing controlled squeeze and snap-tab. Completely transparent for easy priming and debubbling with flushing of 3 cc / hr or without flush. Easy zeroing. Standard closed loop sampling kit / double.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	D12.01/C	Disposable Convective warming Blanket, Should have wide range of disposable blankets for variety of patient sizes and positions. *Blankets must have 2 layers of non-woven polypropylene fabric bonded to a layer of polyethylene for durability and to prevent tearing and puncturing.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	D15.01/C	Disposable HME filter : Disposable HME filter, resistance to flow 60 IL/min-2.0 cm H2O, Desirable: Bacterial Viral filtration efficiency more than 95%	Nil
41	SMITHS MEDICAL INDIA PVT LTD	D25.01/C	Dome Kit with flushing system. • Should be single line monitoring Dome. • Should be measure invasive Pressure.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	E15.01/C	Epidural Catheterization full set - 16g/18g with catheter fixation device and lock connector filter.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	H14.01/C	Heat & Moisture Exchange Filter : 1. HEPA bacterial and viral filter with HME properties offering optimum hydrophilic filtration. 2. Gas sampling port, for end tidal CO2 monitoring. 3. Recommended tidal volume range 150-1200ml 4. Humidity output (mg H2O per L):6mg per 500 5. Even-pleated /electrostatic filter medium to allow maximum filtration efficiency with minimal resistance to flow. 6. Low deadspace, equal to 45-55ml 7. Single use and sterile.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
41	SMITHS MEDICAL INDIA PVT LTD	I20.01/C	Intubating stylet – small, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	Nil
41	SMITHS MEDICAL INDIA PVT LTD	I20.02/C	Intubating stylet – large, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	Nil
41	SMITHS MEDICAL INDIA PVT LTD	I20.03/C	Intubating stylet – medium, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	Nil
41	SMITHS MEDICAL INDIA PVT LTD	M19.01/C	MRI Conditional Syringe Pump with 10 hours battery back up (1.5 Tesla) Technical Specification for Syringe Infusion Pump (MRI Conditioned) Canbe used in Static magnetic fields outside 150 gauss line when secured to a non-movable object.Should be able to accept and automatically deyeect different syringe sizes ranging from 1 ml to 60 ml.Should be able to deliver at variable flow rates of 0.01ml/hr upto 1130 ml/hr.Should be able to programme the pump according to the department needs through software.Should be able to adapt the drug library which the department can make and feed ton the pumpincluding the soft and hard limits for each drug.Should have large character capacity which can allow inputting drug names and concentrations.Should have clear "Tall Men" lettering display.Should be easy to use and also have patient tubing holder. Should have wide range of audio and visual alarms to ensure clinician awareness and prompt intervention.Should have post occlusion bolus reduction.Multiple Delivery mode combinations including ml/hr,body weight,mass,volume over time,custom dilution and intermittent,loading dose,bolus dose,standby,volume limit,and KVO rate.Design protects entire syringe barreland allows	Nil
41	SMITHS MEDICAL INDIA PVT LTD	P41.01/C	Percutaneous Dilation Tracheostomy 7, 8, 9 mm 1. Should have scalpel with number 15 blade 2. Should have an introducer needle 3. Should have a 10ml syringe for aspiration 4. Should have 14Fr pre-dilator 5. Should have extra long guide wire 6. Should have a well marked extra length guiding catheter 7. Should have a hydrophilic graduated single stage dilator 8. Should have a cuffed sub-glottic tracheostomy tube 9. Should have a tracheostomy tube obturator 10. Should have a flexible inner cannula 11. Should have swabs for cleaning 12. Should have a tracheostomy tube holder 13. Should have FDA/CE approval	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
41	SMITHS MEDICAL INDIA PVT LTD	P52.01/C	Polar South Preformed Tube with Cuff: 1. Made of thermo sensitive clear PVC with a smooth tip and radio-opaque blue line 2. Clear size identification on south limb 3. Intubation length (tip to incisor teeth identification mark) conforms to cut-to-length norms. 4. Low pressure high volume cuff for minimal risk of trauma. 5. Inflation line take-off point lies outside the mouth to avoid damage to teeth. 6. 15mm connector 8. Single use and should be available in sterile package. Should be available in size from 3.5, 4,,4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5 & 9 mm.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	R13.01/C	Reinforced Tracheal Access device: Size : 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5 mm. 1. Made of thermo sensitive clear PVC with a smooth tip and Murphy eye with spiral steel reinforcement to minimize crushing or kinking. Low pressure high volume smooth tapered Soft Seal cuff made from PVC material, for minimal risk of trauma.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	R17.01/C	Reusable Introducer : 1. Reusable Introducer to have a coude/angled tip to easily identify tracheal rings in difficult intubatiions. 2. Clear graduaded markings to indicate intubation depth. 3. Size : 15CH, 60 cm 4. Should be Latex free	Nil
41	SMITHS MEDICAL INDIA PVT LTD	S90.01/C	Silicon Aircufe Tracheostomy Tube - Size - 6mm/7mm/8mm	Nil
41	SMITHS MEDICAL INDIA PVT LTD	S94.01/C	Silicone Cuffed Tracheostomy tube for Paediatric. Size - 2.5 mm / 3 mm / 3.5 mm / 4 mm / 4.5 mm / 5 mm / 5.5 mm	Nil
41	SMITHS MEDICAL INDIA PVT LTD	S95.01/C	Siliconized Tracheal Access device Size: 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5 mm. 1. To be made of non-toxic Siliconized PVC for kink resistance, with a smooth tip, Murphy eye and a radio-opaque blue-line. 2. Internal and external diameters of tube are clearly marked on the tube. 3. Should have FDA/CE approval	Nil
41	SMITHS MEDICAL INDIA PVT LTD	S98.01/C	Single Use Bougie	Nil
41	SMITHS MEDICAL INDIA PVT LTD	T17.01/C	Tracheal Access device with Suction port. Size: 6, 6.5, 7, 7.5, 8, 8.5, 9 mm. 1. It should have a Low pressure-High volume / low pressure-low Volume Reverse cuff, whose inverted profile allows pooling and easy removal of secretion from the above the cuff while leaving the tube in-situ. 2. Low pressure high volume smooth tapered soft seal cuff made from velvet soft PVC material, for minimal risk of trauma.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
41	SMITHS MEDICAL INDIA PVT LTD	T18.01/C	Tracheostomy tube with suction port Sizes 6, 7, 7.5, 8, 8.5, 9, 10 mm. 1. Made of thermo-sensitive clear PVC that softens at body temperature to conform to patient anatomy. 2. Integral suction lumen allows removal of pooled secretions. 3. Clear suction line for removal of pooled secretions. 4. Profile Low Pressure-High Volume Soft Seal® with reduced bulk and smooth transition to tracheostomy tube to improve ease of insertion. 5. 15 mm connector located on the tube, not the inner cannula. 9. Smooth inner cannula (available separately). 10. Available in sizes ranging from Single-use. 11. Should have FDA/CE approval	Nil
41	SMITHS MEDICAL INDIA PVT LTD	U6.01/C	Uncuffed Fenestrated Tracheostomy Tube Kit . It should have multiple fenestrations . The Kit should also contain 2 inner cannulas (1 fenestrated &1 non fenestrated), cleaning brush, Strap and decannulation cap.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	U7.01/C	Uncuffed fenestrated Tracheostomy Tube Kit : 1. Should have uncuffed tracheostomy tube kit. 2. Should have 2 fenestrated inner cannulae that has a pull ring that aids which aids in smooth insertion and removal from tube, minimizing patient trauma. 3. Should have a cleaning brush to clean the tracheostomy tube and inner cannula. 4. Should have a tracheostomy tube holder.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	V8.01/C	Vibratory Positive Expiratory Pressure system : 1. Functional in any position; trendelenburg, standing or sitting. 2. Delivers airflow vibrations to the patient from 5-30 Hz 3. Delivers positive expiratory pressure to the patient in the range of 10-20 cm H2O. 4. Expiratory resistance/frequency dial to allow therapy to be adjusted to patient's mouth 5. One-way inspiratory valve allow inhalation without removal from patient's mouth. 6. Distal 22mm OD fitting allows nebulizer connection via tee adapter.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	V9.01/C	Vibratory Positive Expiratory Pressure System having adjustable resistance dial. Distal connection should facilitate nebulizer connection via tee adapter. Should have compatible for version for Adult and Paediatric.	Nil
41	SMITHS MEDICAL INDIA PVT LTD	V11.01/C	Volume-based lung exerciser 2500ml 1. One-way valve to ensure patients inhale, rather than exhale into unit 2. Adjustable incentive marker 3. Highly visible piston with universal graphics 4. Oxygen port to allow administration of supplemental oxygen 5. Bed Rail hook for positioning at the patient bedside	Nil
42	St. Jude Medical India Pvt. Ltd.	B31.01/C	Bovine tissue engineered acellular pericardial patch	Nil
42	St. Jude Medical India Pvt. Ltd.	F24.01/C	Flexible Annuloplasty Ring - Assorted Sizes, Complete or Open Ring. Large target area eases suturing, Suitable for implant using open sternotomy, minimally invasive and robotic approaches.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
42	St. Jude Medical India Pvt. Ltd.	P58.01/C	Porcine Bioprosthetic Heart Valve • Both Aortic / Mitral Position. • Aortic Position – Sizes 19 to 29 mm, • Mitral Position – sizes 25 to 33 mm. • It should be US FDA / CE approved . • It should have anti-calcification treatment. • It should have outflow edge covered with Pericardial shield	Nil
42	St. Jude Medical India Pvt. Ltd.	R22.01/C	Rigid Annuloplasty Ring - Assorted Sizes, Complete or Open Ring, Alloy Core maintains anatomical shape and provides annular remodeling, Polyester suture cuff is supported by a large suture target and encourage tissue in growth	Nil
43	TELEFLEX MEDICAL P	A28.01/C	Antimicrobial double-lumen polyurethane catheter for haemodialysis Fully radiopaque catheter introduced by the seldinger technique. Flexible Fixation wings and polyurethane extension tubes with clamp. Centimetre Graduations from 9cm from distal tip. The active ingredient used in the expert technology is the silver ion-based antimicrobial agent AgION which is incorporated into the polyurethane tubing of the catheter.	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL P	C61.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 20G/22G/22G Size- 5Fr. Triple Lumen, Length-8/13 cm with Nitinol Guide Wire dilator & sutureless fixation device.	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL P	C62.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 22G Size- 4Fr. Double Lumen, Length-8/13 cm with Nitinol Guide wire, dilator & sutureless fixation device.	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL P	C63.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, (Preferred lumen size 16G/18G/18G Size-7Fr. Triple Lumen, Length-15/20 cm.	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL P	C63.02/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, Double lumen. Size- 7Fr. Length 15/20 cm.	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL P	C73.01/C	Cuff Manometer (Cuff Inflator Pressure Gauge): 1. Allows controlled initial cuff inflation. 2. Intermittend pressure monitoring facility. 3. Instant visual confirmation of intra-cuff pressure. 4. Simple operation of pressure adjustment without need for disconnection or introduction of syringe into system. 5. Solid green zone indicates usual cuff pressure range for tracheal & tracheostomy tubes. 6. Connecting tube is supplied with the gauge for convenient positioning. 7. Portable gauge and clips easily into pock.	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL P	C76.01/C	CVC 7 fr - 7.5 Fr. with Anti Kinking Nitinol Guide Wire(Adult)- 14G/18G/18G-15CM* 7 fr - 7.5Fr. Thermosensitive Polyurethane Triple Lumen.Adult CVC* It has Anti Kinking Nitinol Guide Wire & Blood Less Device	Item not specified in MSC and Endorsment

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
43	TELEFLEX MEDICAL P	C77.01/C	CVC 7.5 Fr. with Anti Kinking Nitinol Guide Wire(Adult)-14G/18G/18G-16CM * 7.5Fr. Thermosensitive Polyurethane Rifampicin & Miconazole Integrated Triple Lumen Adult CVC. * It has Anti Kinking Nitinol Guide Wire	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL P	C80.01/C	CVC Catheter Four Lumen - 14G/16G/18G/18G * 8 fr - 8.5 Fr. 4 Lumen Thermosensitive Polyurethane adult CVC	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL P	I20.01/C	Intubating stylate – small, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	Nil
43	TELEFLEX MEDICAL P	I20.02/C	Intubating stylet – large, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	Nil
43	TELEFLEX MEDICAL P	I20.03/C	Intubating stylet – medium, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	Nil
43	TELEFLEX MEDICAL P	M14.01/C	Minitracheotomy 1. Should have a Guarded scalpel. 2. Should have a 16G beveled needle 3. Should have a flexibe tipped guidewire. 4. Should have a curved dilator. 5. Should have an introducer. 6. Should have a PVC cannula of 4.0mm I.D 7. Should have a 10F low Friction suction catheter.	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL PVT LTD	P34.01/C	Paediatric Cuff Endothacheal Tube, Size - 2.5, 3, 3.5, 4, 4.5, 5.	Nil
43	TELEFLEX MEDICAL PVT LTD	P45.01/C	Peripherally Inserted Central Venous Single Lumen polyurethane catheter. Fully radiopaque I.V. catheter in biostable polyurethane for medium and long term venous access. Flexible catheter with Stylet Integral fixation wing and extension tube Markings every 5cm Introducer: peel-apart short I.V cannula Supplied with one measuring tape. Size: Fr-3/4/5, Length - 60cm, Priming Volume: 0.25/0.40/0.70ml	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL PVT LTD	P52.01/C	Polar South Preformed Tube with Cuff: 1. Made of thermo sensitive clear PVC with a smooth tip and radio-opaque blue line 2. Clear size identification on south limb 3. Intubation length (tip to incisor teeth identification mark) conforms to cut-to-length norms. 4. Low pressure high volume cuff for minimal risk of trauma. 5. Inflation line take-off point lies outside the mouth to avoid damage to teeth. 6. 15mm connector 8. Single use and should be avaiable in sterile package. Should be avaiable in size from 3.5, 4,,4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5 & 9 mm.	Nil
43	TELEFLEX MEDICAL PVT LTD	R13.01/C	Reinforced Tracheal Access device: Size : 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5 mm. 1. Made of thermo sensitive clear PVC with a smooth tip and Murphy eye with spiral steel reinforcement to minimize crushing or kinking. Low pressure high volume smooth tapered Soft Seal cuff made from PVC material, for minimal risk of trauma.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
43	TELEFLEX MEDICAL PVT LTD	R20.01/C	REUSEABLE LARYNGEAL MASK AIRWAY, SIZES - 1, 1.5, 2, 2.5, 3 & 4	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL PVT LTD	R21.01/C	REUSEABLE PROSEAL LARYNGEAL MASK AIRWAY, SIZES - 2, 3 & 4	Item not specified in MSC and Endorsment
43	TELEFLEX MEDICAL PVT LTD	S95.01/C	Siliconized Tracheal Access device Size: 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5 mm. 1. To be made of non-toxic Siliconized PVC for kink resistance, with a smooth tip, Murphy eye and a radio-opaque blue-line. 2. Internal and external diameters of tube are clearly marked on the tube. 3. Should have FDA/CE approval	Nil
44	Terumo India Pvt Ltd	B34.01/C	Bubble Trap (Adult) : Polycarbonate, Polyester, Filter Port - 170um, Blood port - 3/8" (9.5mm) , Vent port - female luer , Priming Volume - 150ml, Max.Blood Flow 6.5L/min.	Nil
44	Terumo India Pvt Ltd	B34.02/C	Bubble Trap (Paediatric) : Polycarbonate, Polyester, Filter Port - 170um, Blood port - 1/4" (6.4mm) , Vent port - female luer , Priming Volume - 50ml, Max.Blood Flow 1.6l/min	Nil
44	Terumo India Pvt Ltd	D18.01/C	DISPOSABLE SUCTION POD STABILISATION SYSTEM FOR CABG, THE POD SHOULD ROTATE 3600	MSC not submitted
44	Terumo India Pvt Ltd	D19.01/C	DISPOSABLE VACCUM SYSTEM FOR POSITIONING HEART FOR CABG	MSC not submitted
44	Terumo India Pvt Ltd	E14.01/C	Endoscopic vein harvester for CABG	MSC not submitted
44	Terumo India Pvt Ltd	M11.01/C	Membrane Oxygenator with coating (Paediatric) - Priming Volume of 135 ml. Blood Flow range up to 4.0 L / min. Reservoir capacity of 3000 ml; 70 mL minimum operating level. Non heparin based biopassive polymer does not react with blood components.	MSC not submitted
44	Terumo India Pvt Ltd	O17.01/C	Oxygenator with coating (Adult) - Priming Volume of 270 ml. Large blood flow rate of up to 7.0 L / min. Large reservoir capacity of 4000 ml; 200 mL minimum operating level. Non heparin based biopassive polymer does not react with blood components.	MSC not submitted
44	Terumo India Pvt Ltd	O17.02/C	Oxygenator with coating (Neonatal) - Priming Volume of 43 ml. Blood Flow range up to 0.1 L / min, Max 1.5 L /min Reservoir capacity of 1000 ml; 15 mL minimum operating level. Non heparin based biopassive polymer does not react with blood components.	MSC not submitted
44	Terumo India Pvt Ltd	P63.01/C	Prosthetic Knitted Dacron Bifurcated Graft, Size: D - 14 x 7 mm, 16 x 8mm, 12 x 6mm, 18 x 9mm, 20 x 10mm L-45cm. * Gelatin impregnated.	Nil
44	Terumo India Pvt Ltd	P64.01/C	Prosthetic Knitted Dacron Graft, Size : D - 8 to 14 mm L - 60 cm, * Gelatin impregnated.	Nil
44	Terumo India Pvt Ltd	P64.02/C	Prosthetic Knitted Dacron Graft, Size: D - 16 to 32 mm L - 20/25/30cm, * Gelatin impregnated.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
44	Terumo India Pvt Ltd	R15.01/C	Reusable Arm for Vaccum Stabilization & Positioning system: - 360° articulation maximizes vessel access and stabilization. Universal swivel mounts on retractor to provide procedural versatility. Dynamic tissue adherence ensures superior stabilization on the beating heart. Advance vaccum stabilization & positioning minimizes tissue trauma.	Nil
45	VIKAMSHI FABRICS PVT LTED	R24.01/C	RUBBER CLOTH (IN METER) (SOFT QUALITY) WIDTH 92 CM TO 100 CM, POLYESTER FIBRE, HIGHER GRADE HAVING 50% POLYMER IS 4135:1974	Nil
46	Vygon India Pvt. Ltd.	A16.01/C	A thermal shield for a newborn infant, a double layer of PE/PUR wrapping Simple tool of pre-formed foam which acts as a barrier against heat loss for heat loss prevention or hypothermia, applicable for use in all settings where birth may take place Impaired heat production in preterm and ill newborn infants lose heat by conduction, evaporation, convection and radiation. Sizes are available according to the corpulence of the baby: Small, Medium and Large.	Nil
46	Vygon India Pvt. Ltd.	A21.01/C	Accessories of Nerve Stimulator N.S Needles with continuous plexus and peripheral nerve blocks (compatible with approved machine) - Metallic Stylet allowing stimulation - Perineural Polyurethane Catheter 25mm, 35mm, 50mm, 100mm - 10X15 adhesive transparent dressing	Nil
46	Vygon India Pvt. Ltd.	A21.02/C	Accessories of Nerve Stimulator(to use in o.t)Cerebral Stimulator –Nerve Stimulator – Alkaline Battery.	Nil
46	Vygon India Pvt. Ltd.	A21.03/C	Accessories of Nerve Stimulator(to use in o.t)Cerebral Stimulator –Nerve Stimulator – Cable Wire	Nil
46	Vygon India Pvt. Ltd.	A21.04/C	Accessories of Nerve Stimulator(to use in o.t)Cerebral Stimulator –Nerve Stimulator – N.S Needle	Nil
46	Vygon India Pvt. Ltd.	A28.01/C	Antimicrobial double-lumen polyurethane catheter for haemodialysis Fully radiopaque catheter introduced by the seldinger technique. Flexible Fixation wings and polyurethane extension tubes with clamp. Centimetre Graduations from 9cm from distal tip. The active ingredient used in the expert technology is the silver ion-based antimicrobial agent AgION which is incorporated into the polyurethane tubing of the catheter.	Nil
46	Vygon India Pvt. Ltd.	B20.01/C	Basic Set – Procedure pack contains essential items needed for a number of common procedures including Lumber Puncture, Spinal Anaesthesia, Epidural Anaesthesia, Liver Biopsy, Paediatric Surgery, Oncology etc. (also offers custom made service) i. Tray ii. Syringe Luerslip iii. Aperture Drape iv. Galipot v. Prep Forceps vi. 4 Ball Swab (small) vii. 2 Ball Swab (large) viii. 1 Filter Needles 5 um ix. 3 Hypodermic Needles 18G, 21G & 25G x. 1 Outer Wrap 75 X 70 cm xi. Absorbent Towel 33 X 38 cm	MSC & Endorsment not submitted

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
46	Vygon India Pvt. Ltd.	B33.01/C	Bridge Dressing for bridging the wound where the wound location is not suitable for dressing for VAC Unit	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	C54.01/C	Cardiac defibrillator biphasic, with internal and external cardiac paddle for open heart surgery.	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	C61.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 20G/22G/22G Size- 5Fr. Triple Lumen, Length-8/13 cm with Nitinol Guide Wire dilator & sutureless fixation device.	Nil
46	Vygon India Pvt. Ltd.	C62.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with lumen Size 22G Size- 4Fr. Double Lumen, Length-8/13 cm with Nitinol Guide wire, dilator & sutureless fixation device.	Nil
46	Vygon India Pvt. Ltd.	C63.01/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, (Preferred lumen size 16G/18G/18G Size-7Fr. Triple Lumen, Length-15/20 cm.	Nil
46	Vygon India Pvt. Ltd.	C63.02/C	Central Venous Line : Thermosensitive Polyurethane Catheter with Nitinol Guide Wire with dilator, Double lumen. Size- 7Fr. Length 15/20 cm.	Nil
46	Vygon India Pvt. Ltd.	C68.01/C	Combined Spinal Epidural Anaesthesia Kit - 16G/18G. It should be needle through needle technique and have locking mechanism for securing spinal needle. Both needles should have mm graduation markings at the hub. Spinal Needle should have whitacre bevel and allow 360 degree rotation for spread of drugs.	Nil
46	Vygon India Pvt. Ltd.	C69.01/C	Combined Spinal Epidural system : 1. Should have 18G Tuohy needle of 80mm length and graduations with internal stylet and optional snap on wings. 2. Should contain 25G/27G pencil point spinal needle of 118 mm length with internal stylet. 3. Should have a 10ml Epirural 'Loss of Resistance' syringe. 4. Should have an 20G Peribax Epidural Catheter with a smooth closed tip, distal tip mark. 5. Should have a catheter connector with a flat profile for increased patient comfort. 6. Should have a flat filter with a 0.22µm.	Nil
46	Vygon India Pvt. Ltd.	C75.01/C	CVC 3 Fr. with Anti Kinking Nitinol Guide Wire(Paediatric)-6CM/10CM * 3Fr. Thermosensitive Polyurethane Double Lumen Paediatric CVC. * It has Anti Kinking Nitinol Guide Wire	Nil
46	Vygon India Pvt. Ltd.	C76.01/C	CVC 7 fr - 7.5 Fr. with Anti Kinking Nitinol Guide Wire(Adult)- 14G/18G/18G-15CM* 7 fr - 7.5Fr. Thermosensitive Polyurethane Triple Lumen.Adult CVC* It has Anti Kinking Nitinol Guide Wire & Blood Less Device	Nil
46	Vygon India Pvt. Ltd.	C77.01/C	CVC 7.5 Fr. with Anti Kinking Nitinol Guide Wire(Adult)-14G/18G/18G-16CM * 7.5Fr. Thermosensitive Polyurethane Rifampicin & Miconazole Integrated Triple Lumen Adult CVC. * It has Anti Kinking Nitinol Guide Wire	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
46	Vygon India Pvt. Ltd.	C78.01/C	CVC 9.5 Fr., Silver Ion Impregnated Thermosensitive Polyurethane Penta Lumen Adult CVC with Anti Kinking Nitinol Guide Wire. Size - 14 G / 16 G/ 18 G/ 18 G/ 18 G	Nil
46	Vygon India Pvt. Ltd.	C80.01/C	CVC Catheter Four Lumen - 14G/16G/18G/18G * 8 fr - 8.5 Fr. 4 Lumen Thermosensitive Polyurethane adult CVC	Nil
46	Vygon India Pvt. Ltd.	D12.01/C	Disposable Convective warming Blanket, Should have wide range of disposable blankets for variety of patient sizes and positions. *Blankets must have 2 layers of non-woven polypropylene fabric bonded to a layer of polyethylene for durability and to prevent tearing and puncturing	Nil
46	Vygon India Pvt. Ltd.	E15.01/C	Epidural Catheterization full set - 16g/18g with catheter fixation device and lock connector filter.	Nil
46	Vygon India Pvt. Ltd.	E16.01/C	ET connector : Connector with bronchoscopy port for endotracheal tube / tracheostomy tube	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	E17.01/C	ET connector with Catheter Mount: Connector with bronchoscopy port for endotracheal tube / tracheostomy tube	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	E19.01/C	Extension lines in spirally coiled form in Polythelene Protects the patient, catheter and infusion equipment from Stress caused by pulling and tugging. Provides Freedom of movement during Early mobilisation, removes lines from floor level. L-100/150/200 cm	Nil
46	Vygon India Pvt. Ltd.	G14.01/C	Guided Intubation set for difficult intubation, Semi Reusable, Improves C-L grade When the battery is fully charged the Optics can be used for approximately 50 intubations. Disposable Blade and Eyecup Fully protects Optics from patient contact. Quick and easy assembly with Optics. Include lenses at the distal end of blade and also in eyecup. Docking Station (A-590) Recharges the battery. Displays the remaining number of uses of the Optics. Camera for Option 1 & 2 C. Camera (A-360) Characteristics Wireless image transmission (When used with the Wireless Display Recorder monitor) Attachable to every model Connectable to any external display or monitor which has an available RCA (Radio Corporation of America or Phone Connector) or BNC (Bayonet Neill Concelman or Barrel Nut Connector) video input jack. Lightweight	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	I12.01/C	Infusion portable disposable pump with PCA – Patient controlled analgesia 1. Should have volume 60, 100, 275 & 450ml 2. Having variable flow rate like 0.05, 1.00, 2.00, 4.00 5.00, 8.00, 10.00, 13.00 & 50 ml/hr 3. Should have lock out period of 5, 6, 8, 10, 15, 30 & 60 min 4. Should have bolus dose of 0.05, 1.00 & 2.00 ml 5. Micro IV filters should have 1.2µm hydrophilic membranes – expels particles. 0.2µm hydrophobic membranes – expels air from infusion line 6. Should have compact Bolus button.	MSC & Endorsment not submitted

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
46	Vygon India Pvt. Ltd.	I14.01/C	Integrated closed IV catheter system with pre-attached high pressure extension set (up to 300psi); with two split septum, closed system needle-less connectors; needle tip encapsulated in plastic cap for NSI prevention sizes: 18g, 20g, 22g & 24g.	Nil
46	Vygon India Pvt. Ltd.	I16.01/C	Inter costal Drain with trochar No. 10, 12, 14, 16, 18.	Nil
46	Vygon India Pvt. Ltd.	I15.01/C	Inter costal drainage tubes with bag (No. 28, 30, 32)	Nil
46	Vygon India Pvt. Ltd.	I20.01/C	Intubating stylate – small, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	I20.02/C	Intubating stylet – large, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	I20.03/C	Intubating stylet – medium, malleable, aluminium tubating stylets. Each stylet is enclosed in a PVC sheath having blunt ends to reduce the risk of trauma .	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	L8.01/C	LARYNGOSCOPE MAKINTOSH WITH 3 BLADES SIZE - 1, 2, 3	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	L8.02/C	LARYNGOSCOPE MAKINTOSH WITH 3 BLADES SIZE - 2, 3, 4	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	L9.01/C	LARYNGOSCOPE MAKINTOSH WITH 4 BLADES SIZE - 2, 3, 4 & Extra Large	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	L10.01/C	LARYNGOSCOPE Mc COY BLADE SIZE - 2, 3, 4	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	M20.01/C	Mucus sucker	Nil
46	Vygon India Pvt. Ltd.	N12.01/C	Needleless access for injections/sampling - Closed system for connections/disconnections of all I.V. infusions and equipment - Cleanable membrane for swabbing before and after use. - Simple one-piece design fits all I.V. luers. No other accessories needed. - Standard Male-Female Luer locks - Supplied in a unique protector for "no touch" connection of sterile Bionector.	Nil
46	Vygon India Pvt. Ltd.	P35.01/C	Pain relief detachable silicon implantable catheter 6.6Fr with Antikinking Sleeve sitimplant titanium device with Peel away desilet, compatible with MRI frequency-height (8mm-11mm) & weight (3.5g-10.5g) with tunnellation needle and Teflon coating Nitinol Guide wire, Bloodless access & vein lifting device.	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
46	Vygon India Pvt. Ltd.	P36.01/C	Pain relief detachable silicon implantable catheter 9.6Fr with Antikinking Sleeve sitimplant titanium device with Peel away desilet, compatible with MRI frequency-height (8mm-11mm) & weight (3.5g-10.5g) with tunnellation needle and Teflon coating Nitinol Guide wire, Bloodless access & vein lifting device. Silicone Septum access long length non coring needles ,sizes-20G/22G & length-15 to 30mm	Nil
46	Vygon India Pvt. Ltd.	P40.01/C	Pediatrics Endotoxin (96 hours) Filter with Triple Layer extension tube with Clamp, for Air Eliminating 0.22um, Priming volume: 0.8ml Flow rate : 7 ml/min.	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	P45.01/C	Peripherally Inserted Central Venous Single Lumen polyurethane catheter. Fully radiopaque I.V. catheter in biostable polyurethane for medium and long term venous access. Flexible catheter with Stylet Integral fixation wing and extension tube Markings every 5cm Introducer: peel-apart short I.V cannula Supplied with one measuring tape. Size: Fr-3/4/5, Length - 60cm, Priming Volume: 0.25/0.40/0.70ml	Nil
46	Vygon India Pvt. Ltd.	P51.01/C	PM line 10, 25, 50, 80, 100, 150, 200 cm, extention tube dia 1.2 mm, od 2.8, for pressure upto 4.5 bar (65psi)	Nil
46	Vygon India Pvt. Ltd.	P53.01/C	Polyethylene Catheter for drainage the cavity which is placed through an introducer needles using a handling sleeve, catheter connected to a stopcock, one conical adaptor is provided for connecting stopcock to suction or valve. 6fr /8fr & 10fr length-30-50 cm.	Nil
46	Vygon India Pvt. Ltd.	P54.01/C	Polyethylene Low Compliances PM lines with Color Coded Clamps : <ul style="list-style-type: none"> · Small bore high pressure extension line. · Multipurpose extension line suitable for Angiography, Arteriography, CVP measurement etc. · Suitable for high pressure monitoring and for connection between syringe infusion pump and patient. · Provided with luer lock at both ends and fits all standard equipment. · Luer lock connectors provide secure fitting. 	Nil
46	Vygon India Pvt. Ltd.	P56.01/C	Polyurethane Triple Lumen Extension Line with needle free device for Infection control – 10cm : * Needle free IV access device with two/three Female Luer Lock Ports at one end & Male Rotating Nut Luer Lock at other end.Swabable ports allows safe access to IV line. Clear housing to allow visual, Low prime control(1.70 ml) with Neutral Displacement for non clotting the catheter.	Nil
46	Vygon India Pvt. Ltd.	P56.02/C	Polyurethane Triple Lumen Extension Line with needle free device for Infection control – 10cm/15cm : <ul style="list-style-type: none"> • Needle free IV access device with two/three Female Luer Lock Ports at one end & Male Rotating Nut Luer Lock at other end. • Swabable ports allows safe access to IV line. • Clear housing to allow visual assessment of fluid path. • Low prime control(1.60 ml) • High flow rate • Length : 10-18 cm 	Nil

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
46	Vygon India Pvt. Ltd.	P59.01/C	Positive Airway Pressure System	Nil
46	Vygon India Pvt. Ltd.	P59.02/C	Positive Airway Pressure System : 1. 22mm OD patient end to accommodate mounthpiece. 2. Scalloped ambient air inlet with gaps to resist occlusion. 3. Pressure port with white sealing cap, to allow connection to a gauge for easy monitoring. 4. Gas inlet port to allow connection to O2 source with a flow meter. 5. Can be used in conjunction with aerosol medication (e.g nebulizer) via 22mm connection. 6. Available with a disposable manometer. 7. Transparent design for visual monitoring of contaminants.	Nil
46	Vygon India Pvt. Ltd.	P61.01/C	PRESSURE EXTENSION LINE MALE - FEMALE, MALE - MALE, LENGTH: 100 - 200 CM	Nil
46	Vygon India Pvt. Ltd.	S93.01/C	Silicone Catheter for long-term venous access. Radiopaque silicone catheter for peripheral or central venous access for parental nutrition, chemotherapy. Size : G-18/16/14/11, Fr-4/5/6/9.5, Length – 60cm	Nil
46	Vygon India Pvt. Ltd.	S97.01/C	Single Lumen polyurethane Silver ION Impregnated central venous catheter for peripheral access. Fully radiopaque I.V. catheter in biostable polyurethane for medium and long term venous access. Flexible catheter with Stylet Integral fixation wing and extension tube Markings every 5cm Introducer: peel-apart short I.V cannula Supplied with one measuring tape. Size : Fr- 4, Length-60cm, Priming Volume : 0.55ml	Nil
46	Vygon India Pvt. Ltd.	S98.01/C	Single Use Bougie	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	S100.01/C	Spinal Needle 25G, 26G. Grooved colourless, transparent hub for firm grip, early detection of CSF flashback. Sharp cutting bevel (Quincke) for low puncture force. Length 120 mm - 150 mm	Nil
46	Vygon India Pvt. Ltd.	S100.02/C	Spinal Needle 25G, 26G. Grooved colourless, transparent hub for firm grip, early detection of CSF flashback. Sharp cutting bevel (Quincke) for low puncture force. Length 90 mm	Nil
46	Vygon India Pvt. Ltd.	S100.03/C	Spinal Needle 25G, 26G. Grooved colourless, transparent hub for firm grip, early detection of CSF flashback. Sharp cutting bevel (Whitacre) for low puncture force. Length 90 mm	Nil
46	Vygon India Pvt. Ltd.	S104.01/C	Sterile mucous extractor with long extension pipe for tracheal suctioning, spare closure cap.	Nil
46	Vygon India Pvt. Ltd.	S105.01/C	Sterile pack of Dressing (9cmX15cm)	Nil
46	Vygon India Pvt. Ltd.	S105.02/C	Sterile pack of Dressing (9cmX20cm)	Nil
46	Vygon India Pvt. Ltd.	S120.01/C	Swivel Connector having 360 degree rotating connector for ET Tube	MSC & Endorsment not submitted

SI No.	Vendor Name	CAT No.	Item Name	TOTAL SHORTFALL / FINDINGS OF THE EVALUATION COMMITTEE OF THE TECHNICAL BID DOCUMENTS
46	Vygon India Pvt. Ltd.	T12.01/C	The Metallic Stylet Dural Puncture needles with pencil tip & thin walled technology, Eye closed to the distal tip to minimize the risk of extra dural injection n metal introducer smoothed eye with lug indicate positioning. Sizes-25G,26G,27G & 29G L.90mm,120mm,135mm & 145mm	Nil
46	Vygon India Pvt. Ltd.	T16.01/C	Total Nutrient Admixture (TPN) filter, 1.2micron total nutrient, admixture and emulsion drug filter for the removal of inadvertent microbial contaminants, associated Endotoxin Particulars and air. With tubing clamp and day change labels	Nil
46	Vygon India Pvt. Ltd.	T24.01/C	TWIN BORE NASAL OXYGEN SET PAEDIATRIC & ADULT	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	T25.01/C	Twin Flow Polyurathane Radiopaque Peripherally Inserted Central catheter with Neocath Split Introducer for Premature Babies & Neonates Medication & Nutrition.	Nil
46	Vygon India Pvt. Ltd.	U3.01/C	Umbilical Artery & Venous catheter in fully radio-opaque polyurethane with a distal eye and lateral eye, rounded distal tip Actual distance from the distal tip is printed numerically from 4 to 20cm Proximal extension tubes(PUR) Length:5cm, with clamp Reduce the number of peripheral routes required subsequently Size: 2.5 Fr, 3.5 Fr, 4 Fr, 5 Fr, 8 Fr & Length: 30 - 40 cm.	Nil
46	Vygon India Pvt. Ltd.	U8.01/C	Urine Collection Bag with Urometer : Universal tapered connector with sampling port to facilitate mid stream urine sampling. Designed for measurement of hourly urine output. Clear and transparent measured volume chamber. Urine Meter directly attached to two litre capacity Urine Bag with overflow facility. Completely closed circuit eliminates the risk of contamination. Sizes: Infant.	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	V8.01/C	Vibratory Positive Expiratory Pressure system : 1. Functional in any position; trendelenburg, standing or sitting. 2. Delivers airflow vibrations to the petient from 5-30 Hz 3. Delivers positive expiratory pressure to the patient in the range of 10-20 cm H2O. 4. Expiratory resistance/frequency dial to allow therapy to be adjusted to patient's mouth 5. One-way inspiratory valve allow inhalation without removal from patient's mouth. 6. Distal 22mm OD fitting allows nebulizer connection via tee adapter.	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	V9.01/C	Vibratory Positive Expiratory Pressure System having adjustable resistance dial. Distal connection should facilitate nebulizer connection via tee adapter. Should have compatible for version for Adult and Paediatric.	MSC & Endorsment not submitted
46	Vygon India Pvt. Ltd.	V10.01/C	VIDEO LARYNGOSCOPE WITH DISPOSABLE BLADES, SIZE - 1, 2, 3, 4.	MSC & Endorsment not submitted