

Government of West Bengal  
Office of the Deputy Director of Health Services (E&S), WB  
Central Medical Stores, 141, A J C Bose Road, Kolkata – 700 014  
Phone No (033) 2265 4418/4417/4419  
E mail : [ddhs\\_cms@wbhealth.gov.in](mailto:ddhs_cms@wbhealth.gov.in)

Memo No. HST/ 1P-442/95/2014/030/ 2010

Dated:-23.08.2016

## Notice

The approval of the item , Sirolimus coated drug eluting stent, CE marked, stainless steel base, under cat no. THS 238 (g) in favour of M/s TRANSLUMINA THERAPEUTICS LLP as mentioned in the notice vide Memo no. HST/ 1P-442/95/2014/030/1988, Dated 16.08.2016 is kept pending until further order.

All concern are being informed accordingly.

*Waller*  
23.08.16  
Deputy Director of Health Services (E&S)  
West Bengal

Memo No. HST/ 1P-442/95/2014/030/ 2010/1(3)

Dated:-23.08.2016

Copy forwarded for information :

1. OSD & e.o.Spl. Secretary (TDE), Swasthya Bhavan, Kol. 91.
2. ADHS (E&S), C.M.S., Kol.
3. Security Cell, C.M.S., Kol.

*Waller*  
23.08.16  
Deputy Director of Health Services (E&S)  
West Bengal

Government of West Bengal  
Office of the Deputy Director of Health Services (E&S), WB  
Central Medical Stores  
141, A J C Bose Road, Kolkata – 700 014  
Phone No (033) 2265 4418/4417/4419  
E mail : ddhs\_cms@wbhealth.gov.in

Memo No.:- HST/1P-442/95/2014/030/1988

Date:-16/08/2016

**NOTICE**

In pursuance of the Department's Memo No H/TDE/819/5S-16/2015 dated 12.08.2016, the following Items are selected in favour of the Bidders, mentioned against each in respect of e-tender for procurement of some Surgical / Hospital Items for the year 2015-17 invited by DDHS (E&S), WB, vide NIT No. HST/1P-442/95/2014/030 dated 02-12-2015, read with corrigendum notice, vide, memo no HST/1P-442/95/2014/948 dated 18-12-2015 the details of which is given below.

Sl. No.	Cat. No.	Item Name	Accounting Unit	Rate (Rs.)	Vendor Code	Name of the BIDDER
1	THS 109(u)	Everolimus coated drug eluting Stent, US FDA approved Cobult Chromium base	Each	40000.00	E116	ABBOTT HEALTHCARE PVT. LTD.
2	GU 21(a)	Kidney Biopsy Gun 10X16G	Each	1875.00	E112	Bard India Healthcare Pvt Ltd
3	GU 21(b)	Kidney Biopsy Gun 16X16G	Each	1875.00	E112	Bard India Healthcare Pvt Ltd
4	GU 21(c)	Kidney Biopsy Gun 18X16G	Each	1875.00	E112	Bard India Healthcare Pvt Ltd
5	ME 73(a)	CAPD Adapter (Titanium)	Each	3838.00	E080	Baxter (India) Pvt. Ltd.
6	ME 73(e)	CAPD Minicap.	Each	20.57	E080	Baxter (India) Pvt. Ltd.
7	ME 73(f)	CAPD Transfer Set.	Each	1827.20	E080	Baxter (India) Pvt. Ltd.
8	GU 19(a)	Dialyzer High Flux (F60S/HF80S/HdF100S) for HDF	Each	625.00	E080	Baxter (India) Pvt. Ltd.
9	GU 19(e)	Dialyzer Single Use for Sero Positive	Each	525.00	E080	Baxter (India) Pvt. Ltd.
10	GU 19(d)	Dialyzer/ Artificial Kidney Hollow Fibre 1.5 Sq M	Each	540.00	E080	Baxter (India) Pvt. Ltd.
11	THS 161(d)	Plasma Filter for Plasmapheresis	Each	8000.00	E080	Baxter (India) Pvt. Ltd.
12	AN 26(c)	Combined Spinal Epidural system : 1. Should have Tuohy needle of 80mm length and 10mm graduations with internal stylet and optional snap on wings. 2. Should contain a pencil point spinal needle of 115-118 mm length with internal stylet. 3. Should have a 10ml Epirural 'Loss of Resistance' syringe. 4. Should have an epidural catheter with a smooth closed tip, distal tip mark. 5. Should have a catheter connector with a flat profile for increased patient comfort.	each	1426.00	E101	BBraunMedical India Pvt. Ltd

*[Handwritten signature]*  
16.8.16



		6. Should have a flat filter with a 0.22µm hydrophilic supported membrane that allows two way filtration.				
13	ME 72(c)	Catheter Double lumen internal jugular curved/Straight 8Fr.	Each	1080.00	E047	BL Lifesciences Pvt Ltd
14	ME 72(b)	Catheter Double lumen internal jugular Curved/Straight 10Fr.	Each	1080.00	E047	BL Lifesciences Pvt Ltd
15	ME 72(a)	Catheter Double lumen internal jugular Curved/Straight 11.5Fr.	Each	1080.00	E047	BL Lifesciences Pvt Ltd
16	GU 19(g)	Guide Wire (J –Tip) 0.038 X 70 Cm	Each	95.00	E047	BL Lifesciences Pvt Ltd
17	GU 19(h)	Guide Wire Straight 0.038 X 70 Cm	Each	95.00	E047	BL Lifesciences Pvt Ltd
18	THS 178(q)	High Pressure Extension Line 120cm - M/F for drug eluting stent	Each	260.00	E047	BL Lifesciences Pvt Ltd
19	THS 180(b)	Intra abdominal pressure monitoring kit 1. Intra abdominal pressure monitoring kit with transducer compatible 2. with present interface cable or without transducer with sleeved syringe.	Each	1290.00	E047	BL Lifesciences Pvt Ltd
20	THS 109(v)	Everolimus coated drug eluting Stent, US FDA approved, Platinum Chromium base	Each	40000.00	E107	Boston Scientific India Pvt Ltd.
21	THS 178(u)	Guiding Catheter 6Fr, 7Fr - AL 1 for drug eluting stent	Each	1929.00	E107	Boston Scientific India Pvt Ltd.
22	THS 178(v)	Guiding Catheter 6Fr, 7Fr - AR 1 for drug eluting stent	Each	1929.00	E107	Boston Scientific India Pvt Ltd.
23	THS 178(r)	Guiding Catheter 6Fr, 7Fr - JL for drug eluting stent	Each	1929.00	E107	Boston Scientific India Pvt Ltd.
24	THS 178(s)	Guiding Catheter 6Fr, 7Fr - JR for drug eluting stent	Each	1929.00	E107	Boston Scientific India Pvt Ltd.
25	THS 178(t)	Guiding Catheter 6Fr, 7Fr - RBU for drug eluting stent	Each	1929.00	E107	Boston Scientific India Pvt Ltd.
26	GS 174(f)	6. 80 mm Green reload for use with Reusable Linear Cutter Stapler---	Each	3850.37	E104	Covidien Healthcare India Pvt. Ltd.
27	GS 174(e)	60 mm Blue Reload for use with Reusable Linear Cutter Stapler	Each	3674.00	E104	Covidien Healthcare India Pvt. Ltd.
28	THS 76	60 mm Green Reload for use with Reusable Linear Cutter Stapler	Each	3674.00	E104	Covidien Healthcare India Pvt. Ltd.
29	GS 174(d)	60 mm Reusable Linear Cutter Stapler	Each	23694.60	E104	Covidien Healthcare India Pvt. Ltd.
30	THS 76(e)	80 mm Blue Reload for use with Reusable Linear Cutter Stapler	Each	3850.37	E104	Covidien Healthcare India Pvt. Ltd.
31	THS 76(f)	80 mm Green Reload for use with Reusable Linear Cutter Stapler	Each	3850.37	E104	Covidien Healthcare India Pvt. Ltd.
32	THS 76(d)	80 mm Reusable Linear Cutter Stapler	Each	69306.71	E104	Covidien Healthcare India Pvt. Ltd.
33	ME 73(b)	CAPD Catheter Tench koff Curved 62cm.	Each	7497.00	E104	Covidien Healthcare India Pvt. Ltd.
34	ME 73(c)	CAPD Catheter Tench koff Straight 42cm.	Each	4998.00	E104	Covidien Healthcare India Pvt. Ltd.
35	PDS 61(g)	Catheter Permanent /Tunnelled/cuffed (Paediatric)	Each	7735.00	E104	Covidien Healthcare India Pvt. Ltd.
36	PDS 61(b)	Catheter Permanent /Tunnelled/cuffed 19cm	Each	7735.00	E104	Covidien Healthcare India Pvt. Ltd.

16.8.16



37	AN 13(a)	Double Lumen Endotracheal Tube : 1. Sizes : Left & right (assorted) 2. Soft round Bever tip to minimize trauma to patients. 3. Should contain intubation stylet and super slip suction catheter.	Each	2022.00	E104	Covidien Healthcare India Pvt. Ltd.
38	THS 76(a)	Linear Cutter cum Stapler , Size : 75 mm - Should have intermediate locking position. Should have tissue retaining pin at distal end to prevent tissue from milking out.	Each	8292.11	E104	Covidien Healthcare India Pvt. Ltd.
39	THS 77(g)	Linear Cutter cum Stapler, Size : 100 mm Should have intermediate locking position. Should have Blue and Green reloads with 1.55mm, and 2.00mm closed staple height. Should have tissue retaining pin at distal end to prevent tissue from milking out.	Each	10662.57	E104	Covidien Healthcare India Pvt. Ltd.
40	AN 14(g)	Polar South Preformed Tube with Cuff: 1. Made of thermo sensitive clear PVC with a smooth tip and radio-opaque blue line 2. Clear size identification on south limb 3. Intubation length (tip to incisor teeth identification mark) conforms to cut-to-length norms. 4. Low pressure high volume smooth profile cuff made from velvet soft pVC materials, for minimal risk of trauma. 5. Inflation line take-off point lies outside the mouth to avoid damage to teeth. 6. It should have a inflatable pilot balloon to help indicate Cuff pressure, having clear markings such as Cuff Resting Diameter, with a spring-loaded one-way valve, and a blue inflation line. 7. A blue 15mm connector 8. Single use and should be available in sterile package. Should be available in size from 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5 & 9 mm.	each	302.00	E104	Covidien Healthcare India Pvt. Ltd.
41	AN 15(a)	Polar South Preformed Tube without Cuff: 1. Made of thermo sensitive clear PVC with a smooth tip and radio-opaque blue line 2. South limb curved to avoid pressure on the chin and lower lip. 3. Clear size identification on the South limb. 4. Intubation length (tip to incisor teeth identification mark) conforms to cut-to-length norms. 5. Low pressure high volume smooth profile cuff made from velvet soft pVC materials, for minimal risk of trauma. 6. Inflation line take-off point lies outside the mouth to avoid damage to teeth. 7. It should have a inflatable pilot balloon to help indicate Cuff pressure, having clear markings such as Cuff Resting Diameter, with a spring-loaded one-way valve, and a blue inflation line. 8. A blue 15mm connector	Each	171.00	E104	Covidien Healthcare India Pvt. Ltd.

*[Handwritten signature]*  
16.8.16



		9. Should be available in size from 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5 & 9				
42	THS 77(g)(ii)	Reloads for Reusable Linear Cutter Stapler 100 mm - Green with Closed Staple height of 2.00mm.	Each	2369.46	E104	Covidien Healthcare India Pvt. Ltd.
43	THS 77(g)(i)	Reloads for Reusable Linear Cutter Stapler 100 mm - Blue with Closed Staple height of 1.50mm.	Each	2369.46	E104	Covidien Healthcare India Pvt. Ltd.
44	THS 76(c)	Reloads for Reusable Linear Cutter Stapler 75 mm - Green with Closed Staple height of 2.00mm.	Each	1974.55	E104	Covidien Healthcare India Pvt. Ltd.
45	THS 76(b)	Reloads for Reusable Linear Cutter Stapler 75 mm - Blue with Closed Staple height of 1.50mm.	Each	1974.55	E104	Covidien Healthcare India Pvt. Ltd.
46	GS 174	Reusable Linear Cutter Stapler 55 mm - Complete set with autoclavable stainless steel handle.	Each	23694.60	E104	Covidien Healthcare India Pvt. Ltd.
47	AN 71(k)	Tracheal Intubation Stylet : 1. Intubation stylet having a walking stick design for insertion into the endotracheal tube prior to intubation. 2. Choices of length from 225, 335, 365mm to fit most adult and paediatric tracheal tubes. 3. Made of malleable aluminium to easily adapt to any desired shape. 4. Single use, should be available in a sterile package, latest free.	each	84.00	E104	Covidien Healthcare India Pvt. Ltd.
48	PMRA 92(a)	Negative pressure wound therapy (Vaccum dressing system)	Each	322000.00	E087	DATT MEDIPRODUCTS LIMITED
49	THS 156(g)	Pericardial Bioprosthetic Heart Valve • Both Aortic & Mitral Position . • Aortic Position – Sizes 19 to 29 mm, • Mitral Position – sizes 25 to 33 mm. • It should be US FDA / CE approved . • It should have anti-calcification treatment. • Glutaraldehyde Tissue Fixation.	Each	95000.00	E113	Edwards Lifesciences (India) Private Limited
50	THS 30(c)	Tricuspid Rigid Annuloplasty Ring - Assorted Sizes Rigid ring for durable repair oval shaped ring conforms to Tricuspid annulus Marking for anatomic orientation US-FDA / CE Approved.	Each	27000.00	E113	Edwards Lifesciences (India) Private Limited
51	AN 55(a)	Cuff Manometer (Cuff Inflator Pressure Gauge): 1. Allows controlled initial cuff inflation. 2. Intermittent pressure monitoring facility. 3. Instant visual confirmation of intra-cuff pressure. 4. Simple operation of pressure adjustment without need for disconnection or introduction of syringe into system. 5. Solid green zone indicates usual cuff pressure range for tracheal & tracheostomy tubes. 6. Connecting tube is supplied with the gauge for convenient positioning. 7. Portable gauge and clips easily into pocket.	each	7500.00	E117	Hansraj Nayyar Medical India
52	THS 180(a)	Emergency Cricothyroidotomy Kit 6mm	Each	9788.00	E117	Hansraj Nayyar Medical India

*Handwritten signature and date 16.8.16*



53	THS 161( c)	Heat & Moisture Exchange Filter : 1. HEPA bacterial and viral filter with HME properties offering optimum hydrophilic filtration. 2. Gas sampling port, for end tidal CO2 monitoring. 3. Recommended tidal volume range 150-1200ml 4. Humidity output (mg H2O per L):25.6 per 250/18.6 per 500 5. Even-pleated filter medium to allow maximum filtration efficiency with minimal resistance to flow. 6. Low deadspace, equal to 45ml 7. Single use and sterile.	Each	69.00	E117	Hansraj Nayyar Medical India
54	THS 113(c)	Reusable Guide : 1. Straight tip design for minimal resistance on removal from ET tubes. 2. Clear markings to indicate intubation depth. 3. Should be latex free. 4. Size : 10CH and 15 CH	each	575.00	E117	Hansraj Nayyar Medical India
55	THS 163 (i)	Guiding catheter - AMPLATZ LEFT & RIGHT ( AL & AR ) Size -6 Fr & 7 Fr • Shape should be 3, 3.5, & 4.0 cm.	Each	2700.00	E033	India Medtronic Pvt Ltd
56	THS 163 (h)	Guiding catheter - JL & JR (Judkins Left & Right ), size - 6Fr & 7 Fr • Shape should be 3, 3.5, & 4.0 cm.	Each	2700.00	E033	India Medtronic Pvt Ltd
57	THS 178(f)	Zotarlimus coated drug eluting Stent, US FDA approved, Cobalt Chromium base	Each	23750.00	E033	India Medtronic Pvt Ltd
58	ORS 122	Bone cement 20 gm Pack with Gentamycin : Methyl Methacrylate / Methyl acrylate copolymer blend Sterilised using ethylene oxide gas.uses zirconium as the radiopaque agent Gentamycin loaded.	Each	2700.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
59	ORS 121	Bone cement 40 gm Pack with Gentamycin : Methyl Methacrylate / Methyl acrylate copolymer blend Sterilised using ethylene oxide gas.uses zirconium as the radiopaque agent Gentamycin loaded.	Each	2750.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
60	SDB 74(a)	Low Temperature Gas Plasma Sterilization System : Unit Dimension : 1) Height/Depth/Width: 840/840/560 mm 2) Door Width (Radius)/ Angle: 560 mm/100 deg 3) Unit Weight: 125 Kg Cart : 1) Cart Dimension (H/D/W): 560/735/610 mm 2) Cart Weight: 35 Kg Chamber: 1) Chamber Dimension (H/D/W): 200/610/330 mm 40 Liters (30 liters usable Volume) 2) Shelf Dimension (2 shelves) : 610/330 mm 3) Height Distance between shelf/chamber: 80 mm 4) Max weight per shelf: 11.3 kg Electrical : 1) Voltage/ Max Current: 99 – 132 VAC, 47-63 HZ, 16A 180 -264 VAC, 47 -63 Hz, 10A 2) Standard Plug Country Specific 3) 63Max. Power consumption: 2000W 4) Cycle Temperature: 50-55 deg C Total Cycle time : 28 min and 38 min Network : Interfce : Ethernet	Each	3000000.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED

*Handwritten signature and date: 16.8.16*



61	THS 77(g)(iv)	Reloads / Cartridges for Curved Cutter Green Colour	Each	11912.94	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
62	GS 174(b)	Reloads for Reusable Linear Cutter Stapler 55 mm - Green with Closed Staple height of 2.00mm.	Each	2088.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
63	GS 174(a)	Reloads for Reusable Linear Cutter Stapler 55 mm - Blue with Closed Staple height of 1.50mm.	Each	2088.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
64	GS 174(c)	Reloads for Reusable Linear Cutter Stapler 55 mm - Knife module for Reusable 55 mm Linear Cutter Stapler.	Each	1207.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
65	GS 117(a)	Abdonimal Drain Kits	Each	66.30	E086	LA-MED HEALTHCARE PRIVATE LIMITED
66	AN 6(a)	Bain circuit (adult) Manually adjustable non metallic APL valve for MRI compatibility	Each	364.01	E086	LA-MED HEALTHCARE PRIVATE LIMITED
67	AN 6(b)	Bain circuit (paediatric) Manually adjustable non metallic APL valve for MRI compatibility	Each	364.01	E086	LA-MED HEALTHCARE PRIVATE LIMITED
68	AN 50(a)	Burret set(100ml)	Each	31.62	E086	LA-MED HEALTHCARE PRIVATE LIMITED
69	PDS 61(c)	Catheter Triple Lumen	Each	523.00	E086	LA-MED HEALTHCARE PRIVATE LIMITED
70	GS 191(a)	Inter costal drainage tubes with bag (No. 28, 30, 32)	Each	72.42	E086	LA-MED HEALTHCARE PRIVATE LIMITED
71	CL 96(e)	Intercostal chest tube 24"	Each	39.78	E086	LA-MED HEALTHCARE PRIVATE LIMITED
72	CL 96(b)	Intercostal chest tube 28"	Each	39.78	E086	LA-MED HEALTHCARE PRIVATE LIMITED
73	CL 96(c)	Intercostal chest tube 32"	Each	39.78	E086	LA-MED HEALTHCARE PRIVATE LIMITED
74	AN 41(a)	Oxygen delivery musk : 1. Vinyl soft mask with shouldered and fix star lumen crush resistant 2mtr 2. oxygen tubing	Each	23.44	E086	LA-MED HEALTHCARE PRIVATE LIMITED
75	AN 51(c)	Pressurised Infusor Bags	Each	1941.06	E086	LA-MED HEALTHCARE PRIVATE LIMITED
76	PMRA 92	Vaccum suction drain kits of various sizes	Each	123.00	E086	LA-MED HEALTHCARE PRIVATE LIMITED
77	AN 46(a)	Ventilator circuit 2 water trap (adult, paediatric) 1. Ventilator circuit with 2 water trap along with temperature port	Each	277.34	E086	LA-MED HEALTHCARE PRIVATE LIMITED
78	THS 109(i)	Sirolimus coated drug eluting Stent, DCGI marked, Cobult Chromium base	Each	13333.33	E118	MERIL LIFE SCIENCES PRIVATE LIMITED

*Handwritten signature and date: 16.8.16*



79	ME 3(a)	Corrugated rubber sheath drain	Each	20.06	E020	Romsons Scientific and Surgical Industries Pvt Ltd
80	AN 42(a)	High concentration mask 1. Soft vinyl mask with reservoir bag with one way valve along with star lumen 2. crush resistant 2meter tubing	Each	90.76	E020	Romsons Scientific and Surgical Industries Pvt Ltd
81	AN 43(a)	Infant feeding trubes (No. 5, 6, 8)	Each	4.63	E020	Romsons Scientific and Surgical Industries Pvt Ltd
82	ME 4(a)	Nebulisation Mask	Each	23.79	E020	Romsons Scientific and Surgical Industries Pvt Ltd
83	AN 36( c )	Nebulizer T pc : 1. Complete kit with T mouth pc, special chamber with 'cc' mark 2. 2cc medicine locking system 3. 2mtr star lumen crush resistant oxygen tubing.	Each	36.61	E020	Romsons Scientific and Surgical Industries Pvt Ltd
84	AN 79(c)	Non rebreathing mask	Each	22.78	E020	Romsons Scientific and Surgical Industries Pvt Ltd
85	THS 130(a)	Sterile mucous extractor with spare closure cap for fibreoptic bronchoscopy GS-5018	Each	9.08	E020	Romsons Scientific and Surgical Industries Pvt Ltd
86	THS 114(c)	T oxygen recovery kit : 1. 15 mm ET connection or laryngeal mask 2. 7.6mm port for suction with non popping cap, it comprises T pc with port, 3. 22mm-15cm reservoir flex tube and O2 stem with cap 4. 2mtr Crush resistant star lumen oxygen tubing	Each	563.68	E020	Romsons Scientific and Surgical Industries Pvt Ltd
87	GS 51(a)	Minitracheotomy 1. Should have a Guarded scalpel. 2. Should have a 16G beveled needle 3. Should have a flexibe tipped guidewire. 4. Should have a curved dilator. 5. Should have an introducer. 6. Should have a PVC cannula of 4.0mm I.D 7. Should have a 10F low Friction suction catheter.	Each	5025.00	E106	SMITHS MEDICAL INDIA PVT LTD
88	AN 61(a)	Positive Airway Pressure System : 1. 22mm OD patient end to accommodate mounthpiece. 2. Scalloped ambient air inlet with gaps to resist occusion. 3. Pressure port with white sealing cap, to allow connection to a gauge for easy monitoring. 4. Gas inlet port to allow connection to O2 source with a flow meter. 5. Can be used in conjunction with aerosol medication(e.g nebulizer) via 22mm connection. 6. Avialable with a disposable manometer. 7. Transparent design for visual monitoring of contaminants.	each	930.00	E106	SMITHS MEDICAL INDIA PVT LTD

*[Handwritten signature]*  
16.8.16



89	AN 74(a)	<p>Reusable Introducer :</p> <ol style="list-style-type: none"> <li>1. Reusable Introducer to have a coude/angled tip to easily identify tracheal rings in difficult intubations.</li> <li>2. Clear graduated markings to indicate intubation depth.</li> <li>3. Size : 15CH, 60 cm</li> <li>4. Should be Latex free.</li> </ol>	each	3150.00	E106	SMITHS MEDICAL INDIA PVT LTD
90	AN 15(b)	<p>Silicon Aire-Cuf Tracheostomy Tube :</p> <ol style="list-style-type: none"> <li>1. Should be made of Silicon material</li> <li>2. Should have a dy lubricant coating which minimizes the secretion adherence to the inner diameter of the tube shaft.</li> <li>3. Should be able to withstand repeated sanitization upto 10 times.</li> <li>4. Should have an integral 15mm connector.</li> <li>5. Should have a clip retained obturator with tapered distal and exchange wire channel.</li> <li>6. Should have a soft flexible flange with securing holes for tapes or devices.</li> <li>7. Should have a low pressure, inflatable, air filled silicone cuff</li> <li>8. Should have a pilot balloon with a one-way valve.</li> <li>9. Should be radio opaque.</li> <li>10. Should be MRI compatible.</li> <li>11. Should be steam autoclavable.</li> <li>12. Should be inner cannula compatible</li> <li>13. Sizes : 5,6,7,8 &amp; 9 mm.</li> </ol>	Each	7424.00	E106	SMITHS MEDICAL INDIA PVT LTD
91	AN 9(b)	<p>Silicon Tight-to-Shaft Tracheostomy Tube :</p> <ol style="list-style-type: none"> <li>1. Should be made of Silicon material.</li> <li>2. Should have a dy lubricant coating which minimizes the secretion adherence to the inner diameter of the tube shaft.</li> <li>3. Should be able to withstand repeated sanitization upto 10 times.</li> <li>4. Should have an integral 15mm connector.</li> <li>5. Should have a clip retained obturator with tapered distal tip and exchange wire channel.</li> <li>6. Should have a soft flexible flange with securing holes for tapes or devices.</li> <li>7. Should have a silicon cuff that fits flat against the shaft when deflated</li> <li>8. Should have a clear infaltion balloon with one way valve.</li> <li>9. Should be radio opaque.</li> <li>10. Should be MRI compatible.</li> <li>11. Should be steam autoclavable.</li> <li>12. Should be inner cannula compatible</li> <li>13. Sizes : 5,6,7,8 &amp; 9 mm.</li> </ol>	Each	9705.00	E106	SMITHS MEDICAL INDIA PVT LTD
92	AN 74(b)	<p>Single Use Bougie :</p> <ol style="list-style-type: none"> <li>1. Single Use Bougie in a colour different from reusable introducer.</li> <li>2. Atraumatic coude tip to reduce risk of trauma.</li> <li>3. Clear graduated markings to identify landmarks easily.</li> </ol>	each	600.00	E106	SMITHS MEDICAL INDIA PVT LTD

*Handwritten signature/initials*  
16.8.16



		Size : 15Fr, 70 cm				
93	AN 14(c)	Uncuffed fenestrated Tracheostomy Tube Kit : 1. Should have uncuffed tracheostomy tube kit. 2. Should have 2 fenestrated inner cannulae that has a pull ring that aids which aids in smooth insertion and removal from tube, minimizing patient trauma. 3. Should have a cleaning brush to clean the tracheostomy tube and inner cannula. 4. Should have a tracheostomy tube holder.	each	2263.00	E106	SMITHS MEDICAL INDIA PVT LTD
94	AN 61(b)	Vibratory Positive Expiratory Pressure system : 1. Functional in any position; trendelenburg, standing or sitting. 2. Delivers airflow vibrations to the patient from 5-30 Hz 3. Delivers positive expiratory pressure to the patient in the range of 10-20 cm H2O. 4. Expiratory resistance/frequency dial to allow therapy to be adjusted to patient's mouth 5. One-way inspiratory valve allow inhalation without removal from patient's mouth. 6. Distal 22mm OD fitting allows nebulizer connection via tee adapter.	each	1935.00	E106	SMITHS MEDICAL INDIA PVT LTD
95	THS 151	BLOOD GAS ANALYSER/BED SIDE BLOOD GAS-ANALYSER/ACID BASE LAB SPECIFICATION:- PORTABLE CLINICAL ANALYSER WITH RECORDER, PRINTER AND DIFFERENT CARTRIDGE FOR ESTIMATING BLOOD GAS, ELECTROLYTE3S, HAEMATOCRIT, HEMOGLOBIN, BLOOD GLUCOSE, LACTATE, CREATININE. ALL BLOOD GAS ELECTROLYTE, GLUCOSE, LACTATE, CREATININE SHOULD PREFERABLY BE PERFORMAED ON SINGLE USE TEST CARD/CASSETTE. THE PRICE OF THE CARD/CARDS TO BE QUOTED INCORPRATING ALL THE PARAMETERS MENTIONED ABOVE. THE LOWEST COST INCORPORATING ALL THE ABOVE PARAMETER PER TEST WILL BE PREFERRED.	Each	244900.00	E081	SOWAR PRIVATE LIMITED
96	THS 156(h)	Porcine Bioprosthetic Heart Valve • Both Aortic & Mitral Position . • Aortic Position – Sizes 19 to 29 mm, • Mitral Position – sizes 25 to 33 mm. • It should be US FDA / CE approved . • It should have anti-calcification treatment. • It should have outflow edge covered with Pericardial shield .	Each	75000.00	E115	St. Jude Medical India Pvt. Ltd.
97	THS 178(w)	Guiding Catheter 6Fr, 7Fr - 3DRC for drug eluting stent	Each	3060.00	E119	TRANSLUMINA THERAPEUTICS LLP
98	THS 238(g)	Sirolimus coated drug eluting Stent, CE marked, Stainless steel base	Each	66306.00	E119	TRANSLUMINA THERAPEUTICS LLP

*Handwritten signature and date: 17.8.15*



99	THS 178(n)	Sirolimus coated drug eluting Stent, with bio-degradable polymer, CE approved, Stainless steel base	Each	38764.00	E119	TRANSLUMINA THERAPEUTICS LLP
----	------------	---	------	----------	------	------------------------------

The approved bidders are requested to execute 'Agreement' & submit the same along with requisite amount of 'Performance Bank Guarantee', as laid in clause no. (24, 25) & 26 respectively of the Terms & Conditions of the tender to the office of the DDHS (E&S), WB, Central Medical Stores, Kolkata-14, within 10 (Ten) days from the date of issue of the Notice.

The Bidders may also be requested to intimate about the tax composition of the item(s) & Distributors Status in case of the Bidders, located outside the state and proposed to supply through authorized distributor. If orders & payments are to be raised in favour of the Authorized Distributors, Distributors Summary along with all relevant papers & Documents of the distributors as laid in clause no. 10 of the Terms & Conditions are to be submitted. You are request to take necessary action so that your distributor submits the above mention distributor summary alone with relevant papers & documents, Agreement and requisite Amount of Performance Bank Guarantee to the office of the DDHS (E&S), WB, Central Medical Stores, Kolkata-14, within 10 (Ten) days from the date of issue of the Notice.

Agreement Pro-forma of Vendor & Distributor and Pro-forma for Performance Bank Guarantee may be downloaded from the departmental web site: "[www.wbhealth.gov.in](http://www.wbhealth.gov.in)"

*Wade*  
16.08.16  
Deputy Director of Health Services (E&S)  
West Bengal

*[Signature]*  
16.8.16