

Government of West Bengal
Office of the Deputy Director of Health Services (E&S), WB
Central Medical Stores
141, A J C Bose Road, Kolkata – 700 014
Phone No (033) 2265 4418/4417/4419
E mail : ddhs_cms@wbhealth.gov.in

Memo No.:- HST/1P-442/95/2014/035/1989

Date:-16/08/2016

NOTICE

In pursuance of the Department's Memo No H/TDE/820/55-16/2015 dated 12.08.2016, the following Items are selected in favour of the Bidders, mentioned against each in respect of e-tender for procurement of Surgical / Hospital Items for the year 2016-18 invited by DDHS (E&S), WB, vide NIT No. HST/1P-442/95/2014/035 dated 29-03-2016, read with corrigendum notice, vide, memo no HST/1P-442/95/2014/035/548 dated 15-03-2016 the details of which is given below.


Sl. No.	Cat. No.	Item Name	Accounting Unit	Rate (Rs.)	Vendor Code	Name of the BIDDER
1	NGS 206	Aneurysm Clip Applicator Compatible with above clips-bayoneted and universal Compatible with above clips-bayoneted and universal	Single Unit- 100 such in above set with Technical Support Staff To be Present In OT on day of surgery	120000.00	E101	BBraunMedical India Pvt. Ltd
2	NGS 205	Aneurysm Clips (Straight AND Curved) (Titanium OR Phynox) (Fenestrated AND Nonfenestrated) (Temporary AND Permanent) (Yasargil OR Sugita variants)Straight/Curved/J shaped/T-bar. Material titanium or Phynox. MRI safe tested upto 3 tesla. Sterile prepackaging. Blade length 5mm-25mm various sizes. Closing force 1.4 to 1.9 N. USFDA/EC approved manufacturer.	Single Unit- 50 each in sets, with Technical Support Staff To be Present In OT on day of surgery	15000.00	E101	BBraunMedical India Pvt. Ltd
3	NGS 201	Gardner Wells Skull Traction Frame With Spring Loaded Stylet Stainless Steel autoclavable traction frame	Single Unit	45318.00	E101	BBraunMedical India Pvt. Ltd
4	NGS 190	Gigli Wire Saw Single strand Olivecrona type low profile high tensile steel prepackaged	Single Unit	1400.00	E101	BBraunMedical India Pvt. Ltd
5	NGS 212	Raney Clips (Plastic, autoclavable) With Applicator	Single Unit	105.00	E101	BBraunMedical India Pvt. Ltd
6	THS 286	AICD DUAL CHAMBER FDA/CE APPROVED ICD WITH ALL LEADS and ACCESSORIES Dual chamber Must have shock reduction technology All basic programmable parameters with preferably autosensing and auto capture/output management facilities. Must monitor the lead integrity and notify	Single Unit	350400.00	E107	Boston Scientific India Pvt. Ltd



		<p>in case of a suspected failure RV lead must be 9F or less Must have all SVT discrimination in VF zone. Must have morphological based SVT discrimination. Must have remote patient management capability Lead should be steroid eluting Should have both active and passive fixation leads Standard International Warranty</p>				
7	THS 287	<p>AICD SINGLE CHAMBER MRI COMPATIBLE FDA/CE APPROVED ICD WITH ALL LEADS and ACCESSORIES Single chamber All basic programmable parameters with preferably autosensing and auto capture/output management facilities. Must have full body MRI scan compatibility at 1.5 Tesla. RV lead must be 9F or less Must have all SVT discrimination in VF zone. Must have morphological based SVT discrimination. Must monitor the lead integrity and notify in case of a suspected failure Must have Shock Reduction technology/ Must have remote patient management capability. Lead should be steroid eluting Standard International Warranty</p>	Single Unit	251200.00	E107	Boston Scientific India Pvt. Ltd
8	THS 289	<p>CARDIAC RESYNCHRONIZATION WITH DEFIBRILATION THERAPY – CRT-D BIVENTRICULAR PACEMAKER + ICD WITH ALL LEADS AND ACCESSORIES FDA/CE APPROVED BIVENTRICULAR PACEMAKER + ICD (COMBO DEVICE) WITH ATRIAL, RV, CORONARY SINUS (LV)LEADS AND ALL ACCESSORIES RQUIRED DURING IMPANTATION Must have separate programmable RV, LV lead amplitude, pulse width and VV delay. The leads should be steroid eluting and should be both bipolar and unipolar configuration RV lead must be 9F or less in sizeand DF-4 compatible. The size of RA & LV leads should be 7F or less</p>	Single Unit	450900.00	E107	Boston Scientific India Pvt. Ltd

Handwritten signature and date:
16.8.16

		<p>Should have both active and passive fixation RA & RV endocardial leads Must have RV, RA and LV capture management. Monitor the integrity of lead and switch polarity in case of issue. Must have SVT discrimination in VF zone. All basic programmable parameters with Shock Reduction Technology comprising of T-Wave, RV-Noise discrimination features. Must have atrial tachycardia management algorithm Must have remote patient management capability. Must monitor the lead integrity and notify in case of a suspected failure Standard International Warranty</p>				
9	SES 130	6-0 Polyglactin 910 absorbable synthetic Suture	Single Unit	230.00	E104	Covidien Healthcare India Pvt. Ltd.
10	GS 330	<p>Circular Stapler for End to End Anastomosis With different staple height. Size : 25/28/29/31/33 mm various type of tissue thickness starting from 1.00 mm to 2.5mm. Open staple leg length should be approx 3.0 to 5.5 mm. Non slip gripping surface. Assorted Sizes.</p>	Each	9737.00	E104	Covidien Healthcare India Pvt. Ltd.
11	GS 343	<p>Endoscopic Universal Cutter cum Stapler, Size : 30 mm Powered Endocutter with dual safety system that includes a manual over ride system, can accomodate all sizes of cartridges. Articulating , Shaft length -4.4 to 6 cm Firing stroke indicator and must have interchangeable 6 rows of staple.</p>	Each	14606.00	E104	Covidien Healthcare India Pvt. Ltd.
12	GS 337	<p>Endoscopic Universal Cutter cum Stapler, Size : 60 mm Powered Endocutter with dual safety system that includes a manual over ride system, can accomodate all sizes of cartridges. Articulating , Shaft length -4.4 to 6 cm. Firing stroke indicator and must have interchangeable 6 rows of staple.</p>	Each	14606.00	E104	Covidien Healthcare India Pvt. Ltd.
13	GS 331	<p>Gastro Intestinal Cutter cum Stapler, Size : 55 to 60 mm Should have 4 rows of staple Selectable closed staple height of 0.75,1,1.5,1.8 & 2.00 mm Integrated new knife blade in every cartridge Two side</p>	Each	6694.00	E104	Covidien Healthcare India Pvt. Ltd.



		firing for easy handling.				
14	GS 328	Gastro Intestinal Cutter cum Stapler, Size : 75 to 80 mm Should have 4 rows of staple Selectable closed staple height of 0.75,1,1.5,1.8 & 2.00 mm Integrated new knife blade in every cartridge Two side firing for easy handling	Each	7303.00	E104	Covidien Healthcare India Pvt. Ltd.
15	GS 336	Hemorrhoid Stapler - 33mm diameter with adjustable staple height. Should have Fixed anvil.	Each	12793.00	E104	Covidien Healthcare India Pvt. Ltd.
16	GS 344	Reloads for Endoscopic Universal Cutter 30 mm Blue with Closed Staple height of at least 1.50mm.	Each	6266.00	E104	Covidien Healthcare India Pvt. Ltd.
17	GS 348	Reloads for Endoscopic Universal Cutter 30 mm White with Closed Staple height of at least 1.50mm.	Box of 12 pcs.	3347.00	E104	Covidien Healthcare India Pvt. Ltd.
18	NGS 199	Skin stapler 35W Sterile disposable prepackaged	Single Unit	257.00	E104	Covidien Healthcare India Pvt. Ltd.
19	NGS 222	Skin Stapler and Staples of Various Sizes disposable stapler, preloaded, sterilized prepackaging, 34W, 35W, 36W	Single Unit	257.00	E104	Covidien Healthcare India Pvt. Ltd.
20	NGS 200	Staple Remover For Skin stapler	Single Unit	243.00	E104	Covidien Healthcare India Pvt. Ltd.
21	GS 333	Universal Stapler 30 to 45 mm Controlled tissue compression with appropriate staple height. Can accommodate tissues between 1.00mm to 2.5mm. Locking trigger in handle & tissue retaining pin with Heavy wire option.	Each	9737.00	E104	Covidien Healthcare India Pvt. Ltd.
22	NGS 219	Anterior Cervical Plating System	Single Unit	22000.00	E108	CURE SURGICALS
23	NGS 217	Artificial Discs Titanium with flange, low profile USFDA/EC approved manufacturer	Single Unit	95000.00	E108	CURE SURGICALS
24	NGS 215	C1 C2 Transpedicular Screws Polyaxial self tapping screws capable of 45 degree angulation, titanium, compatible with 3.2 to 3.5mm rods. Sizes: diameter 3.5 to 4.5mm, length 24mm to 52mm. USFDA/EC approved manufacturer.	Single Unit	7500.00	E108	CURE SURGICALS
25	NGS 214	Lateral Mass Screws (of various sizes) Polyaxial self tapping screws capable of 45 degree angulation, titanium, compatible with 3.2 to 3.5mm rods. Sizes: diameter 3.5 to 4.5mm, length 24mm to 52mm. USFDA/EC approved manufacturer.	Single Unit	7500.00	E108	CURE SURGICALS
26	NGS 213	Occipito Cervical Fusion Set Polyaxial self tapping screws capable of 45 degree angulation, titanium, compatible with 3.2	Single Unit	20000.00	E108	CURE SURGICALS


16.8.16

		to 3.5mm rods. Sizes: diameter 3.5 to 4.5mm, length 24mm to 52mm. USFDA/EC approved manufacturer. Plate: keel plate, low profile, compatible				
27	NGS 223	Peek Cage for Thoracolumbar surgery	Single Unit	18000.00	E108	CURE SURGICALS
28	NGS 226	POSTERIOR THORACO-LUMBER SPINAL FIXATION INSTRUMENTATION SYSTEM	Single Unit	57000.00	E108	CURE SURGICALS
29	NGS 216	Rods (Various Sizes) Titanium rods: diameter 3.0 to 6.5mm	Single Unit	5500.00	E108	CURE SURGICALS
30	NGS 224	Transpedicular Titanium Screws For Dorso-Lumber Fixation (Monoaxial/Polyaxial)	Single Unit	6000.00	E108	CURE SURGICALS
31	NGS 187	Disposable Drape for Craniotomy Prepackaged sterile	Single Unit	1473.00	E109	HALYARD HEALTH INDIA (P) LTD.
32	NGS 188	Disposable Drape for Spinal Surgery Prepackaged sterile	Single Unit	1072.00	E109	HALYARD HEALTH INDIA (P) LTD.
33	MISC 60	Disposable Leggings Sterile disposable prepackaged	Single Unit	335.00	E109	HALYARD HEALTH INDIA (P) LTD.
34	MISC 57	Disposable Plastic Cover for C-Arm Image Intensifier Prepackaged sterile	Single Unit	402.00	E109	HALYARD HEALTH INDIA (P) LTD.
35	MISC 59	Disposable Sterile Full Gown With Eye Protection Sterile disposable prepackaged	Single Unit	323.00	E109	HALYARD HEALTH INDIA (P) LTD.
36	MISC 62	N 95 RESPIRATOR WITHOUT REBREATHING VALVE NIOSH CERTIFIED	Single Unit	41.00	E109	HALYARD HEALTH INDIA (P) LTD.
37	MISC 63	PPE KIT, consists of Gown- 1pc, Shoe Cover – 1 Pair, Face Mask – 1 pc, Gloves(all sizes) – 1 Pair, Disposable Protective eye wear – 1 Pc.	Single Unit	814.00	E109	HALYARD HEALTH INDIA (P) LTD.
38	THS 285	AICD SINGLE CHAMBER FDA/CE APPROVED ICD WITH ALL LEADS and ACCESSORIES Single chamber All basic programmable parameters with preferably autosensing and auto capture/output management facilities. RV lead must be 9F or less Must have all SVT discrimination in VF zone. Must have morphological based SVT discrimination. Must monitor the lead integrity and notify in case of a suspected failure Must have Shock Reduction technology/ Must have remote patient management	Single Unit	178500.00	E033	India Medtronic Pvt Ltd

Handwritten signature and date:
16.8.16

		<p>capability.</p> <p>Lead should be steroid eluting</p> <p>Should have both active and passive fixation leads</p> <p>Standard International Warranty</p>				
39	THS 288	<p>CARDIAC RESYNCHRONISATION THERAPY (CRT-P) BIVENTRICULAR PACEMAKER</p> <p>FDA/CE APPROVED, BIVENTRICULAR PACEMAKER WITH ATRIAL, RV, CORONARY SINUS (LV) LEADS AND ALL ACCESSORIES REQUIRED DURING IMPLANTATION</p> <p>Must have separate programmable RV, LV lead amplitude, pulse width and VV delay. The size of RA, RV & LV leads should be 7F or less</p> <p>The leads should be steroid eluting and should be bipolar and unipolar configuration</p> <p>Should have both active and passive fixation RA & RV endocardial leads</p> <p>Monitor the integrity of lead and switch polarity in case of issue</p> <p>Must have RA, RV and LV Capture Management.</p> <p>Must have remote patient management capability.</p> <p>Standard International Warranty</p>	Single Unit	184800.00	E033	India Medtronic Pvt Ltd
40	THS 282	<p>DUAL CHAMBER DDD PACEMAKER</p> <p>FDA/CE APPROVED PERMANENT PACEMAKERS WITH ALL LEADS AND ACCESSORIES DDD</p> <p>All pacing modes and basic pacing programmable parameters including hysteresis with preferably autosensing and auto-capture/output management facilities.</p> <p>Monitor the integrity of lead and switch polarity in case of issue</p> <p>Must have Ventricular and Atrial Capture Management.</p> <p>Must minimize ventricular pacing by optimizing AV delay automatically.</p> <p>The Size of lead should be 7F or less.</p> <p>The Lead must be steroid eluting and should be both bipolar and unipolar configuration</p> <p>Must have both active and passive fixation endocardial leads available</p> <p>Standard International Warranty on implantable Pulse Generator</p>	Single Unit	64200.00	E033	India Medtronic Pvt Ltd

[Signature]
16.8.16

	THS 283	<p>DUAL CHAMBER DDDR PACEMAKER FDA/CE APPROVED PERMANENT PACEMAKERS WITH ALL LEADS AND ACCESSORIES DDDR</p> <p>All pacing modes and basic multi-programmable parameters including hysteresis with preferably autosensing and auto-capture/output management facilities.</p> <p>Monitor the integrity of lead and switch polarity in case of issue.</p> <p>Must minimize ventricular pacing by optimizing AV delay.</p> <p>Must have Ventricular and Atrial Capture Management.</p> <p>The Size of lead must be 7F or less</p> <p>The Lead must be steroid eluting and should be both bipolar and unipolar configuration</p> <p>Must have both active and passive fixation endocardial leads available</p> <p>Standard International Warranty on implantable Pulse Generator</p>	Single Unit	67800.00	E033	India Medtronic Pvt Ltd
42	THS 284	<p>FDA/CE APPROVED MRI CONDITIONAL PERMANENT PACEMAKERS WITH ALL LEADS AND ACCESSORIES DDDR MRI</p> <p>All pacing modes and basic multi-programmable parameters including hysteresis with preferably autosensing and auto-capture/output management facilities.</p> <p>Must have full body MRI scan compatibility with all lead combinations at 1.5 Tesla.</p> <p>Size of lead must be 8F or less</p> <p>Monitor the integrity of lead and switch polarity in case of issue</p> <p>Must minimize ventricular pacing by optimizing AV delay.</p> <p>Must have Ventricular and Atrial Capture Management.</p> <p>Must have AF prevention/suppression algorithm.</p> <p>The Lead must be steroid eluting and should be both bipolar and unipolar configuration</p> <p>Must have both active and passive fixation endocardial leads available</p> <p>Standard International Warranty on implantable Pulse Generator</p>	Single Unit	129810.00	E033	India Medtronic Pvt Ltd

Handwritten signature and date:
16.8.16

43	NGS 184	Lumboperitoneal Shunt Silicone prepackaged sterile	Single Unit	8800.00	E033	India Medtronic Pvt Ltd
44	THS 280	SINGLE CHAMBER VVI PACEMAKER FDA/CE APPROVED PERMANENT PACEMAKERS WITH all LEADS AND ACCESSORIES VVI All single Chamber modes and basic multi-programmable parameters with preferably autosensing and auto-capture/output management facilities. Must have Ventricular Capture Management. Monitor the integrity of lead and switch polarity in case of issue The Size of lead should be 7F or less. The Lead must be steroid eluting and should be both bipolar and unipolar configuration Must have both active and passive fixation endocardial leads available Standard International Warranty on implantable Pulse Generator	Single Unit	40980.00	E033	India Medtronic Pvt Ltd
45	THS 281	SINGLE CHAMBER VVIR PACEMAKER FDA/CE APPROVED PERMANENT PACEMAKERS WITH ALL LEADS AND ACCESSORIES VVIR All single Chamber modes and basic multi-programmable parameters with preferably autosensing and auto-capture/output management facilities. Monitor the integrity of lead and switch polarity in case of issue. Must have rate response which allows rate profile optimization. Must have Ventricular Capture Management. The Size of lead should be 7F or less The Lead must be steroid eluting and should be both bipolar and unipolar configuration Must have both active and passive fixation endocardial leads available Standard International Warranty on implantable Pulse Generator	Single Unit	41970.00	E033	India Medtronic Pvt Ltd
46	NGS 182	Ventriculoperitoneal Shunt Medium Pressure Silicone slit spring valve system single chamber. Sterile prepackaged.	Single Unit	9866.00	E033	India Medtronic Pvt Ltd
47	SES 126	Crescent knife (properly sterilized)	Single Unit	24.00	E110	INDO WEBAL SURGICAL PVT. LTD.

Handwritten signature
16-8-16

	SES 128	Keratome knife(properly sterilized)	Single Unit	24.00	E110	INDO WEBAL SURGICAL PVT. LTD.
49	SES 127	Side port knife(properly sterilized)	Single Unit	24.00	E110	INDO WEBAL SURGICAL PVT. LTD.
50	NGS 243	Balloon catheter for coil delivery (4F, 5F) Dual lumen balloon with capability to deliver the coils through the main lumen. USFDA/EC approved	Single Unit	58000.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
51	NGS 218	Cage Plates Screws for Cervical Fixations	Single Unit	29835.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
52	NGS 225	Connector rods Specs of above 2 items and instruments required detailed below	Single Unit	6025.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
53	NGS 248	Control cable Detacher (Electrical/Hydraulic) Thermoelectric detachment cable for detaching coils. Hydraulic detachment cable for detaching coils USFDA/EC approved	Single Unit	7000.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
54	NGS 247	Cranial Stent Device with delivery System and retrieval system Close cell design Intracranial Stent delivered through 0.021" Microcatheter & for one diameter fits Arteries 2mm-4mm. Stent Retriever System with closed distal end basket USFDA/EC approved	Single Unit	133333.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
55	NGS 246	Extrawide Spherical Microcoil for Aneurysm Platinum Frame Spherical Coils for Medium to wide neck aneurysms, 10 & 18 system coils 2mm to 18mm Extrawide USFDA/EC approved	Single Unit	26732.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
56	NGS 220	G-Bone	Single Unit	7012.50	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
57	NGS 233	Guiding Catheter (4F, 5F, 6F{H1}, SIM-1, SIM-3, PICARD, VERT, HINK HEAD HUNTER) • USFDA/EC approved • Guiding Catherer 5 & 6F ,length 90 cm & 100 cm with tip shape: H1,MPC,SIM 1 • Guiding Catherer 7F ,length 90 cm & 100 cm with tip shape: H1,MPC,SIM 1 • Distal access Guiding catheter with inner ID 0.071" with distal soft tip.	Single Unit	7500.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED

Handwritten signature and date: 16.8.16

58	GS 354	Hemorrhoid Stapler 33mm diameter with adjustable staple height. Should have detachable anvil.	Each	12440.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
59	NGS 236	Long Guidewire Platinum microguidewire 10, 14 and 16. USFDA/EC approved	Single Unit	11313.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
60	NGS 242	Microcatheter: Microcatheter constructed with Nylon and available in 10 and 14 system coils. USFDA/EC approved	Single Unit	21500.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
61	NGS 210	Miniplates for Bone Flap Fixation Titanium, 2.5mm width + length various sizes, compatible with 15-25mm screws	Single Unit	2467.50	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
62	NGS 227	Miss (Minimally Invasive Spinal Set Kit)	Single Unit	19462.50	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
63	NGS 235	Steerable Micro Guidewire Platinum Micro Wire 14 in Soft, Standard and XL. USFDA/EC approved	Single Unit	11313.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
64	NGS 209	Titanium Mesh For Cranioplasty (Different Sizes) Mouldable titanium perforated sheet, low profile, USFDA/EC approved manufacturer)	Single Unit	29825.00	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
65	NGS 211	Titanium Screws for Cranioplasty Mesh and Bone Flap Fixation 15mm/20mm/25mm size, self tapping	Single Unit	931.25	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
66	NGS 229	Vertebroplasty/ Ballon Kyphoplasty Kit	Single Unit	11812.50	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
67	NGS 230	Vp Shunt (Programmable/ Antibiotic Impregnated)	Single Unit	44204.55	E111	JOHNSON AND JOHNSON PRIVATE LIMITED
68	NGS 239	3 Way stopcock PVC /silicone/other hypoallergenic material: Universal Luer Mount connector hubs	Single Unit	5.25	E086	LA-MED HEALTHCARE PRIVATE LIMITED
69	NGS 194	Mini-Vacuum Drain kit with soft Catheter PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Single Unit	94.93	E086	LA-MED HEALTHCARE PRIVATE LIMITED


Handwritten signature and date:
16.8.16

2	NGS 191	Vacuum Drain kit Bellows Type Closed 12Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Single Unit	109.23	E086	LA-MED HEALTHCARE PRIVATE LIMITED
71	NGS 192	Vacuum Drain kit Bellows Type Closed 14Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Single Unit	121.36	E086	LA-MED HEALTHCARE PRIVATE LIMITED
72	NGS 193	Vacuum Drain kit Bellows Type Closed 16Fr PVC hypoallergenic puncture resistant soft tubing with multiple side holes.	Single Unit	121.36	E086	LA-MED HEALTHCARE PRIVATE LIMITED
73	NGS 195	Yankauer Type PVC Suction Cannula and Tube Surgical suction cannula with tubing: noncollapsible at high suction pressures upto 100mmHg	Single Unit	61.31	E086	LA-MED HEALTHCARE PRIVATE LIMITED
74	NGS 196	Polyglactin 910 Suture Reverse Cutting 70 cm, 1-0 Sterile disposable prepackaged	Single Unit	113.76	E036	SUTURES INDIA PRIVATE LIMITED
75	NGS 197	Polyglactin 910 Suture Reverse Cutting 70 cm, 2-0 Sterile disposable prepackaged	Single Unit	113.76	E036	SUTURES INDIA PRIVATE LIMITED
76	NGS 198	Polyglactin 910 Suture Reverse Cutting 70 cm, 3-0 Sterile disposable prepackaged	Single Unit	66.59	E036	SUTURES INDIA PRIVATE LIMITED
77	NGS 207	Umbilical Tape Sterile prepackaged hypoallergenic nonwoven material USFDA/EC approved manufacturer	Single Unit	25.39	E036	SUTURES INDIA PRIVATE LIMITED

The approved bidders are requested to execute 'Agreement' & submit the same along with requisite amount of 'Performance Bank Guarantee', as laid in clause no. (24, 25) & 26 respectively of the Terms & Conditions of the tender to the office of the DDHS (E&S), WB, Central Medical Stores, Kolkata-14, within 10 (Ten) days from the date of issue of the Notice.

The Bidders may also be requested to intimate about the tax composition of the item(s) & Distributors Status in case of the Bidders, located outside the state and proposed to supply through authorized distributor. If orders & payments are to be raised in favour of the Authorized Distributors, Distributors Summary along with all relevant papers & Documents of the distributors as laid in clause no. 10 of the Terms & Conditions are to be submitted. You are request to take necessary action so that your distributor submits the above mention distributor summary alone with relevant papers & documents, Agreement and requisite Amount of Performance Bank Guarantee to the office of the DDHS (E&S), WB, Central Medical Stores, Kolkata-14, within 10 (Ten) days from the date of issue of the Notice.

Agreement Pro-forma of Vendor & Distributor and Pro-forma for Performance Bank Guarantee may be downloaded from the departmental web site: "www.wbhealth.gov.in"


 16.08.16
 Deputy Director of Health Services (E&S)
 West Bengal


 16.8.16