

Government of West Bengal
Office of the Deputy Director of Health Services (E&S), WB
Central Medical Stores
141, A J C Bose Road, Kolkata – 700 014
Phone No (033) 2265 4418/4417/4419
E mail : ddhs_cms@wbhealth.gov.in

Memo No.:- HST/1P-442/95/2014/035/1989

Date:-16/08/2016

NOTICE

In pursuance of the Department's Memo No H/TDE/820/55-16/2015 dated 12.08.2016, the following Items are selected in favour of the Bidders, mentioned against each in respect of e-tender for procurement of Surgical / Hospital Items for the year 2016-18 invited by DDHS (E&S), WB, vide NIT No. HST/1P-442/95/2014/035 dated 29-03-2016, read with corrigendum notice, vide, memo no HST/1P-442/95/2014/035/548 dated 15-03-2016 the details of which is given below.

Sl. No.	Cat. No.	Item Name	Accounting Unit	Rate (Rs.)	Vendor Code	Name of the BIDDER
1	NGS 206	Aneurysm Clip Applicator Compatible with above clips-bayoneted and universal Compatible with above clips-bayoneted and universal	Single Unit- 100 such in above set with Technical Support Staff To be Present In OT on day of surgery	120000.00	E101	BBraunMedical India Pvt. Ltd
2	NGS 205	Aneurysm Clips (Straight AND Curved) (Titanium OR Phynox) (Fenestrated AND Nonfenestrated) (Temporary AND Permanent) (Yasargil OR Sugita variants)Straight/Curved/J shaped/T-bar. Material titanium or Phynox. MRI safe tested upto 3 tesla. Sterile prepackaging. Blade length 5mm-25mm various sizes. Closing force 1.4 to 1.9 N. USFDA/EC approved manufacturer.	Single Unit- 50 each in sets, with Technical Support Staff To be Present In OT on day of surgery	15000.00	E101	BBraunMedical India Pvt. Ltd
3	NGS 201	Gardner Wells Skull Traction Frame With Spring Loaded Stylet Stainless Steel autoclavable traction frame	Single Unit	45318.00	E101	BBraunMedical India Pvt. Ltd
4	NGS 190	Gigli Wire Saw Single strand Olivecrona type low profile high tensile steel prepackaged	Single Unit	1400.00	E101	BBraunMedical India Pvt. Ltd
5	NGS 212	Raney Clips (Plastic, autoclavable) With Applicator	Single Unit	105.00	E101	BBraunMedical India Pvt. Ltd
6	THS 286	AICD DUAL CHAMBER FDA/CE APPROVED ICD WITH ALL LEADS and ACCESSORIES Dual chamber Must have shock reduction technology All basic programmable parameters with preferably autosensing and auto capture/output management facilities. Must monitor the lead integrity and notify	Single Unit	350400.00	E107	Boston Scientific India Pvt. Ltd



		<p>in case of a suspected failure RV lead must be 9F or less Must have all SVT discrimination in VF zone. Must have morphological based SVT discrimination. Must have remote patient management capability Lead should be steroid eluting Should have both active and passive fixation leads Standard International Warranty</p>				
7	THS 287	<p>AICD SINGLE CHAMBER MRI COMPATIBLE FDA/CE APPROVED ICD WITH ALL LEADS and ACCESSORIES Single chamber All basic programmable parameters with preferably autosensing and auto capture/output management facilities. Must have full body MRI scan compatibility at 1.5 Tesla. RV lead must be 9F or less Must have all SVT discrimination in VF zone. Must have morphological based SVT discrimination. Must monitor the lead integrity and notify in case of a suspected failure Must have Shock Reduction technology/ Must have remote patient management capability. Lead should be steroid eluting Standard International Warranty</p>	Single Unit	251200.00	E107	Boston Scientific India Pvt. Ltd
8	THS 289	<p>CARDIAC RESYNCHRONIZATION WITH DEFIBRILATION THERAPY – CRT-D BIVENTRICULAR PACEMAKER + ICD WITH ALL LEADS AND ACCESSORIES FDA/CE APPROVED BIVENTRICULAR PACEMAKER + ICD (COMBO DEVICE) WITH ATRIAL, RV, CORONARY SINUS (LV)LEADS AND ALL ACCESSORIES RQUIRED DURING IMPANTATION Must have separate programmable RV, LV lead amplitude, pulse width and VV delay. The leads should be steroid eluting and should be both bipolar and unipolar configuration RV lead must be 9F or less in size and DF-4 compatible. The size of RA & LV leads should be 7F or less</p>	Single Unit	450900.00	E107	Boston Scientific India Pvt. Ltd

Handwritten signature and date:
16.8.16

		<p>Should have both active and passive fixation RA & RV endocardial leads Must have RV, RA and LV capture management. Monitor the integrity of lead and switch polarity in case of issue. Must have SVT discrimination in VF zone. All basic programmable parameters with Shock Reduction Technology comprising of T-Wave, RV-Noise discrimination features. Must have atrial tachycardia management algorithm Must have remote patient management capability. Must monitor the lead integrity and notify in case of a suspected failure Standard International Warranty</p>				
9	SES 130	6-0 Polyglactin 910 absorbable synthetic Suture	Single Unit	230.00	E104	Covidien Healthcare India Pvt. Ltd.
10	GS 330	<p>Circular Stapler for End to End Anastomosis With different staple height. Size : 25/28/29/31/33 mm various type of tissue thickness starting from 1.00 mm to 2.5mm. Open staple leg length should be approx 3.0 to 5.5 mm. Non slip gripping surface. Assorted Sizes.</p>	Each	9737.00	E104	Covidien Healthcare India Pvt. Ltd.
11	GS 343	<p>Endoscopic Universal Cutter cum Stapler, Size : 30 mm Powered Endocutter with dual safety system that includes a manual over ride system, can accomodate all sizes of cartridges. Articulating , Shaft length -4.4 to 6 cm Firing stroke indicator and must have interchangeable 6 rows of staple.</p>	Each	14606.00	E104	Covidien Healthcare India Pvt. Ltd.
12	GS 337	<p>Endoscopic Universal Cutter cum Stapler, Size : 60 mm Powered Endocutter with dual safety system that includes a manual over ride system, can accomodate all sizes of cartridges. Articulating , Shaft length -4.4 to 6 cm. Firing stroke indicator and must have interchangeable 6 rows of staple.</p>	Each	14606.00	E104	Covidien Healthcare India Pvt. Ltd.
13	GS 331	<p>Gastro Intestinal Cutter cum Stapler, Size : 55 to 60 mm Should have 4 rows of staple Selectable closed staple height of 0.75,1,1.5,1.8 & 2.00 mm Integrated new knife blade in every cartridge Two side</p>	Each	6694.00	E104	Covidien Healthcare India Pvt. Ltd.

 16.8.16

