

Memo No : STM/STORE/C/02/2021-22

Date : 25.11.2021

CORRIGENDUM

In regards to the Memo No. STM/STORE/QUOTE/87/2021-22 Date : 22.11.2021, the item No-2 name for submission of Quotation should be read as "Dengue IgM MICROLISA (96test)" instead of "Dengue IgG MICROLISA (96test)"

All others terms & conditions will remain unchanged.

Rupali Dey 25/11/2021

**Medical Superintendent cum Vice Principal
School of Tropical Medicine, Kolkata**

Prof. Rupali Dey

Medical Superintendent Cum Vice Principal
Calcutta School of Tropical Medicine
Kolkata-700073



CALCUTTA SCHOOL OF TROPICAL MEDICINE

GOVERNMENT OF WEST BENGAL

108 Chittaranjan Avenue, Kolkata - 700073

Phone : 033 2212 3695/96/97 Fax : 033 2212 3698

Website : stmkkolkata.org

Memo No. STM/STORE/ QUOTE/87/2021-22 QUOTATION NOTICE Date : 22.11.2021

Sealed QUOTATIONS are invited from the Reputed Company/Direct Importers/Authorized distributor firms for supply of items as mentioned below at the Microbiology (Virology Unit), **School of Tropical Medicine, Kolkata.**

The QUOTATION is to be submitted in the drop box which will be kept at the office chamber of the undersigned on all working days from **23.11.2021.**

The last date of submission of QUOTATION is **29.11.2021 up to 1 pm** and the same will be opened on the same date at 2 pm in presence of interested bidder, if any. The bidders will submit the

QUOTATION in their own official pad along with the following essential documents :

- Valid Trade License / Enlistment
- PAN card of the Bidder /Bidder company
- GST Registration certificate
- IT Return of the last financial year
- Valid P.Tax Certificate

Physical verification of samples and or physical demonstration may be done at the discretion of the hospital authority by a team of expert to adjudge the applicability or suitability of the product or products in the functional requirement of the patients since the items are life savings and the technical evaluation will be done accordingly in close observation of the product or products, technical brochures along with Test certificate produced and physical sampling thereof.

SI No	Name of Item	Comments
1.	Dengue IgG ELISA Kit (96 test) (J. Mitra & Co. PVT. Ltd)	Shelf Life of the Kits should be 10-12 months
2.	Dengue IgM MICROLISA Kit (96 test) (J. Mitra & Co. PVT. Ltd)	Shelf Life of the Kits should be 10-12 months

Rupali Dey 22/11/2021

School of Tropical Medicine, Kolkata
Medical Superintendent cum Vice Principal

Prof. Rupali Dey
Medical Superintendent Cum Vice Principal
Calcutta School of Tropical Medicine
Kolkata-700073