

**GOVERNMENT OF WEST BENGAL
OFFICE OF THE CHIEF MEDICAL OFFICER OF HEALTH
& SECRETARY DISTRICT HEALTH AND FAMILY WELFARE SAMITI
NANDIGRAM HEALTH DISTRICT, PURBA MEDINIPUR**

Vill+ P.O. + PS.- Nandigram PIN - 721631

PH: 03224-232122, 232207, E-mail: cmohnandigram@gmail.com

Memo No: CMOH(Ndg)/1272

Date: 28/4/22

Quotation Notice for Carbon Monoxide Monitor

Sealed quotations are invited from the reputed, reliable vendor/company/supplier/contractors / agencies having credentials/ experience for supply of the following items and related items including installation as per specifications with the following terms and conditions below :

1. Quotation will be received by dropping in a drop box kept at the office of the CMOH, Nandigram HD, PO+PS- Nandigram, Dist- Purba Medinipur, from 11.00 AM to 4.00 PM on all working days from 28.04.2022 to 12.05.2022. The quotation will be opened on 12.05.2022 at 3 PM at the office chamber of CMOH, Nandigram HD. At the time of opening of quotation, the willing quotationers may remain present . Opening date may be changed due to unforeseen reason if arises.

2. Maximum Limit of total Price including all items: Rs. 70,000/-.

3. Technical Specifications:

a. Description of Function: This equipment measures the CO levels in ppm (parts per million) in breath. It is an instant and non invasive tool to biochemically establish smoking status in an individual while acting as a motivational visual aid for the smokers.

b. Essential Specifications:

- i) It should have colour touch screen display.
- ii) Response time should be <30 seconds to 90% FSD
- iii) Recording and interpreting results should be quick and easy
- iv) It should have automatic calibration to ensure accurate results.
- v) Provision of mouthpieces for low cost infection control
- vi) storage upto 100 readings and personal profiles
- vii) Should be familiar green, amber and red traffic light system for making CO level identifiable to patients
- viii) Should have electrochemical sensor with +_5% repeatability and accuracy.
- viv) Sensor life should be 5 years (2 years warranty)
- vv) Sensor sensitivity should be 1 ppm
- vvi) Weight should be <250 gm
- vii) H2 cross sensitivity <12%

c. Desirable Specifications:

- i) It should be able to provide instant result in exact ppm for %COHB and %FCOHB
- ii) There should be provision for adults , adolescents and pregnant woman testing mode

d. Environmental Factors:

- i) Operation temperature range should be 0-40 degree Celsius
- ii) Storage/Transport temperature 0-50% C
- iii) Operating/storage/transport pressure, Atmospheric +/-10%
- iv) Operating humidity : 15-90% non-condensing
- iv) Storage/transport humidity: 0-95%

4. **Format for financial Bid:**

Sl. No	Name of Item	Qty.	Rate (Rs.)	All Taxes /GST (Rs. and %)	Total Amount (Rs.)
1.	Carbon Monoxide Monitor	1			

- a) I / we have gone through the terms and conditions as stipulated in the quotation enquiry document and confirm to accept and abide by the same.
- b) No other charges would be payable by the Institute.

Signature of the Bidder with seal

5. The quotationers must submit the following along with the quotation of rate- **(i) Trade Licence (Up to date) (ii) PAN card (iii) GST Registration Certificate (iv) Professional Tax Registration Certificate (v) Bank A/C details for ECS payment.** Intending bidders or his authorised representative may remain present at the time of opening the quotation.


6. After due evaluation of the Bid(S), the Authority will award the contract to the lowest evaluated responsive quotation.

7. The work should be completed with 15 (fifteen) days of issuance of the work order.

8. No advance payment will be made.

9. The CMOH authority reserves the right to reject/cancel any quotation without assigning any reasons what so ever.

10. Quotationers along with supporting papers must be dropped in a sealed cover addressing to the CMOH, Nandigram HD and super scribing as "Rate for supplying and installation of Carbon Monoxide Monitor" for the CMOH, Nandigram HD and the quotation notice No. & date" and the name of agency on the envelope.
11. Rate will be quoted item wise in their own letter head pad. Rate mentioned in quotation should be included all taxes including GST, all incidental charges, conveyance allowances, transportation charges, installation charges etc.
12. The quotationer must not be disqualified/ blacklisted from any organisation and the quotationers must submit a declaration in this regard.
13. Supply order will be issued after proper verification of all papers/ documents etc. The undersigned is not bound to issue supply order to the lowest quotationer. Incomplete quotation or any quotation which does not fulfil the conditions as stated above will liable to be rejected or cancelled.
14. Delivery of items should be made within the stipulated time mentioned in the supply order. Any type of delay to supply the item is strictly not permissible and will result in cancellation of the order.
15. Bill will be submitted after successful supply of the items and proper installation of the same. Payment will be made after receipt of fund for this purpose or subject to availability of fund.



Chief Medical Officer of Health
Nandigram Health District
Nandigram, Purba Medinipur

AM
Dated: 28/4/22

Memo no. CMOH(Ndgdm)/1272/1(9)

Copy forwarded for information & necessary action to:

1. The Chief Medical Officer of Health, Purba Medinipur
2. The Dy.CMOH-I/II Nandigram HD
3. The Superintendent, Contai SDH/Nandigram SSh/Digha SGH for wide publication with a request to publish in the Notice board.
4. The BMOH (all) under this Health District for wide publication with a request to publish in the Notice Board.
5. AE, BME, SAE, Nandigram Health District.
6. IT Co-Ordinator, IT Cell, Swasthya Bhavan.
7. The District Information and Cultural Officer, Purba Medinipur
8. District Informatic Officer, NIC, Purba Medinipur with a request to publish in the District website
9. Notice Board of the office


Chief Medical Officer of Health
Nandigram Health District
Nandigram, Purba Medinipur.

AM